

# CIS Microsoft 365 Foundations Benchmark

v2.0.0 - 03-31-2023

# Terms of Use

Please see the below link for our current terms of use:

<https://www.cisecurity.org/cis-securesuite/cis-securesuite-membership-terms-of-use/>

# Table of Contents

<b>Terms of Use .....</b>	<b>1</b>
<b>Table of Contents .....</b>	<b>2</b>
<b>Overview .....</b>	<b>5</b>
Intended Audience.....	5
Consensus Guidance .....	6
Typographical Conventions.....	7
<b>Recommendation Definitions.....</b>	<b>8</b>
Title.....	8
Assessment Status.....	8
Automated .....	8
Manual.....	8
Profile .....	8
Description.....	8
Rationale Statement .....	8
Impact Statement.....	9
Audit Procedure.....	9
Remediation Procedure.....	9
Default Value.....	9
References .....	9
CIS Critical Security Controls® (CIS Controls®).....	9
Additional Information.....	9
Profile Definitions .....	10
Acknowledgements .....	11
<b>Recommendations .....</b>	<b>12</b>
<b>1 Account / Authentication .....</b>	<b>12</b>
<b>1.1 Azure Active Directory .....</b>	<b>12</b>
1.1.1 (L1) Ensure Security Defaults is disabled on Azure Active Directory (Manual) .....	13
1.1.2 (L1) Ensure multifactor authentication is enabled for all users in administrative roles (Automated)...	16
1.1.3 (L1) Ensure Sign-in frequency is enabled and browser sessions are not persistent for Administrative users (Manual) .....	20
1.1.4 (L1) Ensure multifactor authentication is enabled for all users (Manual).....	24
1.1.5 (L1) Ensure Microsoft Authenticator is configured to protect against MFA fatigue (Manual) .....	27
1.1.6 (L2) Ensure 'Phishing-resistant MFA strength' is required for Administrators (Manual) .....	30
1.1.7 (L1) Ensure that between two and four global admins are designated (Automated) .....	34
1.1.8 (L1) Ensure 'Self service password reset enabled' is set to 'All' (Manual).....	37
1.1.9 (L1) Ensure custom banned passwords lists are used (Manual).....	39
1.1.10 (L1) Ensure password protection is enabled for on-prem Active Directory (Manual) .....	42

1.1.11 (L1) Enable Conditional Access policies to block legacy authentication (Automated)	44
1.1.12 (L1) Ensure that password hash sync is enabled for hybrid deployments (Manual)	49
1.1.13 (L2) Enable Azure AD Identity Protection sign-in risk policies (Manual)	52
1.1.14 (L2) Enable Azure AD Identity Protection user risk policies (Manual)	54
1.1.15 (L2) Ensure 'Privileged Identity Management' is used to manage roles (Manual)	57
1.1.16 (L2) Ensure that only organizationally managed/approved public groups exist (Manual)	61
1.1.17 (L2) Ensure that collaboration invitations are sent to allowed domains only (Manual)	64
1.1.18 (L2) Ensure 'LinkedIn account connections' is disabled (Manual)	66
1.1.19 (L2) Ensure the option to remain signed in is hidden (Manual)	68
1.1.20 (L1) Ensure 'Restrict access to the Azure AD administration portal' is set to 'Yes' (Manual)	70
1.1.21 (L1) Ensure 'Microsoft Azure Management' is limited to administrative roles (Manual)	72
1.1.22 (L1) Ensure 'Restrict non-admin users from creating tenants' is set to 'Yes' (Manual)	76
1.2 (L1) Ensure modern authentication for Exchange Online is enabled (Automated)	78
1.3 (L1) Ensure modern authentication for SharePoint applications is required (Automated)	81
1.4 (L1) Ensure the 'Password expiration policy' is set to 'Set passwords to never expire (recommended)' (Automated)	83
1.5 (L1) Ensure Administrative accounts are separate and cloud-only (Manual)	86
1.6 (L1) Ensure two emergency access accounts have been defined (Manual)	89
1.7 (L1) Ensure 'Idle session timeout' is set to '1 hour (or less)' for unmanaged devices (Manual)	93
<b>2 Application Permissions</b>	<b>97</b>
2.1 (L1) Ensure the admin consent workflow is enabled (Automated)	98
2.2 (L2) Ensure third party integrated applications are not allowed (Manual)	100
2.3 (L2) Ensure 'External sharing' of calendars is not available (Automated)	102
2.4 (L2) Ensure Safe Links for Office Applications is Enabled (Automated)	105
2.5 (L2) Ensure Safe Attachments for SharePoint, OneDrive, and Microsoft Teams is Enabled (Automated)	110
2.6 (L2) Ensure Office 365 SharePoint infected files are disallowed for download (Automated)	112
2.7 (L2) Ensure user consent to apps accessing company data on their behalf is not allowed (Automated)	114
2.8 (L2) Ensure users installing Outlook add-ins is not allowed (Automated)	116
2.9 (L1) Ensure 'User owned apps and services' is restricted (Manual)	120
2.10 (L1) Ensure internal phishing protection for Forms is enabled (Manual)	122
2.11 (L1) Ensure that Sways cannot be shared with people outside of your organization (Manual)	124
2.12 (L1) Ensure SharePoint and OneDrive integration with Azure AD B2B is enabled (Manual)	126
<b>3 Data Management</b>	<b>128</b>
3.1 (L2) Ensure the customer lockbox feature is enabled (Automated)	129
3.2 (L2) Ensure SharePoint Online Information Protection policies are set up and used (Manual)	131
3.3 (L2) Ensure 'external access' is restricted in the Teams admin center (Manual)	133
3.4 (L1) Ensure DLP policies are enabled (Automated)	137
3.5 (L1) Ensure DLP policies are enabled for Microsoft Teams (Manual)	139
3.6 (L2) Ensure that SharePoint guest users cannot share items they don't own (Automated)	143
3.7 (L2) Ensure external file sharing in Teams is enabled for only approved cloud storage services (Manual)	145
<b>4 Email Security / Exchange Online</b>	<b>149</b>
4.1 (L1) Ensure the Common Attachment Types Filter is enabled (Automated)	150
4.2 (L1) Ensure Exchange Online Spam Policies are set to notify administrators (Automated)	153
4.3 (L1) Ensure all forms of mail forwarding are blocked and/or disabled (Automated)	156
4.4 (L1) Ensure mail transport rules do not whitelist specific domains (Automated)	160
4.5 (L2) Ensure Safe Attachments policy is enabled (Automated)	162
4.6 (L1) Ensure that an anti-phishing policy has been created (Automated)	164
4.7 (L1) Ensure that DKIM is enabled for all Exchange Online Domains (Automated)	168

4.8 (L1) Ensure that SPF records are published for all Exchange Domains (Manual) .....	172
4.9 (L1) Ensure DMARC Records for all Exchange Online domains are published (Manual) .....	174
4.10 (L1) Ensure notifications for internal users sending malware is Enabled (Automated) .....	176
4.11 (L2) Ensure MailTips are enabled for end users (Automated).....	179
4.12 (L1) Ensure Priority account protection is enabled and configured (Manual) .....	181
4.13 (L1) Ensure Priority accounts have 'Strict protection' presets applied (Manual).....	185
<b>5 Auditing .....</b>	<b>188</b>
<b>5.1 Access Reviews .....</b>	<b>188</b>
5.1.1 (L1) Ensure 'Access reviews' for Guest Users are configured (Manual) .....	189
5.1.2 (L1) Ensure 'Access reviews' for high privileged Azure AD roles are configured (Manual) .....	192
5.2 (L1) Ensure Microsoft 365 audit log search is Enabled (Automated) .....	196
5.3 (L1) Ensure mailbox auditing for all users is Enabled (Automated).....	198
5.4 (L1) Ensure the Azure AD 'Risky sign-ins' report is reviewed at least weekly (Manual) .....	202
5.5 (L1) Ensure the Application Usage report is reviewed at least weekly (Manual).....	204
5.6 (L1) Ensure the self-service password reset activity report is reviewed at least weekly (Manual) .....	205
5.7 (L1) Ensure user role group changes are reviewed at least weekly (Manual).....	207
5.8 (L1) Ensure mail forwarding rules are reviewed at least weekly (Manual) .....	209
5.9 (L1) Ensure all security threats in the Threat protection status report are reviewed at least weekly (Manual).....	211
5.10 (L1) Ensure the Account Provisioning Activity report is reviewed at least weekly (Manual) .....	213
5.11 (L1) Ensure non-global administrator role group assignments are reviewed at least weekly (Manual) .....	215
5.12 (L1) Ensure the spoofed domains report is reviewed weekly (Automated) .....	216
5.13 (L2) Ensure Microsoft Defender for Cloud Apps is enabled and configured (Manual) .....	218
5.14 (L1) Ensure the 'Restricted entities' report is reviewed weekly (Manual) .....	222
5.15 (L1) Ensure Guest Users are reviewed at least biweekly (Manual).....	224
<b>6 Storage .....</b>	<b>226</b>
6.1 (L2) Ensure SharePoint external sharing is managed through domain whitelist/blacklists (Automated) .....	227
6.2 (L2) Block OneDrive for Business sync from unmanaged devices (Automated) .....	229
6.3 (L1) Ensure expiration time for external sharing links is set (Automated) .....	232
6.4 (L2) Ensure 'third-party storage services' are restricted in 'Microsoft 365 on the web' (Automated) ...	235
6.5 (L2) Ensure additional storage providers are restricted in Outlook on the web (Automated) .....	237
<b>Appendix: Summary Table .....</b>	<b>239</b>
<b>Appendix: Change History .....</b>	<b>246</b>

# Overview

All CIS Benchmarks focus on technical configuration settings used to maintain and/or increase the security of the addressed technology, and they should be used in **conjunction** with other essential cyber hygiene tasks like:

- Monitoring the base operating system for vulnerabilities and quickly updating with the latest security patches
- Monitoring applications and libraries for vulnerabilities and quickly updating with the latest security patches

In the end, the CIS Benchmarks are designed as a key **component** of a comprehensive cybersecurity program.

This document, Security Configuration Benchmark for Microsoft 365, provides prescriptive guidance for establishing a secure configuration posture for Microsoft 365 Cloud offerings running on any OS. This guide was tested against Microsoft 365, and includes recommendations for Exchange Online, SharePoint Online, OneDrive for Business, Teams, and Azure Active Directory.

To ensure all PowerShell related cmdlets work in your tenant please download the latest versions of the PowerShell modules. Scripts and commands referenced in this benchmark were tested using the following modules:

- ExchangeOnlineManagement 3.1.0
- Microsoft.Graph 1.23.0
- MicrosoftTeams 5.0.0
- Microsoft.Online.SharePoint.PowerShell 16.0.23408.12000

To obtain the latest version of this guide, please visit <http://cisecurity.org>. If you have questions, comments, or have identified ways to improve this guide, please write us at [feedback@cisecurity.org](mailto:feedback@cisecurity.org).

## Intended Audience

This benchmark is intended for system and application administrators, security specialists, auditors, help desk, and platform deployment personnel who plan to develop, deploy, assess, or secure solutions that incorporate Microsoft 365. Where possible audit and remediation guidance is provided using both PowerShell and relevant Admin Centers, using either method is acceptable when attempting to determine a Pass or Fail for a particular recommendation.

## Consensus Guidance

This CIS Benchmark was created using a consensus review process comprised of a global community of subject matter experts. The process combines real world experience with data-based information to create technology specific guidance to assist users to secure their environments. Consensus participants provide perspective from a diverse set of backgrounds including consulting, software development, audit and compliance, security research, operations, government, and legal.

Each CIS Benchmark undergoes two phases of consensus review. The first phase occurs during initial Benchmark development. During this phase, subject matter experts convene to discuss, create, and test working drafts of the Benchmark. This discussion occurs until consensus has been reached on Benchmark recommendations. The second phase begins after the Benchmark has been published. During this phase, all feedback provided by the Internet community is reviewed by the consensus team for incorporation in the Benchmark. If you are interested in participating in the consensus process, please visit <https://workbench.cisecurity.org/>.

## Typographical Conventions

The following typographical conventions are used throughout this guide:

Convention	Meaning
<code>Stylized Monospace font</code>	Used for blocks of code, command, and script examples. Text should be interpreted exactly as presented.
<code>Monospace font</code>	Used for inline code, commands, or examples. Text should be interpreted exactly as presented.
<i>&lt;italic font in brackets&gt;</i>	Italic texts set in angle brackets denote a variable requiring substitution for a real value.
<i>Italic font</i>	Used to denote the title of a book, article, or other publication.
<b>Note</b>	Additional information or caveats



# Recommendation Definitions

The following defines the various components included in a CIS recommendation as applicable. If any of the components are not applicable it will be noted or the component will not be included in the recommendation.

## Title

Concise description for the recommendation's intended configuration.

## Assessment Status

An assessment status is included for every recommendation. The assessment status indicates whether the given recommendation can be automated or requires manual steps to implement. Both statuses are equally important and are determined and supported as defined below:

### Automated

Represents recommendations for which assessment of a technical control can be fully automated and validated to a pass/fail state. Recommendations will include the necessary information to implement automation.

### Manual

Represents recommendations for which assessment of a technical control cannot be fully automated and requires all or some manual steps to validate that the configured state is set as expected. The expected state can vary depending on the environment.

## Profile

A collection of recommendations for securing a technology or a supporting platform. Most benchmarks include at least a Level 1 and Level 2 Profile. Level 2 extends Level 1 recommendations and is not a standalone profile. The Profile Definitions section in the benchmark provides the definitions as they pertain to the recommendations included for the technology.

## Description

Detailed information pertaining to the setting with which the recommendation is concerned. In some cases, the description will include the recommended value.

## Rationale Statement

Detailed reasoning for the recommendation to provide the user a clear and concise understanding on the importance of the recommendation.

## **Impact Statement**

Any security, functionality, or operational consequences that can result from following the recommendation.

## **Audit Procedure**

Systematic instructions for determining if the target system complies with the recommendation

## **Remediation Procedure**

Systematic instructions for applying recommendations to the target system to bring it into compliance according to the recommendation.

## **Default Value**

Default value for the given setting in this recommendation, if known. If not known, either not configured or not defined will be applied.

## **References**

Additional documentation relative to the recommendation.

## **CIS Critical Security Controls® (CIS Controls®)**

The mapping between a recommendation and the CIS Controls is organized by CIS Controls version, Safeguard, and Implementation Group (IG). The Benchmark in its entirety addresses the CIS Controls safeguards of (v7) "5.1 - Establish Secure Configurations" and (v8) "4.1 - Establish and Maintain a Secure Configuration Process" so individual recommendations will not be mapped to these safeguards.

## **Additional Information**

Supplementary information that does not correspond to any other field but may be useful to the user.

## Profile Definitions

The following configuration profiles are defined by this Benchmark:

- **E3 Level 1**

Items in this profile apply to customer deployments of Microsoft M365 with an E3 license and intend to:

- be practical and prudent;
- provide a clear security benefit; and
- not inhibit the utility of the technology beyond acceptable means.

- **E3 Level 2**

This profile extends the "E3 Level 1" profile. Items in this profile exhibit one or more of the following characteristics and is focused on customer deployments of Microsoft M365 E3:

- are intended for environments or use cases where security is paramount
- acts as defense in depth measure
- may negatively inhibit the utility or performance of the technology.

- **E5 Level 1**

Items in this profile extend what is provided by the "E3 Level 1" profile for customer deployments of Microsoft M365 with an E5 license and intend to:

- be practical and prudent;
- provide a clear security benefit; and
- not inhibit the utility of the technology beyond acceptable means.

- **E5 Level 2**

This profile extends the "E3 Level 1" and "E5 Level 1" profiles. Items in this profile exhibit one or more of the following characteristics and is focused on customer deployments of Microsoft M365 E5:

- are intended for environments or use cases where security is paramount
- acts as defense in depth measure
- may negatively inhibit the utility or performance of the technology.

## Acknowledgements

This Benchmark exemplifies the great things a community of users, vendors, and subject matter experts can accomplish through consensus collaboration. The CIS community thanks the entire consensus team with special recognition to the following individuals who contributed greatly to the creation of this guide:

### **Contributor**

Clifford Moten  
Brian Greidanus  
Daniel Stutz  
Viktor Gazdag  
Richard Handley  
Lewis Hardy  
Jennifer Jarose  
Mike Owens  
Mack Bodie  
Jason Inks  
Juan Nieto  
Phil White  
Samuel Emangard  
Randie Bejar  
David Bjurman-Birr  
Shelby Kiger  
Bastien Perez  
Connor Peoples  
Martin Strnad  
Wacey Lanier

### **Editor**

Brandon Cox  
Dan Menicucci  
Cody McLees  
Caleb Eifert

# Recommendations

## 1 Account / Authentication

### 1.1 Azure Active Directory

This section contains recommendations for Azure Active Directory (AAD), a cloud-based identity management service that underpins Microsoft 365. These recommendations focus on strengthening the foundational AAD settings, given that all Microsoft 365 tenants are accompanied by default AAD configurations.

For in-depth coverage of Azure, please refer to the CIS Microsoft Azure Benchmarks.

### *1.1.1 (L1) Ensure Security Defaults is disabled on Azure Active Directory (Manual)*

**Profile Applicability:**

- E3 Level 1

**Description:**

Security defaults in Azure Active Directory (Azure AD) make it easier to be secure and help protect the organization. Security defaults contain preconfigured security settings for common attacks.

By default, Microsoft enables security defaults. The goal is to ensure that all organizations have a basic level of security-enabled. The security default setting is manipulated in the Azure Portal.

The use of security defaults however, will prohibit custom settings which are being set with more advanced settings from this benchmark.

**Rationale:**

Security defaults provide secure default settings that are manage on behalf of organizations to keep customers safe until they are ready to manage their own identity security settings.

For example doing the following:

- Requiring all users and admins to register for MFA.
- Challenging users with MFA - mostly when they show up on a new device or app, but more often for critical roles and tasks.
- Disabling authentication from legacy authentication clients, which can't do MFA.

**Impact:**

The potential impact associated with disabling of Security Defaults is dependent upon the security controls implemented in the environment. It is likely that most organizations disabling Security Defaults plan to implement equivalent controls to replace Security Defaults.

It may be necessary to check settings in other Microsoft products, such as Azure, to ensure settings and functionality are as expected when disabling security defaults for MS365.

## Audit:

### Ensure security defaults is disabled:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click to expand Azure Active Directory **select** Overview
3. Click Properties.
4. Click Manage security defaults.
5. Verify the Security defaults dropdown is set to Disabled.

### To verify security defaults is disabled using Microsoft Graph PowerShell:

1. Connect to the Microsoft Graph service using `Connect-MgGraph -Scopes "Policy.Read.All"`.
2. Run the following Microsoft Graph PowerShell command:

```
Get-MgPolicyIdentitySecurityDefaultEnforcementPolicy | ft IsEnabled
```

3. If the value is false then Security Defaults is disabled.

## Remediation:

### To disable security defaults:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click to expand Azure Active Directory **select** Overview
3. Click Properties.
4. Click Manage security defaults.
5. Set the Security defaults dropdown to Disabled.
6. Select Save.

### To configure security defaults using Microsoft Graph PowerShell:

1. Connect to the Microsoft Graph service using `Connect-MgGraph -Scopes "Policy.ReadWrite.ConditionalAccess"`.
2. Run the following Microsoft Graph PowerShell command:

```
$params = @{ IsEnabled = $false }  
Update-MgPolicyIdentitySecurityDefaultEnforcementPolicy -BodyParameter  
$params
```

## Default Value:

Enabled.

**References:**

1. <https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults>
2. <https://techcommunity.microsoft.com/t5/azure-active-directory-identity/introducing-security-defaults/ba-p/1061414>



### *1.1.2 (L1) Ensure multifactor authentication is enabled for all users in administrative roles (Automated)*

**Profile Applicability:**

- E3 Level 1

**Description:**

Multi-factor authentication is a process that requires an additional form of identification during the sign-in process, such as a code from a mobile device or a fingerprint scan, to enhance security.

Ensure users in administrator roles have MFA capabilities enabled.

**Rationale:**

Multifactor authentication requires an individual to present a minimum of two separate forms of authentication before access is granted. Multifactor authentication provides additional assurance that the individual attempting to gain access is who they claim to be. With multifactor authentication, an attacker would need to compromise at least two different authentication mechanisms, increasing the difficulty of compromise and thus reducing the risk.

**Impact:**

Implementation of multifactor authentication for all users in administrative roles will necessitate a change to user routine. All users in administrative roles will be required to enroll in multifactor authentication using phone, SMS, or an authentication application. After enrollment, use of multifactor authentication will be required for future access to the environment.

## Audit:

### Ensure the multifactor authentication configuration for administrators:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click expand Azure Active Directory > Applications select Enterprise Applications.
3. Under Security, select Conditional Access.
4. Review the list of policies and ensure that there is a policy that requires the Grant access control with Require multi-factor authentication for the appropriate Directory roles under Users and groups.
5. The minimum list of Directory roles can be found in the Remediation section.

### To verify the multifactor authentication configuration for administrators using SecureScore:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Select Secure score.
3. Select Recommended actions.
4. Click on Require multifactor authentication for administrative roles.
5. Review the number of Admin users who do not have MFA configured.

**\*\*This information is also available via the Microsoft Graph Security API: \*\***

```
GET https://graph.microsoft.com/beta/security/secureScores
```

## Remediation:

### To enable multifactor authentication for administrators:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click expand Azure Active Directory > Applications select Enterprise Applications.
3. Under Security, select Conditional Access.
4. Click New policy.
5. Go to Assignments > Users and groups > Include > Select users and groups > check Directory roles.
6. At a minimum, select the Directory roles listed below in this section of the document.
7. Go to Cloud apps or actions > Cloud apps > Include > select All cloud apps (and don't exclude any apps).
8. Under Access controls > Grant > select Grant access > check Require multi-factor authentication (and nothing else).
9. Leave all other conditions blank.
10. Make sure the policy is enabled.
11. Create.






### At minimum these directory roles should be included for MFA:

- Application administrator
- Authentication administrator
- Billing administrator
- Cloud application administrator
- Conditional Access administrator
- Exchange administrator
- Global administrator
- Global reader
- Helpdesk administrator
- Password administrator
- Privileged authentication administrator
- Privileged role administrator
- Security administrator
- SharePoint administrator
- User administrator

## References:

1. <https://learn.microsoft.com/en-us/graph/api/resources/security-api-overview?view=graph-rest-beta>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>6.5 <u>Require MFA for Administrative Access</u></b> Require MFA for all administrative access accounts, where supported, on all enterprise assets, whether managed on-site or through a third-party provider.			
v7	<b>16.3 <u>Require Multi-factor Authentication</u></b> Require multi-factor authentication for all user accounts, on all systems, whether managed onsite or by a third-party provider.			

### *1.1.3 (L1) Ensure Sign-in frequency is enabled and browser sessions are not persistent for Administrative users (Manual)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

In complex deployments, organizations might have a need to restrict authentication sessions. Conditional Access policies allow for the targeting of specific user accounts. Some scenarios might include:

- Resource access from an unmanaged or shared device
- Access to sensitive information from an external network
- High-privileged users
- Business-critical applications

Ensure Sign-in frequency does not exceed 4 hours for E3 tenants, or 24 hours for E5 tenants using Privileged Identity Management.

Ensure Persistent browser session is set to Never persist

**NOTE:** This CA policy can be added to the previous CA policy in this benchmark "Ensure multifactor authentication is enabled for all users in administrative roles"

#### **Rationale:**

Forcing a time out for MFA will help ensure that sessions are not kept alive for an indefinite period of time, ensuring that browser sessions are not persistent will help in prevention of drive-by attacks in web browsers, this also prevents creation and saving of session cookies leaving nothing for an attacker to take.

#### **Impact:**

Users with Administrative roles will be prompted at the frequency set for MFA.

## **Audit:**

### **Ensure Sign-in frequency is enabled and browser sessions are not persistent for Administrative users:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
  2. Click to expand Azure Active Directory > Applications Select Enterprise applications.
  3. Under Security, select Conditional Access.
  4. Review the list of policies and ensure that there is a policy that have Sign-in frequency set to the time determined by your organization and that Persistent browser session is set to Never persistent.
  5. Ensure Sign-in frequency does not exceed 4 hours for E3 tenants. E5 tenants using PIM may be set to a maximum of 24 hours.
- A list of directory role applying to Administrators can be found in the remediation section.

## Remediation:

### To configure Sign-in frequency and browser sessions persistence for Administrative users:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Applications Select Enterprise applications.
3. Under Security, select Conditional Access.
4. Click New policy
5. Click Users and groups
6. Under **Include** select Select users and groups and then select Directory roles.
7. At a minimum, select the roles in the section below:
8. Go to Cloud apps or actions > Cloud apps > Include > select All cloud apps (and don't exclude any apps).
9. Under Access controls > Grant > select Grant access > check Require multi-factor authentication (and nothing else).
10. Under Session select Sign-in frequency and set to at most 4 hours for E3 tenants. E5 tenants with PIM can be set to a maximum value of 24 hours.
11. Check Persistent browser session then select Never persistent in the drop-down menu.
12. For Enable Policy select On and click Save

### At minimum these directory roles should be included for MFA:

- Application administrator
- Authentication administrator
- Billing administrator
- Cloud application administrator
- Conditional Access administrator
- Exchange administrator
- Global administrator
- Global reader
- Helpdesk administrator
- Password administrator
- Privileged authentication administrator
- Privileged role administrator
- Security administrator
- SharePoint administrator
- User administrator






**Default Value:**

The Azure Active Directory (Azure AD) default configuration for user sign-in frequency is a rolling window of 90 days.

**References:**

1. <https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-session-lifetime>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>4.3 <u>Configure Automatic Session Locking on Enterprise Assets</u></b> Configure automatic session locking on enterprise assets after a defined period of inactivity. For general purpose operating systems, the period must not exceed 15 minutes. For mobile end-user devices, the period must not exceed 2 minutes.			
v7	<b>16.3 <u>Require Multi-factor Authentication</u></b> Require multi-factor authentication for all user accounts, on all systems, whether managed onsite or by a third-party provider.			



### *1.1.4 (L1) Ensure multifactor authentication is enabled for all users (Manual)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

Enable multifactor authentication for all users in the Microsoft 365 tenant. Users will be prompted to authenticate with a second factor upon logging in to Microsoft 365 services. The second factor is most commonly a text message to a registered mobile phone number where they type in an authorization code, or with a mobile application like Microsoft Authenticator.

#### **Rationale:**

Multifactor authentication requires an individual to present a minimum of two separate forms of authentication before access is granted. Multifactor authentication provides additional assurance that the individual attempting to gain access is who they claim to be. With multifactor authentication, an attacker would need to compromise at least two different authentication mechanisms, increasing the difficulty of compromise and thus reducing the risk.

#### **Impact:**

Implementation of multifactor authentication for all users will necessitate a change to user routine. All users will be required to enroll in multifactor authentication using phone, SMS, or an authentication application. After enrollment, use of multifactor authentication will be required for future authentication to the environment.

**NOTE:** Organizations that have difficulty enforcing MFA globally due lack of the budget to provide company owned mobile devices to every user, or equally are unable to force end users to use their personal devices due to regulations, unions, or policy have another option. FIDO2 Security keys may be used as a stand in to this recommendation. They are more secure, phishing resistant, and are very affordable for an organization to issue to every end user.

## Audit:

### Ensure multifactor authentication is enabled for all users in all roles:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click expand Azure Active Directory > Applications select Enterprise Applications.
3. Under Security, select Conditional Access.
4. Review the list of policies and ensure that there is a policy that requires the Grant access control with Require multi-factor authentication for All users under Users and groups.

### To verify the multifactor authentication configuration for administrators using the M365 SecureScore service:

1. Log in to the Secure Score portal (<https://security.microsoft.com/securescore>) using admin permissions (global admin or a custom admin role) for an Office 365 Enterprise, Microsoft 365 Business, or Office 365 Business Premium subscription.
2. Click on Ensure all users can complete multi-factor authentication for secure access recommended action to check MFA for all users.
3. It will show the number of users who do not have MFA configured.

This information is also available via the Microsoft Graph Security API:

```
GET https://graph.microsoft.com/beta/security/secureScores
```

## Remediation:

### To enable multifactor authentication for all users:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click expand Azure Active Directory > Applications select Enterprise Applications.
3. Under Security, select Conditional Access.
4. Click New policy.
5. Go to Assignments > Users and groups > Include > select All users (and do not exclude any user).
6. Select Cloud apps or actions > All cloud apps (and don't exclude any apps).
7. Access Controls > Grant > Require multi-factor authentication (and nothing else).
8. Leave all other conditions blank.
9. Make sure the policy is Enabled/On.
10. Create.





**Default Value:**

Disabled

**References:**

1. <https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-admin-mfa>
2. <https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all-users-mfa>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>6.3 <u>Require MFA for Externally-Exposed Applications</u></b> Require all externally-exposed enterprise or third-party applications to enforce MFA, where supported. Enforcing MFA through a directory service or SSO provider is a satisfactory implementation of this Safeguard.			
v7	<b>16.3 <u>Require Multi-factor Authentication</u></b> Require multi-factor authentication for all user accounts, on all systems, whether managed onsite or by a third-party provider.			

### *1.1.5 (L1) Ensure Microsoft Authenticator is configured to protect against MFA fatigue (Manual)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

Microsoft has released additional settings to enhance the configuration of the Microsoft Authenticator application. These settings provide additional information and context to users who receive MFA passwordless and push requests, such as geographic location the request came from, the requesting application and requiring a number match.

Ensure the following are Enabled.

- Require number matching for push notifications
- Show application name in push and passwordless notifications
- Show geographic location in push and passwordless notifications

**NOTE:** As February 27, 2023 Microsoft will start enforcing number matching tenant-wide for all users using Microsoft Authenticator

#### **Rationale:**

As the use of strong authentication has become more widespread, attackers have started to exploit the tendency of users to experience "MFA fatigue." This occurs when users are repeatedly asked to provide additional forms of identification, leading them to eventually approve requests without fully verifying the source. To counteract this, number matching can be employed to ensure the security of the authentication process. With this method, users are prompted to confirm a number displayed on their original device and enter it into the device being used for MFA. Additionally, other information such as geolocation and application details are displayed to enhance the end user's awareness. Among these 3 options, number matching provides the strongest net security gain

## Audit:

### To ensure Microsoft Authenticator is configured to be resistant to MFA fatigue:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Browse to Azure Active Directory > Protect & Secure > Authentication methods
3. Select Microsoft Authenticator
4. Under Enable and Target verify the setting is set to Enable.
5. Select Configure
6. Verify the following Microsoft Authenticator settings:
  - o Require number matching for push notifications Status is set to Enabled, Target All users
  - o Show application name in push and passwordless notifications is set to Enabled, Target All users
  - o Show geographic location in push and passwordless notifications is set to Enabled, Target All users

## Remediation:




### To configure Microsoft Authenticator to protect against MFA fatigue:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Browse to Azure Active Directory > Protect & Secure > Authentication methods
3. Select Microsoft Authenticator
4. Under Enable and Target ensure the setting is set to Enable.
5. Select Configure
6. Set the following Microsoft Authenticator settings:
  - o Require number matching for push notifications Status is set to Enabled, Target All users
  - o Show application name in push and passwordless notifications is set to Enabled, Target All users
  - o Show geographic location in push and passwordless notifications is set to Enabled, Target All users

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-default-enablement>
2. <https://techcommunity.microsoft.com/t5/microsoft-entra-azure-ad-blog/defend-your-users-from-mfa-fatigue-attacks/ba-p/2365677>
3. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/how-to-mfa-number-match>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	6.4 <u>Require MFA for Remote Network Access</u> Require MFA for remote network access.			

### 1.1.6 (L2) Ensure 'Phishing-resistant MFA strength' is required for Administrators (Manual)

#### Profile Applicability:

- E3 Level 2

#### Description:

Authentication strength is a Conditional Access control that allows administrators to specify which combination of authentication methods can be used to access a resource. For example, they can make only phishing-resistant authentication methods available to access a sensitive resource. But to access a non-sensitive resource, they can allow less secure multifactor authentication (MFA) combinations, such as password + SMS.

Microsoft has 3 built-in authentication strengths. MFA strength, Passwordless MFA strength, and Phishing-resistant MFA strength. Ensure administrator roles are using a CA policy with `Phishing-resistant MFA strength`.

Administrators can then enroll using one of 3 methods:

- FIDO2 Security Key
- Windows Hello for Business
- Certificate-based authentication (Multi-Factor)

**NOTE:** Additional steps to configure methods such as FIDO2 keys are not covered here but can be found in related MS articles in the references section. The Conditional Access policy only ensures 1 of the 3 methods is used.

**WARNING:** Administrators should be pre-registered for a strong authentication mechanism before this Conditional Access Policy is enforced. Additionally, as stated elsewhere in the CIS Benchmark a break-glass administrator account should be excluded from this policy to ensure unfettered access in the case of an emergency

#### Rationale:

Sophisticated attacks targeting MFA are more prevalent as the use of it becomes more widespread. These 3 methods are considered phishing-resistant as they remove passwords from the login workflow. It also ensures that public/private key exchange can only happen between the devices and a registered provider which prevents login to fake or phishing websites.

#### Impact:

If administrators aren't pre-registered for a strong authentication method prior to a conditional access policy is created then a condition could occur where a user can't register for strong authentication because they don't meet the conditional access policy requirements, and therefore are prevented from signing in.:

## Audit:

### Ensure phishing-resistant MFA is enabled for users in administrative roles:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click to expand Azure Active Directory > Applications select Enterprise Applications.
3. Under Security, select Conditional Access.
4. Review the list of policies and ensure that there is a policy with the Grant access control set to Require authentication strength (Preview): Phishing-resistant MFA
5. Ensure the above policy conforms to these settings:
  - Users > Include > Select users and groups > Directory Roles to include at minimum the roles listed in the remediation section.
  - Cloud apps or actions > All cloud apps
  - Grant > Grant Access with Require authentication strength (Preview): Phishing-resistant MFA set.
6. The policy is set to On.



## Remediation:

### To create a phishing-resistant MFA CA policy for users in administrative roles:

1. Navigate to the Microsoft Entra admin center <https://entra.microsoft.com>.
2. Click to expand Azure Active Directory > Applications select Enterprise Applications.
3. Under Security, select Conditional Access.
4. Click New policy.
5. Go to Users > Users and groups > Include > Select users and groups > Directory roles
6. Add at least the Directory roles listed after these steps.
7. Select Cloud apps or actions > All cloud apps (and don't exclude any apps).
8. Grant > Grant Access with Require authentication strength (Preview): Phishing-resistant MFA
9. Click 'Select'
10. Set Enable policy to Report-only and click Create

### At minimum these directory roles should be included for the policy:




- Application administrator
- Authentication administrator
- Billing administrator
- Cloud application administrator
- Conditional Access administrator
- Exchange administrator
- Global administrator
- Global reader
- Helpdesk administrator
- Password administrator
- Privileged authentication administrator
- Privileged role administrator
- Security administrator
- SharePoint administrator
- User administrator

**WARNING:** Ensure administrators are pre-registered with strong authentication before enforcing the policy. After which the policy must be set to “On”.

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-passwordless#fido2-security-keys>
2. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-authentication-passwordless-security-key>
3. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-strengths>
4. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-configure-mfa-policy>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>6.5 <u>Require MFA for Administrative Access</u></b> Require MFA for all administrative access accounts, where supported, on all enterprise assets, whether managed on-site or through a third-party provider.			

### *1.1.7 (L1) Ensure that between two and four global admins are designated (Automated)*

**Profile Applicability:**

- E3 Level 1

**Description:**

More than one global administrator should be designated so a single admin can be monitored and to provide redundancy should a single admin leave an organization. Additionally, there should be no more than four global admins set for any tenant. Ideally global administrators will have no licenses assigned to them.

**Rationale:**

If there is only one global tenant administrator, he or she can perform malicious activity without the possibility of being discovered by another admin. If there are numerous global tenant administrators, the more likely it is that one of their accounts will be successfully breached by an external attacker.

**Impact:**

The potential impact associated with ensuring compliance with this requirement is dependent upon the current number of global administrators configured in the tenant. If there is only one global administrator in a tenant, an additional global administrator will need to be identified and configured. If there are more than four global administrators, a review of role requirements for current global administrators will be required to identify which of the users require global administrator access.

## Audit:

### Ensure that between two and four global admins are designated:

1. Navigate to the Microsoft 365 admin center <https://admin.microsoft.com>
2. Select Users > Active Users.
3. Select Filter then select Global Admins.
4. Review the list of Global Admins to confirm there are from two to four such accounts.

### To verify the number of global tenant administrators using PowerShell:

1. Connect to Microsoft Graph using `Connect-MgGraph -Scopes Directory.Read.All`
2. Run the following PowerShell script:

```
# Determine Id of role using the immutable RoleTemplateId value.
$globalAdminRole = Get-MgDirectoryRole -Filter "RoleTemplateId eq '62e90394-69f5-4237-9190-012177145e10'"
$globalAdmins = Get-MgDirectoryRoleMember -DirectoryRoleId
$globalAdminRole.Id

Write-Host "**** There are" $globalAdmins.AdditionalProperties.Count "Global
Administrators assigned."
```

This information is also available via the Microsoft Graph Security API:

```
GET https://graph.microsoft.com/beta/security/secureScores
```

## Remediation:






### To correct the number of global tenant administrators:

1. Navigate to the Microsoft 365 admin center <https://admin.microsoft.com>
2. Select Users > Active Users.
3. In the Search field enter the name of the user to be made a Global Administrator.
4. To create a new Global Admin:
  1. Select the user's name.
  2. A window will appear to the right.
  3. Select Manage roles.
  4. Select Admin center access.
  5. Check Global Administrator.
  6. Click Save changes.
5. To remove Global Admins:
  1. Select User.
  2. Under Roles select Manage roles
  3. De-Select the appropriate role.
  4. Click Save changes.

## References:

1. <https://learn.microsoft.com/en-us/powershell/module/microsoft.graph.identity.directorymanagement/get-mgdirectoryrole?view=graph-powershell-1.0>
2. <https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#role-template-ids>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.1 Establish and Maintain an Inventory of Accounts</b> Establish and maintain an inventory of all accounts managed in the enterprise. The inventory must include both user and administrator accounts. The inventory, at a minimum, should contain the person's name, username, start/stop dates, and department. Validate that all active accounts are authorized, on a recurring schedule at a minimum quarterly, or more frequently.			
v7	<b>4.1 Maintain Inventory of Administrative Accounts</b> Use automated tools to inventory all administrative accounts, including domain and local accounts, to ensure that only authorized individuals have elevated privileges.			

### 1.1.8 (L1) Ensure 'Self service password reset enabled' is set to 'All' (Manual)

#### Profile Applicability:

- E3 Level 1

#### Description:

Enabling self-service password reset allows users to reset their own passwords in Azure AD. When users sign in to Microsoft 365, they will be prompted to enter additional contact information that will help them reset their password in the future. If combined registration is enabled additional information, outside of multi-factor, will not be needed.

**NOTE:** Effective Oct. 1st, 2022, Microsoft will begin to enable combined registration for all users in Azure AD tenants created before August 15th, 2020. Tenants created after this date are enabled with combined registration by default.

#### Rationale:

Users will no longer need to engage the helpdesk for password resets, and the password reset mechanism will automatically block common, easily guessable passwords.

#### Impact:

Users will be required to provide additional contact information to enroll in self-service password reset. Additionally, minor user education may be required for users that are used to calling a help desk for assistance with password resets.

**NOTE:** This is unavailable if using Azure AD Connect / Sync in a hybrid environment.

#### Audit:

##### Ensure self-service password reset is enabled:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select All users.
3. Under Manage, select Password reset.
4. Ensure Self service password reset enabled is set to All

#### Remediation:

##### To enable self-service password reset:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select All users.
3. Under Manage, select Password reset.
4. Set Self service password reset enabled to All

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/let-users-reset-passwords?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/tutorial-enable-sspr>
3. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-registration-mfa-sspr-combined>

### *1.1.9 (L1) Ensure custom banned passwords lists are used (Manual)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

With Azure AD Password Protection, default global banned password lists are automatically applied to all users in an Azure AD tenant. To support business and security needs, custom banned password lists can be defined. When users change or reset their passwords, these banned password lists are checked to enforce the use of strong passwords.

A custom banned password list should include some of the following examples:

- Brand names
- Product names
- Locations, such as company headquarters
- Company-specific internal terms
- Abbreviations that have specific company meaning

#### **Rationale:**

Creating a new password can be difficult regardless of one's technical background. It is common to look around one's environment for suggestions when building a password, however, this may include picking words specific to the organization as inspiration for a password. An adversary may employ what is called a 'mangler' to create permutations of these specific words in an attempt to crack passwords or hashes making it easier to reach their goal.

#### **Impact:**

If a custom banned password list includes too many common dictionary words, or short words that are part of compound words, then perfectly secure passwords may be blocked. The organization should consider a balance between security and usability when creating a list.



## Audit:

### Ensure a custom banned password list is in place:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Click to expand Azure Active Directory > Protect & Secure > Authentication methods
3. Select Password protection
4. Verify Enforce custom list is set to Yes
5. Verify Custom banned password list contains entries specific to the organization, or matches a pre-determined list.

## Remediation:

### Create a custom banned password list:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Click to expand Azure Active Directory > Protect & Secure > Authentication methods
3. Select Password protection
4. Set Enforce custom list to Yes
5. In Custom banned password list create a list using suggestions outlined in this document.
6. Click Save




**NOTE:** Below is a list of examples that can be used as a starting place. Check the references section for more.

- Brand names
- Product names
- Locations, such as company headquarters
- Company-specific internal terms
- Abbreviations that have specific company meaning

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/concept-password-ban-bad#custom-banned-password-list>
2. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/tutorial-configure-custom-password-protection>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.2 Use Unique Passwords</b> Use unique passwords for all enterprise assets. Best practice implementation includes, at a minimum, an 8-character password for accounts using MFA and a 14-character password for accounts not using MFA.			

## 1.1.10 (L1) Ensure password protection is enabled for on-prem Active Directory (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

Azure Active Directory (Azure AD) Password Protection provides a global and custom banned password list. A password change request fails if there's a match in these banned password list. To protect on-premises Active Directory Domain Services (AD DS) environment, install and configure Azure AD Password Protection.

**Note:** This recommendation applies to Hybrid deployments only, and will have no impact unless working with on-premises Active Directory.

### Rationale:

Azure Active Directory protects an organization by prohibiting the use of weak or leaked passwords. In addition, organizations can create custom banned password lists to prevent their users from using easily guessed passwords that are specific to their industry. Deploying this feature to Active Directory will strengthen the passwords that are used in the environment.

### Impact:

The potential impact associated with implementation of this setting is dependent upon the existing password policies in place in the environment. For environments that have strong password policies in place, the impact will be minimal. For organizations that do not have strong password policies in place, implementation of Azure Active Directory Password Protection may require users to change passwords, and adhere to more stringent requirements than they have been accustomed to.

### Audit:

#### Ensure that password protection is enabled for Active Directory:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Protect & secure select Authentication methods.
3. Select Password protection and ensure that Enable password protection on Windows Server Active Directory is set to Yes and also that Mode is set to Enforced.

## Remediation:






To setup Azure Active Directory Password Protection, use the following steps:

- Download and install the Azure AD Password Proxies and DC Agents from the following location: <https://www.microsoft.com/download/details.aspx?id=57071>  
After installed follow the steps below.
- 1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
- 2. Click to expand Azure Active Directory > Protect & secure select Authentication methods.
- 3. Select Password protection and set Enable password protection on Windows Server Active Directory to Yes and Mode to Enforced.

## Default Value:

Enabled / Enforced

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.2 Use Unique Passwords</b> Use unique passwords for all enterprise assets. Best practice implementation includes, at a minimum, an 8-character password for accounts using MFA and a 14-character password for accounts not using MFA.			
v7	<b>4.4 Use Unique Passwords</b> Where multi-factor authentication is not supported (such as local administrator, root, or service accounts), accounts will use passwords that are unique to that system.			

### *1.1.11 (L1) Enable Conditional Access policies to block legacy authentication (Automated)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

Azure AD supports the most widely used authentication and authorization protocols including legacy authentication. This authentication pattern includes basic authentication, a widely used industry-standard method for collecting user name and password information.

The following messaging protocols support legacy authentication:

- Authenticated SMTP - Used to send authenticated email messages.
- Autodiscover - Used by Outlook and EAS clients to find and connect to mailboxes in Exchange Online.
- Exchange ActiveSync (EAS) - Used to connect to mailboxes in Exchange Online.
- Exchange Online PowerShell - Used to connect to Exchange Online with remote PowerShell. If you block Basic authentication for Exchange Online PowerShell, you need to use the Exchange Online PowerShell Module to connect. For instructions, see [Connect to Exchange Online PowerShell using multifactor authentication](#).
- Exchange Web Services (EWS) - A programming interface that's used by Outlook, Outlook for Mac, and third-party apps.
- IMAP4 - Used by IMAP email clients.
- MAPI over HTTP (MAPI/HTTP) - Primary mailbox access protocol used by Outlook 2010 SP2 and later.
- Offline Address Book (OAB) - A copy of address list collections that are downloaded and used by Outlook.
- Outlook Anywhere (RPC over HTTP) - Legacy mailbox access protocol supported by all current Outlook versions.
- POP3 - Used by POP email clients.
- Reporting Web Services - Used to retrieve report data in Exchange Online.
- Universal Outlook - Used by the Mail and Calendar app for Windows 10.
- Other clients - Other protocols identified as utilizing legacy authentication.

**Rationale:**

Legacy authentication protocols do not support multi-factor authentication. These protocols are often used by attackers because of this deficiency. Blocking legacy authentication makes it harder for attackers to gain access.

**NOTE:** As of October 2022 Microsoft began disabling basic authentication in all tenants, except for those who requested special exceptions it should no longer be available in most tenants beyond Dec 31, 2022. Despite this CIS recommends the CA policy to remain in place to act as a defense in depth measure.

**Impact:**

Enabling this setting will prevent users from connecting with older versions of Office, ActiveSync or using protocols like IMAP, POP or SMTP and may require upgrades to older versions of Office, and use of mobile mail clients that support modern authentication.

This will also cause multifunction devices such as printers from using scan to e-mail function if they are using a legacy authentication method. Microsoft has mail flow best practices in the link below which can be used to configure a MFP to work with modern authentication:

<https://learn.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-application-to-send-email-using-microsoft-365-or-office-365>

## Audit:

### Ensure a Conditional Access policy to block legacy authentication is enabled:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Protect & secure select Conditional Access.
3. Verify that either the policy Baseline policy: Block legacy authentication is set to On or find another with the following settings enabled:
  - o Under Conditions then Client apps ensure the settings are enabled for and Exchange ActiveSync clients and other clients.
  - o Under Access controls ensure the Grant is set to Block access
  - o Under Assignments ensure All users is enabled
  - o Under Assignments and Users and groups ensure the Exclude is set to at least one low risk account or directory role. This is required as a best practice.

This information is also available via the Microsoft Graph Security API:

```
GET https://graph.microsoft.com/beta/security/secureScores
```

## Remediation:

To setup a conditional access policy to block legacy authentication, use the following steps:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Protect & secure select Conditional Access.
3. Create a new policy by selecting New policy.
4. Set the following conditions within the policy.
  - o Select Conditions then Client apps enable the settings for and Exchange ActiveSync clients and other clients.
  - o Under Access controls set the Grant section to Block access
  - o Under Assignments enable All users
  - o Under Assignments and Users and groups set the Exclude to be at least one low risk account or directory role. This is required as a best practice.

## Default Value:

Basic authentication is disabled by default as of January 2023.

## References:

1. <https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/disable-basic-authentication-in-exchange-online>
2. <https://learn.microsoft.com/en-us/exchange/mail-flow-best-practices/how-to-set-up-a-multifunction-device-or-application-to-send-email-using-microsoft-365-or-office-365>
3. <https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/deprecation-of-basic-authentication-exchange-online>

## Additional Information:

**NOTE:** For more granularity the following Audit/Remediation procedure could be utilized.

### AUDIT

**To verify basic authentication is disabled, use the Exchange Online PowerShell Module:**

1. Run the Microsoft Exchange Online PowerShell Module.
2. Connect using `Connect-ExchangeOnline`.
3. Run the following PowerShell command:

```
Get-OrganizationConfig | Select-Object -ExpandProperty  
DefaultAuthenticationPolicy | ForEach { Get-AuthenticationPolicy $_ | Select-  
Object AllowBasicAuth* }
```

4. Verify each of the basic authentication types is set to `false`. If no results are shown or an error is displayed, then no default authentication policy has been defined for your organization.
5. Verify Exchange Online users are configured to use the appropriate authentication policy (in this case Block Basic Auth) by running the following PowerShell command:

```
Get-User -ResultSize Unlimited | Select-Object UserPrincipalName,  
AuthenticationPolicy
```



## REMEDIATION

To disable basic authentication, use the Exchange Online PowerShell Module:

1. Run the Microsoft Exchange Online PowerShell Module.
2. Connect using `Connect-ExchangeOnline`.
3. Run the following PowerShell command:

\*Note: If a policy exists and a command fails you may run `Remove-AuthenticationPolicy` first to ensure policy creation/application occurs as expected.





```
$AuthenticationPolicy = Get-OrganizationConfig | Select-Object
DefaultAuthenticationPolicy

If (-not $AuthenticationPolicy.Identity) {
    $AuthenticationPolicy = New-AuthenticationPolicy "Block Basic Auth"
    Set-OrganizationConfig -DefaultAuthenticationPolicy
    $AuthenticationPolicy.Identity
}

Set-AuthenticationPolicy -Identity $AuthenticationPolicy.Identity -
AllowBasicAuthActiveSync:$false -AllowBasicAuthAutodiscover:$false -
AllowBasicAuthImap:$false -AllowBasicAuthMapi:$false -
AllowBasicAuthOfflineAddressBook:$false -AllowBasicAuthOutlookService:$false -
-AllowBasicAuthPop:$false -AllowBasicAuthPowershell:$false -
AllowBasicAuthReportingWebServices:$false -AllowBasicAuthRpc:$false -
AllowBasicAuthSmtpt:$false -AllowBasicAuthWebServices:$false

Get-User -ResultSize Unlimited | ForEach-Object { Set-User -Identity
$_.Identity -AuthenticationPolicy $AuthenticationPolicy.Identity -
STSTokenRefreshValidFrom $([System.DateTime]::UtcNow) }
```

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>4.8 <u>Uninstall or Disable Unnecessary Services on Enterprise Assets and Software</u></b> Uninstall or disable unnecessary services on enterprise assets and software, such as an unused file sharing service, web application module, or service function.			
v7	<b>9.2 <u>Ensure Only Approved Ports, Protocols and Services Are Running</u></b> Ensure that only network ports, protocols, and services listening on a system with validated business needs, are running on each system.			

### *1.1.12 (L1) Ensure that password hash sync is enabled for hybrid deployments (Manual)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

Password hash synchronization is one of the sign-in methods used to accomplish hybrid identity synchronization. Azure AD Connect synchronizes a hash, of the hash, of a user's password from an on-premises Active Directory instance to a cloud-based Azure AD instance.

**Note:** Audit and remediation procedures in this recommendation only apply to Microsoft 365 tenants operating in a hybrid configuration using Azure AD Connect sync.

#### **Rationale:**

Password hash synchronization helps by reducing the number of passwords your users need to maintain to just one and enables leaked credential detection for your hybrid accounts. Leaked credential protection is leveraged through Azure AD Identity Protection and is a subset of that feature which can help identify if an organization's user account passwords have appeared on the dark web or public spaces.

Using other options for your directory synchronization may be less resilient as Microsoft can still process sign-ins to 365 with Hash Sync even if a network connection to your on-premises environment is not available.

#### **Impact:**

Compliance or regulatory restrictions may exist, depending on the organization's business sector, that preclude hashed versions of passwords from being securely transmitted to cloud data centers.

## Audit:

### Ensure that password hash sync is enabled for hybrid deployments:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory select Overview.
3. Scroll down on Overview page, underneath **My feed** section select Azure AD Connect.
4. Under **Azure AD Connect Sync**, verify Password Hash Sync is Enabled.

### To ensure Password Hash Sync is enabled using the Azure AD Connect tool:

1. Log in to the server that hosts the Azure AD Connect tool.
2. Run Azure AD Connect, and then click View current configuration. In the details pane, check whether Password synchronization is enabled on your tenant.

### This information is also available via the Microsoft Graph Security API:

```
GET https://graph.microsoft.com/beta/security/secureScores
```

### To verify if Password Hash Sync is enabled utilizing Microsoft Graph PowerShell:

1. Connect to the Microsoft Graph service using `Connect-MgGraph -Scopes "Organization.Read.All"`.
2. Run the following Microsoft Graph PowerShell command:

```
Get-MgOrganization | ft OnPremisesSyncEnabled
```

3. If nothing returns then password sync is not enabled for the on premises AD.

## Remediation:

To setup Password Hash Sync, use the following steps:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory select Overview.
3. Scroll down on Overview page, underneath **My feed** section, select Azure AD Connect.
4. Click Manage Azure AD cloud sync.
5. Click Configure.
6. On the Additional tasks page, select Customize synchronization options and click Next.
7. Enter the username and password for your global administrator.
8. On the Connect your directories screen, click Next.
9. On the Domain and OU filtering screen, click Next.
10. On the Optional features screen, check Password hash synchronization and click Next.
11. On the Ready to configure screen click Configure.
12. Once the configuration completes, click Exit.

## Default Value:

- Azure AD Connect sync disabled by default
- Password Hash Sync is Microsoft's recommended setting for new deployments

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/hybrid/whatis-phs>
2. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks#user-linked-detections>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>6.7 Centralize Access Control</b> Centralize access control for all enterprise assets through a directory service or SSO provider, where supported.		●	●
v7	<b>16.4 Encrypt or Hash all Authentication Credentials</b> Encrypt or hash with a salt all authentication credentials when stored.		●	●

### *1.1.13 (L2) Enable Azure AD Identity Protection sign-in risk policies (Manual)*

#### **Profile Applicability:**

- E5 Level 2

#### **Description:**

Azure Active Directory Identity Protection sign-in risk detects risks in real-time and offline. A risky sign-in is an indicator for a sign-in attempt that might not have been performed by the legitimate owner of a user account.

#### **Rationale:**

Turning on the sign-in risk policy ensures that suspicious sign-ins are challenged for multi-factor authentication.

#### **Impact:**

When the policy triggers, the user will need MFA to access the account. In the case of a user who hasn't registered MFA on their account, they would be blocked from accessing their account. It is therefore recommended that the MFA registration policy be configured for all users who are a part of the Sign-in Risk policy.

#### **Audit:**

#### **To ensure Sign-In risk policy is enabled:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Browse to Azure Active Directory > Protect & secure > Conditional Access.
3. On the Conditional Access Policies page, ensure that a policy exist with the following characteristics and is set to On:
  - Under Users or workload identities choose All users
  - Under Cloud apps or actions choose All cloud apps
  - Under Conditions choose Sign-in risk then Yes in the right pane followed by the appropriate level.
  - Under Access Controls select Grant then in the right pane click Grant access then select Require multi-factor authentication.

## Remediation:

To configure a Sign-In risk policy, use the following steps:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Browse to Azure Active Directory > Protect & secure > Conditional Access.
3. Create a new policy by selecting New policy.
4. Set the following conditions within the policy.
  - o Under Users or workload identities choose All users
  - o Under Cloud apps or actions choose All cloud apps
  - o Under Conditions choose Sign-in risk then Yes in the right pane followed by the appropriate level.
  - o Under Access Controls select Grant then in the right pane click Grant access then select Require multi-factor authentication.
5. Click Select
6. You may opt to begin in a state of Report Only as you step through implementation however, the policy will need to be set to On to be in effect.
7. Click Create.

**NOTE:** for more information regarding risk levels refer to [Microsoft's Identity Protection & Risk Doc](#)

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-risk-feedback>
2. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>13.3 Deploy a Network Intrusion Detection Solution</b> Deploy a network intrusion detection solution on enterprise assets, where appropriate. Example implementations include the use of a Network Intrusion Detection System (NIDS) or equivalent cloud service provider (CSP) service.		●	●
v7	<b>16.13 Alert on Account Login Behavior Deviation</b> Alert when users deviate from normal login behavior, such as time-of-day, workstation location and duration.			●

### *1.1.14 (L2) Enable Azure AD Identity Protection user risk policies (Manual)*

**Profile Applicability:**

- E5 Level 2

**Description:**

Azure Active Directory Identity Protection user risk policies detect the probability that a user account has been compromised.

**Rationale:**

With the user risk policy turned on, Azure AD detects the probability that a user account has been compromised. Administrators can configure a user risk conditional access policy to automatically respond to a specific user risk level.

**Impact:**

Upon policy activation, account access will be either blocked or the user will be required to use MFA and change their password. Users without registered MFA will be denied access, necessitating an admin to recover the account. To avoid inconvenience, it is advised to configure the MFA registration policy for all users under the User Risk policy.

Additionally, users identified in the Risky Users section will be affected by this policy. To gain a better understanding of the impact to the organization's environment, the list of Risky Users should be reviewed before enforcing the policy.

## Audit:

### Ensure Azure AD Identity Protection user risk policies is enabled:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Protect & secure select Conditional Access.
3. On the **Conditional Access** page, ensure that a policy exist with the following characteristics and is set to On:
  - o Under Users or workload identities choose All users
  - o Under Cloud apps or actions choose All cloud apps
  - o Under Conditions choose User risk then Yes in the right pane followed by the appropriate level.
  - o Under Access Controls select Grant then in the right pane click Grant access then select Require password change.

## Remediation:

### To configure a User risk policy, use the following steps:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Protect & secure select Conditional Access.
3. On the **Conditional Access** page, create a new policy by selecting New policy.
4. Set the following conditions within the policy:
  - o Under Users or workload identities choose All users
  - o Under Cloud apps or actions choose All cloud apps
  - o Under Conditions choose User risk then Yes in the right pane followed by the appropriate level.
  - o Under Access Controls select Grant then in the right pane click Grant access then select Require password change.
5. Click Select.
6. You may opt to begin in a state of Report Only as you step through implementation however, the policy will need to be set to On to be in effect.
7. Click Create.




**NOTE:** for more information regarding risk levels refer to [Microsoft's Identity Protection & Risk Doc](#)

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-risk-feedback>
2. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>



## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>13.3 <u>Deploy a Network Intrusion Detection Solution</u></b> Deploy a network intrusion detection solution on enterprise assets, where appropriate. Example implementations include the use of a Network Intrusion Detection System (NIDS) or equivalent cloud service provider (CSP) service.			
v7	<b>16.13 <u>Alert on Account Login Behavior Deviation</u></b> Alert when users deviate from normal login behavior, such as time-of-day, workstation location and duration.			

### *1.1.15 (L2) Ensure 'Privileged Identity Management' is used to manage roles (Manual)*

#### **Profile Applicability:**

- E5 Level 2

#### **Description:**

Azure Active Directory Privileged Identity Management can be used to audit roles, allow just in time activation of roles and allow for periodic role attestation. Organizations should remove permanent members from privileged Office 365 roles and instead make them eligible, through a JIT activation workflow.

#### **Rationale:**

Organizations want to minimize the number of people who have access to secure information or resources, because that reduces the chance of a malicious actor getting that access, or an authorized user inadvertently impacting a sensitive resource. However, users still need to carry out privileged operations in Azure AD and Office 365. Organizations can give users just-in-time (JIT) privileged access to roles. There is a need for oversight for what those users are doing with their administrator privileges. PIM helps to mitigate the risk of excessive, unnecessary, or misused access rights.

#### **Impact:**

Implementation of Just in Time privileged access is likely to necessitate changes to administrator routine. Administrators will only be granted access to administrative roles when required. When administrators request role activation, they will need to document the reason for requiring role access, anticipated time required to have the access, and to reauthenticate to enable role access.

## Audit:

### Ensure Use Just In Time privileged access to Office 365 roles:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Identity Governance select Privileged Identity Management.
3. Select Azure AD Roles.
4. Select Roles beneath **Manage**.
5. Inspect at a minimum the following sensitive roles to ensure that the members are Eligible and not Permanent:

Application Administrator  
Authentication Administrator  
Billing Administrator  
Cloud Application Administrator  
Cloud Device Administrator  
Compliance Administrator  
Customer LockBox Access Approver  
Device Administrators  
Exchange Administrators  
Global Administrators  
HelpDesk Administrator  
Information Protection Administrator  
Intune Service Administrator  
Kaizala Administrator  
License Administrator  
Password Administrator  
PowerBI Service Administrator  
Privileged Authentication Administrator  
Privileged Role Administrator  
Security Administrator  
SharePoint Service Administrator  
Skype for Business Administrator  
Teams Service Administrator  
User Administrator









## Remediation:

**To configure Use Just In Time privileged access to Office 365 roles, use the following steps:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Identity Governance select Privileged Identity Management.
3. Select Azure AD Roles.
4. Select Roles beneath **Manage**.
5. Inspect at a minimum the following sensitive roles. For each of the members that have an ASSIGNMENT TYPE of Permanent, click on the ... and choose Make eligible:

Application Administrator  
Authentication Administrator  
Billing Administrator  
Cloud Application Administrator  
Cloud Device Administrator  
Compliance Administrator  
Customer LockBox Access Approver  
Device Administrators  
Exchange Administrators  
Global Administrators  
HelpDesk Administrator  
Information Protection Administrator  
Intune Service Administrator  
Kaizala Administrator  
License Administrator  
Password Administrator  
PowerBI Service Administrator  
Privileged Authentication Administrator  
Privileged Role Administrator  
Security Administrator  
SharePoint Service Administrator  
Skype for Business Administrator  
Teams Service Administrator  
User Administrator

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>6.1 <u>Establish an Access Granting Process</u></b> Establish and follow a process, preferably automated, for granting access to enterprise assets upon new hire, rights grant, or role change of a user.			
v8	<b>6.2 <u>Establish an Access Revoking Process</u></b> Establish and follow a process, preferably automated, for revoking access to enterprise assets, through disabling accounts immediately upon termination, rights revocation, or role change of a user. Disabling accounts, instead of deleting accounts, may be necessary to preserve audit trails.			
v7	<b>4.1 <u>Maintain Inventory of Administrative Accounts</u></b> Use automated tools to inventory all administrative accounts, including domain and local accounts, to ensure that only authorized individuals have elevated privileges.			

### *1.1.16 (L2) Ensure that only organizationally managed/approved public groups exist (Manual)*

#### **Profile Applicability:**

- E3 Level 2

#### **Description:**

Microsoft 365 Groups is the foundational membership service that drives all teamwork across Microsoft 365. With Microsoft 365 Groups, you can give a group of people access to a collection of shared resources. While there are several different types of group types this recommendation is concerned with **Microsoft 365 Groups**.

In the Administration panel, when a group is created, the default privacy value is "Public".

#### **Rationale:**

Ensure that only organizationally managed and approved public groups exist. When a group has a "public" privacy, users may access data related to this group (e.g. SharePoint), through three methods:

- By using the Azure portal, and adding themselves into the public group
- By requesting access to the group from the Group application of the Access Panel
- By accessing the SharePoint URL

Administrators are notified when a user uses the Azure Portal. Requesting access to the group forces users to send a message to the group owner, but they still have immediately access to the group. The SharePoint URL is usually guessable, and can be found from the Group application of the Access Panel. If group privacy is not controlled, any user may access sensitive information, according to the group they try to access.

**NOTE:** Public in this case meaning public to the identities within organization.

#### **Impact:**

If the recommendation is applied, group owners could receive more access requests than usual, especially regarding groups originally meant to be public.

## Audit:

### Ensure only organizationally managed/approved public groups exist:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Teams & groups select Active teams & groups.
3. On the **Active teams and groups page**, check that no groups have the status 'Public' in the privacy column.

### Using the Microsoft Graph PowerShell module:

1. Connect to the Microsoft Graph service using `Connect-MgGraph -Scopes "Group.Read.All"`.
2. Run the following Microsoft Graph PowerShell command:

```
Get-MgGroup | where {$_.Visibility -eq "Public"} | select  
DisplayName,Visibility
```

## Remediation:

### To enable only organizationally managed/approved public groups exist:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Teams & groups select Active teams & groups..
3. On the **Active teams and groups page**, select the group's name that is public.
4. On the popup **groups name page**, Select Settings.
5. Under Privacy, select Private.







## Default Value:

Public when create from the Administration portal; private otherwise.

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/groups-self-service-management>
2. <https://learn.microsoft.com/en-us/microsoft-365/admin/create-groups/compare-groups?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 <u>Configure Data Access Control Lists</u></b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>13.1 <u>Maintain an Inventory Sensitive Information</u></b> Maintain an inventory of all sensitive information stored, processed, or transmitted by the organization's technology systems, including those located onsite or at a remote service provider.			



### *1.1.17 (L2) Ensure that collaboration invitations are sent to allowed domains only (Manual)*

#### **Profile Applicability:**

- E3 Level 2

#### **Description:**

Azure Active Directory (Azure AD) B2B collaboration is a feature within External Identities allows for guest invitations to an organization.

Ensure users can only send invitations to `specified domains`.

**NOTE:** This list works independently from OneDrive for Business and SharePoint Online allow/block lists. To restrict individual file sharing in SharePoint Online, set up an allow or blocklist for OneDrive for Business and SharePoint Online. For instance, in SharePoint or OneDrive users can still share with external users from prohibited domains by using Anyone links if they haven't been disabled.

#### **Rationale:**

By specifying allowed domains for collaborations, external users companies are explicitly identified. Also, this prevents internal users from inviting unknown external users such as personal accounts and give them access to resources.

#### **Impact:**

This could make harder collaboration if the setting is not quickly updated when a new domain is identified as "allowed".

#### **Audit:**

#### **Ensure that collaboration invitations are sent to allowed domains only:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select User settings.
3. Under External users, click on Manage external collaboration settings.
4. Under Collaboration restrictions, make sure that Allow invitations only to the specified domains (most restrictive) is selected. Then make sure that Target domains is checked and that allowed domains are specified.

## Remediation:

### To restrict collaboration invitations only to the specified domains:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select User settings.
3. Under External users, click on Manage external collaboration settings.
4. Under Collaboration restrictions, select Allow invitations only to the specified domains (most restrictive), check the Target domains setting, and specify the domains allowed to collaborate.







## Default Value:

Default value is Allow invitations to be sent to any domain (most inclusive)

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/external-identities/allow-deny-list>
2. <https://learn.microsoft.com/en-us/azure/active-directory/external-identities/what-is-b2b>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>6.1 Establish an Access Granting Process</b> Establish and follow a process, preferably automated, for granting access to enterprise assets upon new hire, rights grant, or role change of a user.			
v7	<b>13.1 Maintain an Inventory Sensitive Information</b> Maintain an inventory of all sensitive information stored, processed, or transmitted by the organization's technology systems, including those located onsite or at a remote service provider.			

### 1.1.18 (L2) Ensure 'LinkedIn account connections' is disabled (Manual)

#### Profile Applicability:

- E3 Level 2

#### Description:

LinkedIn account connections allow users to connect their Microsoft work or school account with LinkedIn. After a user connects their accounts, information and highlights from LinkedIn are available in some Microsoft apps and services.

#### Rationale:

Disabling LinkedIn integration prevents potential phishing attacks and risk scenarios where an external party could accidentally disclose sensitive information.

#### Impact:

Users will not be able to sync contacts or use LinkedIn integration.

#### Audit:

##### Ensure that LinkedIn account connections is disabled:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select User settings.
3. Under LinkedIn account connections ensure No is highlighted.

#### Remediation:

##### To disable LinkedIn account connections:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select User settings.
3. Under LinkedIn account connections select No.
4. Click Save at the top of the page.




#### Default Value:

LinkedIn integration is enabled by default.

#### References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/linkedin-integration>
2. <https://learn.microsoft.com/en-us/azure/active-directory/enterprise-users/linkedin-user-consent>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>4.8 <u>Uninstall or Disable Unnecessary Services on Enterprise Assets and Software</u></b> Uninstall or disable unnecessary services on enterprise assets and software, such as an unused file sharing service, web application module, or service function.			
v7	<b>13.3 <u>Monitor and Block Unauthorized Network Traffic</u></b> Deploy an automated tool on network perimeters that monitors for unauthorized transfer of sensitive information and blocks such transfers while alerting information security professionals.			

### 1.1.19 (L2) *Ensure the option to remain signed in is hidden (Manual)*

#### **Profile Applicability:**

- E3 Level 2

#### **Description:**

The option for the user to `Stay signed in` or the `Keep me signed in` option will prompt a user after a successful login, when the user selects this option a persistent refresh token is created. Typically this lasts for 90 days and does not prompt for sign-in or Multi-Factor.

#### **Rationale:**

Allowing users to select this option presents risk, especially in the event that the user signs into their account on a publicly accessible computer/web browser. In this case it would be trivial for an unauthorized person to gain access to any associated cloud data from that account.

#### **Impact:**

Once this setting is hidden users will no longer be prompted upon sign-in with the message `Stay signed in?`. This may mean users will be forced to sign in more frequently. Important: some features of SharePoint Online and Office 2010 have a dependency on users remaining signed in. If you hide this option, users may get additional and unexpected sign in prompts.

#### **Audit:**

##### **Ensure the option to remain signed in is hidden:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand `Azure Active Directory > Users` select `User settings`.
3. Ensure `Show option to remain signed in` is highlighted `No`.

#### **Remediation:**



##### **To disable the option to remain signed in:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand `Azure Active Directory > Users` select `User settings`.
3. Under **Show option to remain signed in** select `No`.
4. Click save on top.

**Default Value:**

Users may select `stay signed in`

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v7	<b>16.3 <u>Require Multi-factor Authentication</u></b> Require multi-factor authentication for all user accounts, on all systems, whether managed onsite or by a third-party provider.			

### 1.1.20 (L1) Ensure 'Restrict access to the Azure AD administration portal' is set to 'Yes' (Manual)

#### Profile Applicability:

- E3 Level 1

#### Description:

Restrict non-privileged users from signing into the Azure Active Directory portal.

**NOTE:** This recommendation only affects access to the Azure AD web portal. It does not prevent privileged users from using other methods such as Rest API or PowerShell to obtain information. Those attack channels are addressed elsewhere in this document.

#### Rationale:

The Azure AD administrative (AAD) portal contains sensitive data and permission settings, which are still enforced based on the user's role. However, an end user may inadvertently change properties or account settings that could result in increased administrative overhead. Additionally, a compromised end user account could be used by a malicious attacker as a means to gather additional information and escalate an attack.

**NOTE:** Users will still be able to sign into Azure Active directory admin center but will be unable to see directory information.

#### Audit:

##### Verify access to the Azure AD portal is restricted:

1. Navigate to Azure Active Directory admin center <https://aad.portal.azure.com/>
2. Select Users then User settings.
3. Verify under the **Administration portal** header that Restrict access to Azure AD administration portal is set to Yes

#### Remediation:

##### Ensure access to the Azure AD portal is restricted:

1. Navigate to Azure Active Directory admin center <https://aad.portal.azure.com/>
2. Select Users then User settings.
3. For the setting Restrict access to Azure AD administration portal click Yes then Save.

#### Default Value:

No - Non-administrators can access the Azure AD administration portal.

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/users-default-permissions#restrict-member-users-default-permissions>



### *1.1.21 (L1) Ensure 'Microsoft Azure Management' is limited to administrative roles (Manual)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

The Microsoft Azure Management application governs various Azure services and can be secured through the implementation of a Conditional Access policy. This policy can restrict specific user accounts from accessing the related portals and applications.

When Conditional Access policy is targeted to the Microsoft Azure Management application, within the Conditional Access policy app picker the policy will be enforced for tokens issued to application IDs of a set of services closely bound to the portal.

- Azure Resource Manager
- Azure portal, which also covers the Microsoft Entra admin center
- Azure Data Lake
- Application Insights API
- Log Analytics API

Microsoft Azure Management should be restricted to specific pre-determined administrative roles.

**NOTE:** Blocking Microsoft Azure Management will prevent non-privileged users from signing into most portals other than Microsoft 365 Defender and Microsoft Purview.

#### **Rationale:**

Blocking sign-in to Azure Management applications and portals enhances security of sensitive data by restricting access to privileged users. This mitigates potential exposure due to administrative errors or software vulnerabilities, as well as acting as a defense in depth measure against security breaches.

## Impact:

Because the policy is applied to the Azure management portal and API, services, or clients with an Azure API service dependency, can indirectly be impacted. For example:

- Classic deployment model APIs
- Azure PowerShell
- Azure CLI
- Azure DevOps
- Azure Data Factory portal
- Azure Event Hubs
- Azure Service Bus
- Azure SQL Database
- SQL Managed Instance
- Azure Synapse
- Visual Studio subscriptions administrator portal
- Microsoft IoT Central

## Audit:

### Ensure Microsoft Azure Management is restricted:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Click to expand Protect & Secure select Conditional Access
3. Inspect and identify existing policies for the parameters below:
  - Users set to Include All Users
  - Users > Exclude Verify Guest or external users and Users and groups are unchecked.
  - Users > Exclude Verify Directory Roles only contains administrative roles. See below for details on roles.
  - Cloud apps or actions Select Microsoft Azure Management
  - Grant is equal to Block Access
  - Enable policy is set to On
4. If any of these conditions are not met then the audit fails.

### **Directory Roles and Exclusions**

In Directory roles > Exclude the role Global Administrator at a minimum should be selected to avoid I.T. being locked out. The organization should pre-determine roles in the exclusion list as there is not a one size fits all. Auditors and system administrators should exercise due diligence balancing operation while exercising least privilege. As the size of the organization increases so will the number of roles being utilized. A an example starting list of Administrator roles can be found under **Additional Information**

## Remediation:

### To enable Microsoft Azure Management restrictions:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Click to expand Protect & Secure select Conditional Access
3. Click New Policy and then name the policy.
4. Select Users > Include > All Users
5. Select Users > Exclude > Directory roles and select only administrative roles. See audit section for more information.
6. Select Cloud apps or actions > Select apps > Select then click the box next to Microsoft Azure Management.
7. Click Select.
8. Select Grant > Block access and click Select.
9. Ensure Enable Policy is On then click Create.

**WARNING:** Exclude Global Administrator at a minimum to avoid being locked out. Report-only is a good option to use when testing any Conditional Access policy for the first time.

### Default Value:

No - Non-administrators can access the Azure AD administration portal.

### References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-cloud-apps>

### **Additional Information:**

**Below is a example list of Administrator roles that could be excluded**

- Application administrator
- Authentication administrator
- Billing administrator
- Cloud application administrator
- Conditional Access administrator
- Exchange administrator
- Global administrator
- Global reader
- Helpdesk administrator
- Password administrator
- Privileged authentication administrator
- Privileged role administrator
- Security administrator
- SharePoint administrator
- User administrator

### 1.1.22 (L1) Ensure 'Restrict non-admin users from creating tenants' is set to 'Yes' (Manual)

#### Profile Applicability:

- E3 Level 1

#### Description:

Non-privileged users can create tenants in the Azure AD and Entra administration portal under Manage tenant. The creation of a tenant is recorded in the Audit log as category DirectoryManagement and activity Create Company. Anyone who creates a tenant becomes the Global Administrator of that tenant. The newly created tenant doesn't inherit any settings or configurations.

#### Rationale:

Restricting tenant creation prevents unauthorized or uncontrolled deployment of resources and ensures that the organization retains control over its infrastructure. User generation of shadow IT could lead to multiple, disjointed environments that can make it difficult for IT to manage and secure the organization's data, especially if other users in the organization began using these tenants for business purposes under the misunderstanding that they were secured by the organization's security team.

#### Audit:

##### Verify access to the Azure AD portal is restricted:

1. Navigate to Microsoft Entra admin center <https://aad.portal.azure.com/>
2. Click to expand Azure Active Directory
3. Select Users then User settings.
4. Ensure under Tenant creation Restrict non-admin users from creating tenants (preview) is set to Yes

##### To audit using PowerShell:

1. Connect to Microsoft Graph using `Connect-MgGraph -Scopes "Policy.Read.All"`
2. Run the following commands

```
# allowedToCreateTenants is only available in beta
Select-MgProfile -Name beta

$mgpolicy = Get-MgPolicyAuthorizationPolicy
$mgpolicy.DefaultUserRolePermissions.AdditionalProperties
```

3. Ensure `allowedToCreateTenants` is False

## Remediation:

### Restrict access to the Azure AD portal:

1. Navigate to Microsoft Entra admin center <https://aad.portal.azure.com/>
2. Click to expand Azure Active Directory
3. Select Users then User settings.
4. Set Tenant creation Restrict non-admin users from creating tenants (preview) to Yes then Save.

### To remediate using PowerShell:

1. Connect to Microsoft Graph using `Connect-MgGraph -Scopes "Policy.ReadWrite.Authorization"`
2. Run the following commands.

```
# allowedToCreateTenants is only available in beta
Select-MgProfile -Name beta
# Create object params hashtable
$params = @{
    DefaultUserRolePermissions = @{
        AllowedToCreateTenants = $false
    }
}

# Update default authorization policy
Update-MgPolicyAuthorizationPolicy -AuthorizationPolicyId
'authorizationPolicy' -BodyParameter $params
```

3. Run the audit procedure to ensure `allowedToCreateTenants` is False

### Default Value:

No - Non-administrators can create tenants.

`AllowedToCreateTenants` is True

### References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/users-default-permissions#restrict-member-users-default-permissions>

## *1.2 (L1) Ensure modern authentication for Exchange Online is enabled (Automated)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Modern authentication in Microsoft 365 enables authentication features like multifactor authentication (MFA) using smart cards, certificate-based authentication (CBA), and third-party SAML identity providers. When you enable modern authentication in Exchange Online, Outlook 2016 and Outlook 2013 use modern authentication to log in to Microsoft 365 mailboxes. When you disable modern authentication in Exchange Online, Outlook 2016 and Outlook 2013 use basic authentication to log in to Microsoft 365 mailboxes.

When users initially configure certain email clients, like Outlook 2013 and Outlook 2016, they may be required to authenticate using enhanced authentication mechanisms, such as multifactor authentication. Other Outlook clients that are available in Microsoft 365 (for example, Outlook Mobile and Outlook for Mac 2016) always use modern authentication to log in to Microsoft 365 mailboxes.

### **Rationale:**

Strong authentication controls, such as the use of multifactor authentication, may be circumvented if basic authentication is used by Exchange Online email clients such as Outlook 2016 and Outlook 2013. Enabling modern authentication for Exchange Online ensures strong authentication mechanisms are used when establishing sessions between email clients and Exchange Online.

### **Impact:**

Users of older email clients, such as Outlook 2013 and Outlook 2016, will no longer be able to authenticate to Exchange using Basic Authentication, which will necessitate migration to modern authentication practices.

## Audit:

### To verify modern authentication is enabled using the Exchange Online PowerShell Module:

1. Run the Microsoft Exchange Online PowerShell Module.
2. Connect to Exchange Online using `Connect-ExchangeOnline`.
3. Run the following PowerShell command:

```
Get-OrganizationConfig | Format-Table -Auto Name, OAuth*
```

4. Verify `OAuth2ClientProfileEnabled` is `True`.

## Remediation:

### To enable modern authentication using the Exchange Online PowerShell Module:

1. Run the Microsoft Exchange Online PowerShell Module.
2. Connect to Exchange Online using `Connect-ExchangeOnline`.
3. Run the following PowerShell command:

```
Set-OrganizationConfig -OAuth2ClientProfileEnabled $True
```

## Default Value:







True

## References:

1. <https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/enable-or-disable-modern-authentication-in-exchange-online>



## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.10 <u>Encrypt Sensitive Data in Transit</u></b> Encrypt sensitive data in transit. Example implementations can include: Transport Layer Security (TLS) and Open Secure Shell (OpenSSH).			
v7	<b>16.3 <u>Require Multi-factor Authentication</u></b> Require multi-factor authentication for all user accounts, on all systems, whether managed onsite or by a third-party provider.			
v7	<b>16.5 <u>Encrypt Transmittal of Username and Authentication Credentials</u></b> Ensure that all account usernames and authentication credentials are transmitted across networks using encrypted channels.			

## 1.3 (L1) Ensure modern authentication for SharePoint applications is required (Automated)

### Profile Applicability:

- E3 Level 1

### Description:

Modern authentication in Microsoft 365 enables authentication features like multifactor authentication (MFA) using smart cards, certificate-based authentication (CBA), and third-party SAML identity providers

### Rationale:

Strong authentication controls, such as the use of multifactor authentication, may be circumvented if basic authentication is used by SharePoint applications. Requiring modern authentication for SharePoint applications ensures strong authentication mechanisms are used when establishing sessions between these applications, SharePoint, and connecting users.

### Impact:

Implementation of modern authentication for SharePoint will require users to authenticate to SharePoint using modern authentication. This may cause a minor impact to typical user behavior.

### Audit:

#### Ensure modern authentication for SharePoint applications is required:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>.
2. Click to expand Policies select Access control.
3. Select Apps that don't use modern authentication and ensure that it is set to Block access.

#### To verify Apps that don't use modern authentication is set to Block, use the SharePoint Online PowerShell Module:

1. Connect to SharePoint Online using `Connect-SPOService -Url https://tenant-admin.sharepoint.com` replacing tenant with your value.
2. Run the following SharePoint Online PowerShell command:

```
Get-SPOTenant | ft LegacyAuthProtocolsEnabled
```

3. Verify `LegacyAuthProtocolsEnabled` is set False

## Remediation:

### To set SharePoint settings, use the Microsoft 365 Admin Center:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>.
2. Click to expand Policies select Access control.
3. Select Apps that don't use modern authentication.
4. Select the radio button for Block access.
5. Click Save.

### To set Apps that don't use modern authentication is set to Block, use the SharePoint Online PowerShell Module:





1. Connect to SharePoint Online using `Connect-SPOService -Url https://tenant-admin.sharepoint.com` replacing tenant with your value.
2. Run the following SharePoint Online PowerShell command:

```
Set-SPOTenant -LegacyAuthProtocolsEnabled $false
```

## Default Value:

The default is to allow apps that don't use modern authentication.

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.10 Encrypt Sensitive Data in Transit</b> Encrypt sensitive data in transit. Example implementations can include: Transport Layer Security (TLS) and Open Secure Shell (OpenSSH).			
v7	<b>16.3 Require Multi-factor Authentication</b> Require multi-factor authentication for all user accounts, on all systems, whether managed onsite or by a third-party provider.			

## *1.4 (L1) Ensure the 'Password expiration policy' is set to 'Set passwords to never expire (recommended)' (Automated)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Microsoft cloud-only accounts have a pre-defined password policy that cannot be changed. The only items that can change are the number of days until a password expires and whether or not passwords expire at all.

### **Rationale:**

Organizations such as NIST and Microsoft have updated their password policy recommendations to not arbitrarily require users to change their passwords after a specific amount of time, unless there is evidence that the password is compromised or the user forgot it. They suggest this even for single factor (Password Only) use cases, with a reasoning that forcing arbitrary password changes on users actually make the passwords less secure. Other recommendations within this Benchmark suggest the use of MFA authentication for at least critical accounts (at minimum), which makes password expiration even less useful as well as password protection for Azure AD.

### **Impact:**

When setting passwords not to expire it is important to have other controls in place to supplement this setting. See below for related recommendations and user guidance.

- Ban common passwords
- Educate users to not reuse organization passwords anywhere else
- Enforce Multi-Factor Authentication registration for all users

## Audit:

### Ensure that Office 365 passwords are set to never expire:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings select Org Settings.
3. Click on Security & privacy.
4. Select Password expiration policy ensure that Set passwords to never expire (recommended) has been checked.

### To verify Office 365 Passwords Are Not Set to Expire, use the Microsoft Graph PowerShell module:

1. Connect to the Microsoft Graph service using `Connect-MgGraph -Scopes "Domain.Read.All"`.
2. Run the following Microsoft Online PowerShell command:

```
Get-MgDomain -DomainId <Domain Name> | ft PasswordValidityPeriodInDays
```

## Remediation:

### To set Office 365 passwords are set to never expire:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings select Org Settings.
3. Click on Security & privacy.
4. Check the Set passwords to never expire (recommended) box.
5. Click Save.

### To set Office 365 Passwords Are Not Set to Expire, use the Microsoft Graph PowerShell module:






1. Connect to the Microsoft Graph service using `Connect-MgGraph -Scopes "Domain.ReadWrite.All"`.
2. Run the following Microsoft Graph PowerShell command:

```
Update-MgDomain -DomainId <Domain> -PasswordValidityPeriodInDays 2147483647 -  
PasswordNotificationWindowInDays 30
```

## References:

1. <https://pages.nist.gov/800-63-3/sp800-63b.html>
2. <https://www.cisecurity.org/white-papers/cis-password-policy-guide/>
3. <https://learn.microsoft.com/en-US/microsoft-365/admin/misc/password-policy-recommendations?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.2 <u>Use Unique Passwords</u></b> Use unique passwords for all enterprise assets. Best practice implementation includes, at a minimum, an 8-character password for accounts using MFA and a 14-character password for accounts not using MFA.			
v7	<b>4.4 <u>Use Unique Passwords</u></b> Where multi-factor authentication is not supported (such as local administrator, root, or service accounts), accounts will use passwords that are unique to that system.			

## *1.5 (L1) Ensure Administrative accounts are separate and cloud-only (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Administrative accounts are special privileged accounts that could have varying levels of access to data, users, and settings. Regular user accounts should never be utilized for Administrative tasks and care should be taken, in the case of a hybrid environment, to keep Administrative accounts separated from on-prem accounts. Administrative accounts should not have applications assigned so that they have no access to potentially vulnerable services (EX. email, Teams, SharePoint, etc.) and only access to perform tasks as needed for Administrative purposes.

Ensure administrative accounts are licensed without attached applications and cloud-only.

### **Rationale:**

Ensuring administrative accounts are cloud-only, without applications assigned to them will reduce the attack surface of high privileged identities in your environment. In order to participate in Microsoft 365 security services such as Identity Protection, PIM and Conditional Access an administrative account will need a license attached to it. Ensure that the license used does not include any applications with potentially vulnerable services by using either **Azure Premium P1** or **Azure Premium P2** for the cloud-only account with administrator roles.

In a hybrid environment, having separate accounts will help ensure that in the event of a breach in the cloud, that the breach does not affect the on-prem environment and vice-versa.

### **Impact:**

Administrative users will have to switch accounts and utilizing login/logout functionality when performing Administrative tasks, as well as not benefiting from SSO.

## Audit:

### Ensure Administrative accounts are separate and cloud-only:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Users select Active users.
3. Sort by the Licenses column.
4. For each user account in an administrative role verify the following:
  - o The account is Cloud only (not synced)
  - o The account is assigned a license that is not associated with applications i.e. (Azure Premium P1, Azure Premium P2)

## Remediation:

### To created licensed, separate Administrative accounts for Administrative users:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Users select Active users
3. Click Add a user.
4. Fill out the appropriate fields for Name, user, etc.
5. When prompted to assign licenses select as needed Azure Premium P1 or Azure Premium P2, then click Next.
6. Under the Option settings screen you may choose from several types of Administrative access roles. Choose Admin center access followed by the appropriate role then click Next.
7. Select Finish adding.

## Default Value:






N/A

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/add-users?view=o365-worldwide>



## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>5.4 Restrict Administrator Privileges to Dedicated Administrator Accounts</u></b> Restrict administrator privileges to dedicated administrator accounts on enterprise assets. Conduct general computing activities, such as internet browsing, email, and productivity suite use, from the user's primary, non-privileged account.			
v7	<b><u>4.1 Maintain Inventory of Administrative Accounts</u></b> Use automated tools to inventory all administrative accounts, including domain and local accounts, to ensure that only authorized individuals have elevated privileges.			

## 1.6 (L1) *Ensure two emergency access accounts have been defined (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Emergency access or "break glass" accounts are limited for emergency scenarios where normal administrative accounts are unavailable. They are not assigned to a specific user and will have a combination of physical and technical controls to prevent them from being accessed outside a true emergency. These emergencies could be due to a number of things, including:

- Technical failures of a cellular provider or Microsoft related service such as MFA.
- The last remaining Global Administrator account is inaccessible.

Ensure two `Emergency Access` accounts have been defined.

**NOTE:** Microsoft provides a number recommendations for these accounts, and how to configure them. For more information on this, please refer to the references section. The CIS Benchmark outlines the more critical things to consider.

### **Rationale:**

In various situations, an organization may require the use of a break glass account to gain emergency access. In the event of losing access to administrative functions, an organization may experience a significant loss in its ability to provide support, lose insight into its security posture, and potentially suffer financial losses.

### **Impact:**

If care is not taken in properly implementing an emergency access account this could weaken security posture. Microsoft recommends to exclude at least one of these accounts from all conditional access rules therefore passwords must have sufficient entropy and length to protect against random guesses. FIDO2 security keys may be used instead of a password for secure passwordless solution.

## **Audit:**

### **Step 1 - Ensure a policy and procedure is in place at the organization:**

- In order for accounts to be effectively used in a break-glass situation the proper policies and procedures must be authorized and distributed by senior management.
- FIDO2 Security Keys, if used, should be locked in a secure separate fireproof location.
- Passwords should be at least 16 characters, randomly generated and MAY be separated in multiple pieces to be joined on emergency.

### **Step 2 - Ensure two emergency access accounts are defined:**

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>
2. Expand `Users > Active Users`
3. Inspect the designated emergency access accounts and ensure the following:
  - The accounts are named correctly, and do NOT identify with a particular person.
  - The accounts use the default `.onmicrosoft.com` domain and not the organization's.
  - The accounts are cloud-only.
  - The accounts are unlicensed.
  - The accounts are assigned the `Global Administrator` directory role.

### **Step 3 - Ensure at least one account is excluded from all conditional access rules:**

1. Navigate Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand `Azure Active Directory > Protect & Secure > Conditional Access`
3. Inspect the conditional access rules.
4. Ensure one of the emergency access accounts is excluded from all rules.

## Remediation:

### Step 1 - Create two emergency access accounts:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>
2. Expand Users > Active Users
3. Click Add user and create a new user with this criteria:
  - Name the account in a way that does NOT identify it with a particular person.
  - Assign the account to the default .onmicrosoft.com domain and not the organization's.
  - The password must be at least 16 characters and generated randomly.
  - Do not assign a license.
  - Assign the user the Global Administrator role.
4. Repeat the above steps for the second account.

### Step 2 - Exclude at least one account from conditional access policies:

1. Navigate Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Protect & Secure > Conditional Access
3. Inspect the conditional access policies.
4. For each rule add an exclusion for at least one of the emergency access accounts.
5. Users > Exclude > Users and groups and select one emergency access account.

### Step 3 - Ensure the necessary procedures and policies are in place:

- In order for accounts to be effectively used in a break glass situation the proper policies and procedures must be authorized and distributed by senior management.
- FIDO2 Security Keys, if used, should be locked in a secure separate fireproof location.
- Passwords should be at least 16 characters, randomly generated and MAY be separated in multiple pieces to be joined on emergency.

**NOTE:** Microsoft's documentation contains in depth information on securing break glass accounts, please refer to the references section.

### Default Value:

Not defined.

## References:




1. <https://learn.microsoft.com/en-us/azure/active-directory/roles/security-planning#stage-1-critical-items-to-do-right-now>
2. <https://learn.microsoft.com/en-us/azure/active-directory/roles/security-emergency-access>

## Additional Information:

Microsoft has additional instructions regarding using Azure Monitor to capture events in the Log Analytics workspace, and then generate alerts for Emergency Access accounts. This requires an Azure subscription but should be strongly considered as a method of monitoring activity on these accounts:

<https://learn.microsoft.com/en-us/azure/active-directory/roles/security-emergency-access#monitor-sign-in-and-audit-logs>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.1 Establish and Maintain an Inventory of Accounts</b> Establish and maintain an inventory of all accounts managed in the enterprise. The inventory must include both user and administrator accounts. The inventory, at a minimum, should contain the person's name, username, start/stop dates, and department. Validate that all active accounts are authorized, on a recurring schedule at a minimum quarterly, or more frequently.			

## *1.7 (L1) Ensure 'Idle session timeout' is set to '1 hour (or less)' for unmanaged devices (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Idle session timeout allows the configuration of a setting which will timeout inactive users after a pre-determined amount of time. When a user reaches the set idle timeout session, they'll get a notification that they're about to be signed out. They have to select to stay signed in or they'll be automatically signed out of all Microsoft 365 web apps. Combined with a Conditional Access rule this will only impact unmanaged devices. A managed device is considered a device managed by Intune MDM.

The following Microsoft 365 web apps are supported.

- Outlook Web App
- OneDrive for Business
- SharePoint Online (SPO)
- Office.com and other start pages
- Office (Word, Excel, PowerPoint) on the web
- Microsoft 365 Admin Center

**NOTE:** Idle session timeout doesn't affect Microsoft 365 desktop and mobile apps.

The recommended setting is 1 hour (or less) for unmanaged devices.

### **Rationale:**

Ending idle sessions through an automatic process can help protect sensitive company data, and will add another layer of security for end users who work on unmanaged devices that can potentially be accessed by the public. Unauthorized individuals onsite or remotely can take advantage of systems left unattended over time. Automatic timing out of sessions makes this more difficult.

### **Impact:**

If step 2 in the Audit/Remediation procedure is left out then there is no issue from this from a security standpoint. However, it will require users on trusted devices to sign in more frequently which could result in credential prompt fatigue.

## **Audit:**

### **Step 1 - Ensure Idle session timeout is configured:**

1. Navigate to the Microsoft 365 admin center <https://admin.microsoft.com/>.
2. Click to expand Settings Select Org settings.
3. Click Security & Privacy tab.
4. Select Idle session timeout.
5. Verify Turn on to set the period of inactivity for users to be signed off of Microsoft 365 web apps is set to 1 hour (or less).

### **Step 2 - Ensure the Conditional Access policy is in place:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Protect & secure > Conditional Access
3. Inspect existing conditional access rules for one that meets the below conditions:
  - Users is set to All users
  - Cloud apps or actions > Select apps is set to Office 365.
  - Conditions > Client apps is Browser and nothing else.
  - Session is set to Use app enforced restrictions.
  - Enable Policy is set to On

**NOTE:** To ensure that idle timeouts affect only unmanaged devices, both steps must be completed.

## Remediation:

### To configure Idle session timeout:

1. Navigate to the Microsoft 365 admin center <https://admin.microsoft.com/>.
2. Click to expand Settings Select Org settings.
3. Click Security & Privacy tab.
4. Select Idle session timeout.
5. Check the box Turn on to set the period of inactivity for users to be signed off of Microsoft 365 web apps
6. Set a maximum value of 1 hour.
7. Click save.

### Step 2 - Ensure the Conditional Access policy is in place:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Protect & secure > Conditional Access
3. Click New policy and give the policy a name.
4. Select Users > All users.
5. Select Cloud apps or actions > Select apps and select Office 365
6. Select Conditions > Client apps > Yes check only Browser unchecking all other boxes.
7. Select Sessions and check Use app enforced restrictions.
8. Set Enable policy to On and click Create.

**NOTE:** To ensure that idle timeouts affect only unmanaged devices, both steps must be completed.

### Default Value:

Not configured. (Idle sessions will not timeout.)

### References:




1. <https://learn.microsoft.com/en-us/microsoft-365/admin/add-users/add-users?view=o365-worldwide>

### Additional Information:

According to Microsoft idle session timeout isn't supported when third party cookies are disabled in the browser. Users won't see any sign-out prompts.



**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>4.3 Configure Automatic Session Locking on Enterprise Assets</u></b> Configure automatic session locking on enterprise assets after a defined period of inactivity. For general purpose operating systems, the period must not exceed 15 minutes. For mobile end-user devices, the period must not exceed 2 minutes.			

## 2 Application Permissions

## 2.1 (L1) *Ensure the admin consent workflow is enabled (Automated)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

The admin consent workflow gives admins a secure way to grant access to applications that require admin approval. When a user tries to access an application but is unable to provide consent, they can send a request for admin approval. The request is sent via email to admins who have been designated as reviewers. A reviewer takes action on the request, and the user is notified of the action.

### **Rationale:**

The admin consent workflow (Preview) gives admins a secure way to grant access to applications that require admin approval. When a user tries to access an application but is unable to provide consent, they can send a request for admin approval. The request is sent via email to admins who have been designated as reviewers. A reviewer acts on the request, and the user is notified of the action.

### **Impact:**

To approve requests, a reviewer must be a global administrator, cloud application administrator, or application administrator. The reviewer must already have one of these admin roles assigned; simply designating them as a reviewer doesn't elevate their privileges.

### **Audit:**

#### **Ensure the admin consent workflow is enabled:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Applications select Enterprise applications.
3. Under Security select Consent and permissions.
4. Under Manage select Admin consent settings.
5. Verify that Users can request admin consent to apps they are unable to consent to is set to Yes.

## Remediation:

To enable the admin consent workflow, use the Microsoft 365 Admin Center:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Applications select Enterprise applications.
3. Under Security select Consent and permissions.
4. Under Manage select Admin consent settings.
5. Set Users can request admin consent to apps they are unable to consent to to Yes under Admin consent requests.
6. Under the Reviewers choose the Roles and Groups that will review user generated app consent requests.
7. Set Selected users will receive email notifications for requests to Yes
8. Select Save at the top of the window.





## Default Value:

- Users can request admin consent to apps they are unable to consent to: No
- Selected users to review admin consent requests: None
- Selected users will receive email notifications for requests: Yes
- Selected users will receive request expiration reminders: Yes
- Consent request expires after (days): 30

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-admin-consent-workflow>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>2.5 Allowlist Authorized Software</b> Use technical controls, such as application allowlisting, to ensure that only authorized software can execute or be accessed. Reassess bi-annually, or more frequently.			
v7	<b>18.3 Verify That Acquired Software is Still Supported</b> Verify that the version of all software acquired from outside your organization is still supported by the developer or appropriately hardened based on developer security recommendations.			

## 2.2 (L2) Ensure third party integrated applications are not allowed (Manual)

### Profile Applicability:

- E3 Level 2

### Description:

App registrations allows users to register custom-developed applications for use within the directory.

### Rationale:

Third party integrated applications connection to services should be disabled, unless there is a very clear value and robust security controls are in place. While there are legitimate uses, attackers can grant access from breached accounts to third party applications to exfiltrate data from your tenancy without having to maintain the breached account.

### Impact:

Implementation of this change will impact both end users and administrators. End users will not be able to integrate third-party applications that they may wish to use. Administrators are likely to receive requests from end users to grant them permission to necessary third-party applications.

### Audit:

#### Ensure third party integrated applications are not allowed:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select Users settings.
3. Verify App registrations is set to No.

### Remediation:

#### To prohibit third party integrated applications:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select Users settings.
3. Select App registrations setting highlighted to No.
4. Click Save.





### Default Value:

Yes (Users can register applications.)

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/develop/active-directory-how-applications-are-added>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>2.5 <u>Allowlist Authorized Software</u></b> Use technical controls, such as application allowlisting, to ensure that only authorized software can execute or be accessed. Reassess bi-annually, or more frequently.			
v7	<b>18.4 <u>Only Use Up-to-date And Trusted Third-Party Components</u></b> Only use up-to-date and trusted third-party components for the software developed by the organization.			

## 2.3 (L2) Ensure 'External sharing' of calendars is not available (Automated)

### Profile Applicability:

- E3 Level 2

### Description:

External calendar sharing allows an administrator to enable the ability for users to share calendars with anyone outside of the organization. Outside users will be sent a URL that can be used to view the calendar.

### Rationale:

Attackers often spend time learning about organizations before launching an attack. Publicly available calendars can help attackers understand organizational relationships and determine when specific users may be more vulnerable to an attack, such as when they are traveling.

### Impact:

This functionality is not widely used. As a result, it is unlikely that implementation of this setting will cause an impact to most users. Users that do utilize this functionality are likely to experience a minor inconvenience when scheduling meetings or synchronizing calendars with people outside the tenant.

### Audit:

#### Ensure calendar details sharing with external users is disabled:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings select Org settings.
3. In the Services section click Calendar.
4. Verify Let your users share their calendars with people outside of your organization who have Office 365 or Exchange is unchecked.

#### To verify calendar details sharing with external users is disabled, use the Exchange Online PowerShell Module:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
Get-SharingPolicy | Where-Object { $_.Domains -like '*CalendarSharing*' }
```

3. Verify `Enabled` is set to `False`

## Remediation:

### To disable calendar details sharing with external users:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings select Org settings.
3. In the Services section click Calendar.
4. Uncheck Let your users share their calendars with people outside of your organization who have Office 365 or Exchange.
5. Click Save.

### To disable calendar details sharing with external users policy, use the Exchange Online PowerShell Module:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
Set-SharingPolicy -Identity "Name of the policy" -Enabled $False
```

### Default Value:

On

### References:

1. <https://learn.microsoft.com/en-us/microsoft-365/admin/manage/share-calendars-with-external-users?view=o365-worldwide>



## Additional Information:

The following script can be used to audit any malboxes that might be sharing calendars prior to disabling the feature globally:






```
$mailboxes = Get-Mailbox -ResultSize Unlimited

foreach ($mailbox in $mailboxes) {
    # Get the name of the default calendar folder (depends on the mailbox's
    language)
    $calendarFolder = [string](Get-ExoMailboxFolderStatistics
$mailbox.PrimarySmtpAddress -FolderScope Calendar| Where-Object {
$_.FolderType -eq 'Calendar' }).Name

    # Get users calendar folder settings for their default Calendar folder
    # calendar has the format identity:\<calendar folder name>
    $calendar = Get-MailboxCalendarFolder -Identity
"$($mailbox.PrimarySmtpAddress):\$calendarFolder"

    if ($calendar.PublishEnabled) {
        Write-Host -ForegroundColor Yellow "Calendar publishing is enabled
for $($mailbox.PrimarySmtpAddress) on $($calendar.PublishedCalendarUrl)"
    }
}
```

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>4.8 Uninstall or Disable Unnecessary Services on Enterprise Assets and Software</u></b> Uninstall or disable unnecessary services on enterprise assets and software, such as an unused file sharing service, web application module, or service function.			
v7	<b><u>14.6 Protect Information through Access Control Lists</u></b> Protect all information stored on systems with file system, network share, claims, application, or database specific access control lists. These controls will enforce the principle that only authorized individuals should have access to the information based on their need to access the information as a part of their responsibilities.			

## *2.4 (L2) Ensure Safe Links for Office Applications is Enabled (Automated)*

### **Profile Applicability:**

- E5 Level 2

### **Description:**

Enabling Safe Links policy for Office applications allows URL's that exist inside of Office documents and email applications opened by Office, Office Online and Office mobile to be processed against Defender for Office time-of-click verification and rewritten if required.

**Note:** E5 Licensing includes a number of Built-in Protection policies. When auditing policies note which policy you are viewing, and keep in mind CIS recommendations often extend the Default or Build-in Policies provided by MS. In order to **Pass** the highest priority policy must match all settings recommended.

### **Rationale:**

Safe Links for Office applications extends phishing protection to documents and emails that contain hyperlinks, even after they have been delivered to a user.

### **Impact:**

User impact associated with this change is minor - users may experience a very short delay when clicking on URLs in Office documents before being directed to the requested site. Users should be informed of the change as, in the event a link is unsafe and blocked, they will receive a message that it has been blocked.

## Audit:

### Ensure Safe Links for Office Applications is Enabled:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>
2. Under Email & collaboration **select** Policies & rules
3. **Select** Threat policies **then** Safe Links
4. Inspect each policy and attempt to identify one that matches the parameters outlined below.
5. Scroll down the pane and click on Edit Protection settings (Global Readers will look for on or off values)
6. Ensure the following protection settings are set as outlined:

#### Email

- o **Checked** On: Safe Links checks a list of known, malicious links when users click links in email. URLs are rewritten by default
- o **Checked** Apply Safe Links to email messages sent within the organization
- o **Checked** Apply real-time URL scanning for suspicious links and links that point to files
- o **Checked** Wait for URL scanning to complete before delivering the message
- o **Unchecked** Do not rewrite URLs, do checks via Safe Links API only.

#### Teams

- o **Checked** On: Safe Links checks a list of known, malicious links when users click links in Microsoft Teams. URLs are not rewritten

#### Office 365 Apps

- o **Checked** On: Safe Links checks a list of known, malicious links when users click links in Microsoft Office apps. URLs are not rewritten

#### Click protection settings

- o **Checked** Track user clicks
- o **Unchecked** Let users click through the original URL

7. There is no recommendation for organization branding.
8. Click close

**To verify the Safe Links policy is enabled, use the Exchange Online PowerShell Module:**

1. Connect using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-SafeLinksPolicy | Format-Table Name
```

3. Once this returns the list of policies run the following command to view the policies.

```
Get-SafeLinksPolicy -Identity "Policy Name"
```

4. Verify the value for the following.

- o EnableSafeLinksForEmail: True
- o EnableSafeLinksForTeams: True
- o EnableSafeLinksForOffice: True
- o TrackClicks: True
- o AllowClickThrough: False
- o ScanUrls: True
- o EnableForInternalSenders: True
- o DeliverMessageAfterScan: True
- o DisableUrlRewrite: False

## Remediation:

### To create a Safe Links policy:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>
2. Under Email & collaboration **select** Policies & rules
3. **Select** Threat policies then Safe Links
4. Click on +Create
5. Name the policy then click Next
6. In Domains **select** all valid domains for the organization and Next
7. Ensure the following URL & click protection settings **are defined**:

#### Email

- **Checked** On: Safe Links checks a list of known, malicious links when users click links in email. URLs are rewritten by default
- **Checked** Apply Safe Links to email messages sent within the organization
- **Checked** Apply real-time URL scanning for suspicious links and links that point to files
- **Checked** Wait for URL scanning to complete before delivering the message
- **Unchecked** Do not rewrite URLs, do checks via Safe Links API only.

#### Teams

- **Checked** On: Safe Links checks a list of known, malicious links when users click links in Microsoft Teams. URLs are not rewritten

#### Office 365 Apps

- **Checked** On: Safe Links checks a list of known, malicious links when users click links in Microsoft Office apps. URLs are not rewritten

#### Click protection settings

- **Checked** Track user clicks
- **Unchecked** Let users click through the original URL
- There is no recommendation for organization branding.

8. Click Next twice and finally Submit

## To create a Safe Links policy using the Exchange Online PowerShell Module:

1. Connect using `Connect-ExchangeOnline`.
2. Run the following PowerShell script to create a policy at highest priority that will apply to all valid domains on the tenant:

```
# Create the Policy
$params = @{
    Name = "CIS SafeLinks Policy"
    EnableSafeLinksForEmail = $true
    EnableSafeLinksForTeams = $true
    EnableSafeLinksForOffice = $true
    TrackClicks = $true
    AllowClickThrough = $false
    ScanUrls = $true
    EnableForInternalSenders = $true
    DeliverMessageAfterScan = $true
    DisableUrlRewrite = $false
}






New-SafeLinksPolicy @params

# Create the rule for all users in all valid domains and associate with
Policy
New-SafeLinksRule -Name "CIS SafeLinks" -SafeLinksPolicy "CIS SafeLinks
Policy" -RecipientDomainIs (Get-AcceptedDomain).Name -Priority 0
```

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/safe-links-policies-configure?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/powershell/module/exchange/set-safelinkspolicy?view=exchange-ps>
3. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/preset-security-policies?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>10.1 <u>Deploy and Maintain Anti-Malware Software</u></b> Deploy and maintain anti-malware software on all enterprise assets.			
v7	<b>7.4 <u>Maintain and Enforce Network-Based URL Filters</u></b> Enforce network-based URL filters that limit a system's ability to connect to websites not approved by the organization. This filtering shall be enforced for each of the organization's systems, whether they are physically at an organization's facilities or not.			

## 2.5 (L2) Ensure Safe Attachments for SharePoint, OneDrive, and Microsoft Teams is Enabled (Automated)

### Profile Applicability:

- E5 Level 2

### Description:

Safe Attachments for SharePoint, OneDrive, and Microsoft Teams scans these services for malicious files.

### Rationale:

Safe Attachments for SharePoint, OneDrive, and Microsoft Teams protects organizations from inadvertently sharing malicious files. When a malicious file is detected, that file is blocked so that no one can open, copy, move, or share it until further actions are taken by the organization's security team.

### Impact:

Impact associated with Safe Attachments is minimal, and equivalent to impact associated with anti-virus scanners in an environment.

### Audit:

#### Ensure Safe Attachments for SharePoint, OneDrive, and Microsoft Teams is Enabled:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>
2. Under Email & collaboration select Policies & rules
3. Select Threat policies then Safe Attachments.
4. Click on Global settings
5. Verify that toggle is selected to Turn on Defender for Office 365 for SharePoint, OneDrive, and Microsoft Teams.

#### To audit using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-AtpPolicyForO365 | fl Name,EnableATPForSPOTeamsODB
```

3. Verify the value for `EnableATPForSPOTeamsODB` is set to `True`.

## Remediation:

### To enable Safe Attachments for SharePoint, OneDrive, and Microsoft Teams:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>
2. Under Email & collaboration select Policies & rules
3. Select Threat policies then Safe Attachments.
4. Click on Global settings
5. Click the toggle to Turn on Defender for Office 365 for SharePoint, OneDrive, and Microsoft Teams
6. Click Save

### To remediate using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Set-AtpPolicyForO365 -EnableATPForSPOTeamsODB $True
```

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.7 <u>Deploy and Maintain Email Server Anti-Malware Protections</u></b> Deploy and maintain email server anti-malware protections, such as attachment scanning and/or sandboxing.			●
v8	<b>10.1 <u>Deploy and Maintain Anti-Malware Software</u></b> Deploy and maintain anti-malware software on all enterprise assets.	●	●	●
v7	<b>7.10 <u>Sandbox All Email Attachments</u></b> Use sandboxing to analyze and block inbound email attachments with malicious behavior.			●
v7	<b>8.1 <u>Utilize Centrally Managed Anti-malware Software</u></b> Utilize centrally managed anti-malware software to continuously monitor and defend each of the organization's workstations and servers.		●	●



## 2.6 (L2) Ensure Office 365 SharePoint infected files are disallowed for download (Automated)

### Profile Applicability:

- E5 Level 2

### Description:

By default SharePoint online allows files that Defender for Office 365 has detected as infected to be downloaded.

### Rationale:

Defender for Office 365 for SharePoint, OneDrive, and Microsoft Teams protects your organization from inadvertently sharing malicious files. When an infected file is detected, that file is blocked so that no one can open, copy, move, or share it until further actions are taken by the organization's security team.

### Impact:

The only potential impact associated with implementation of this setting is potential inconvenience associated with the small percentage of false positive detections that may occur.

### Audit:

**To check that O365 SharePoint is set to not allow infected files to be downloaded using PowerShell:**

1. Connect to SharePoint Online using `Connect-SPOService`, you will need to enter the URL for your SharePoint Online admin page `https://*-admin.sharepoint.com`
2. Run the following PowerShell command

```
Get-SPOTenant | Select-Object DisallowInfectedFileDownload
```

3. Verify the value for `DisallowInfectedFileDownload` is set to `True`.

**NOTE:** According to Microsoft, SharePoint cannot be accessed through PowerShell by users with the Global Reader role. For further information, please refer to the reference section.

## Remediation:

### To set O365 SharePoint to disallow download of infected files using PowerShell:

1. Connect using SharePoint Online `Connect-SPOService`, you will need to enter the URL for your Sharepoint Online admin page `https://*-admin.sharepoint.com`
2. Run the following PowerShell command to set the value to `True`.

```
Set-SPOtenant -DisallowInfectedFileDownload $true
```

3. After several minutes run the following to verify the value for `DisallowInfectedFileDownload` has been set to `True`.







```
Get-SPOtenant | Select-Object DisallowInfectedFileDownload
```

**NOTE:** The Global Reader role cannot access SharePoint using PowerShell according to Microsoft. See the reference section for more information.

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/safe-attachments-for-spo-odfb-teams-configure?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/anti-malware-protection-for-spo-odfb-teams-about?view=o365-worldwide>
3. <https://learn.microsoft.com/en-us/azure/active-directory/roles/permissions-reference#global-reader>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>10.1 Deploy and Maintain Anti-Malware Software</b> Deploy and maintain anti-malware software on all enterprise assets.			
v7	<b>7.10 Sandbox All Email Attachments</b> Use sandboxing to analyze and block inbound email attachments with malicious behavior.			
v7	<b>8.1 Utilize Centrally Managed Anti-malware Software</b> Utilize centrally managed anti-malware software to continuously monitor and defend each of the organization's workstations and servers.			

## *2.7 (L2) Ensure user consent to apps accessing company data on their behalf is not allowed (Automated)*

### **Profile Applicability:**

- E3 Level 2

### **Description:**

Control when end users and group owners are allowed to grant consent to applications, and when they will be required to request administrator review and approval. Allowing users to grant apps access to data helps them acquire useful applications and be productive, but can represent a risk in some situations if it's not monitored and controlled carefully.

### **Rationale:**

Attackers commonly use custom applications to trick users into granting them access to company data. Disabling future user consent operations setting mitigates this risk, and helps to reduce the threat-surface. If user consent is disabled, previous consent grants will still be honored but all future consent operations must be performed by an administrator.

### **Impact:**

If user consent is disabled, previous consent grants will still be honored but all future consent operations must be performed by an administrator. Tenant-wide admin consent can be requested by users through an integrated administrator consent request workflow or through organizational support processes.

### **Audit:**

#### **Ensure user consent to apps accessing company data on their behalf is not allowed:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Applications select Enterprise applications.
3. Under Security select Consent and permissions.
4. Verify User consent for applications is set to Do not allow user consent.

## Remediation:

### To prohibit user consent to apps accessing company data on their behalf:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Applications select Enterprise applications.
3. Under Security select Consent and permissions.
4. Under User consent for applications select Do not allow user consent.
5. Click the Save option at the top of the window.







## Default Value:

UI - Allow user consent for apps

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/manage-apps/configure-user-consent?tabs=azure-portal&pivots=portal>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 <u>Configure Data Access Control Lists</u></b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>14.6 <u>Protect Information through Access Control Lists</u></b> Protect all information stored on systems with file system, network share, claims, application, or database specific access control lists. These controls will enforce the principle that only authorized individuals should have access to the information based on their need to access the information as a part of their responsibilities.			

## *2.8 (L2) Ensure users installing Outlook add-ins is not allowed (Automated)*

### **Profile Applicability:**

- E3 Level 2

### **Description:**

Specify the administrators and users who can install and manage add-ins for Outlook in Exchange Online

By default, users can install add-ins in their Microsoft Outlook Desktop client, allowing data access within the client application.

### **Rationale:**

Attackers exploit vulnerable or custom add-ins to access user data. Disabling user-installed add-ins in Microsoft Outlook reduces this threat surface.

### **Impact:**

Implementing this change will impact both end users and administrators. End users will be unable to integrate third-party applications they desire, and administrators may receive requests to grant permission for necessary third-party apps.

## Audit:

### Ensure users installing Outlook add-ins is not allowed:

1. Navigate to Exchange admin center <https://admin.exchange.microsoft.com>.
2. Click on the Classic Exchange admin center at the bottom.
3. Select permissions.
4. Select user roles.
5. Double click Default Role Assignment to open it and verify My Custom Apps, My Marketplace Apps and My ReadWriteMailboxApps are **NOT** Checked.

### To verify that users installing Outlook add-ins is not allowed using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following command:

```
Get-EXOMailbox | Select-Object -Unique RoleAssignmentPolicy |
ForEach-Object {
    Get-RoleAssignmentPolicy -Identity $_.RoleAssignmentPolicy |
    Where-Object {$_.AssignedRoles -like "*Apps*"}
} | Select-Object Identity, @{"Name="AssignedRoles"; Expression={
    Get-Mailbox | Select-Object -Unique RoleAssignmentPolicy |
    ForEach-Object {
        Get-RoleAssignmentPolicy -Identity $_.RoleAssignmentPolicy |
        Select-Object -ExpandProperty AssignedRoles |
        Where-Object {$_ -like "*Apps*"}
    }
}}
```

3. Verify My Custom Apps, My Marketplace Apps and My ReadWriteMailboxApps are not present.

## Remediation:

### To prohibit users installing Outlook add-ins:

1. Navigate to Exchange admin center <https://admin.exchange.microsoft.com>.
2. Click on the Classic Exchange admin center at the bottom.
3. Select permissions.
4. Select user roles.
5. Double click Default Role Assignment to open it and UnCheck My Custom Apps, My Marketplace Apps and My ReadWriteMailboxApps.
6. Click Save.

### To create a new default Role Assignment Policy using PowerShell:

1. Connect to Exchange Online using Connect-ExchangeOnline.
2. Run the following command:

```
$policy = "Role Assignment Policy - Prevent Add-ins"
$roles = "MyTextMessaging", "MyDistributionGroups", `
        "MyMailSubscriptions", "MyBaseOptions", "MyVoiceMail", `
        "MyProfileInformation", "MyContactInformation",
"MyRetentionPolicies", `
        "MyDistributionGroupMembership"

New-RoleAssignmentPolicy -Name $policy -Roles $roles
Set-RoleAssignmentPolicy -id $policy -IsDefault

# Assign new policy to all mailboxes
Get-EXOMailbox -ResultSize Unlimited | Set-Mailbox -RoleAssignmentPolicy
$policy
```

**If you have other Role Assignment Policies modify the last line to filter out your custom policies**

### Default Value:






UI - My Custom Apps **is** Checked, My Marketplace Apps **is** Checked, and My ReadWriteMailboxApps **is** Checked

PowerShell - My Custom Apps My Marketplace Apps **and** My ReadWriteMailboxApps **are** Present

### References:

1. <https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/add-ins-for-outlook/specify-who-can-install-and-manage-add-ins?source=recommendations>
2. <https://learn.microsoft.com/en-us/exchange/permissions-exo/role-assignment-policies>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>9.4 Restrict Unnecessary or Unauthorized Browser and Email Client Extensions</u></b> Restrict, either through uninstalling or disabling, any unauthorized or unnecessary browser or email client plugins, extensions, and add-on applications.			
v7	<b><u>5.1 Establish Secure Configurations</u></b> Maintain documented, standard security configuration standards for all authorized operating systems and software.			



## 2.9 (L1) Ensure 'User owned apps and services' is restricted (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

By default, users can install add-ins in their Microsoft Word, Excel, and PowerPoint applications, allowing data access within the application.

Do not allow users to install add-ins in Word, Excel, or PowerPoint.

### Rationale:

Attackers commonly use vulnerable and custom-built add-ins to access data in user applications.

While allowing users to install add-ins by themselves does allow them to easily acquire useful add-ins that integrate with Microsoft applications, it can represent a risk if not used and monitored carefully.

Disable future user's ability to install add-ins in Microsoft Word, Excel, or PowerPoint helps reduce your threat-surface and mitigate this risk.

### Impact:

Implementation of this change will impact both end users and administrators. End users will not be able to install add-ins that they may want to install.

### Audit:

#### Ensure users installing Office Store add-ins, and enabling 365 trials is not allowed:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings Select Org settings.
3. Under Services select User owned apps and services.
4. Verify Let users access the Office Store and Let users start trials on behalf of your organization are Not Checked.

## Remediation:

### To prohibit users installing Office Store add-ins and starting 365 trials:






1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings Select 'Org settings'.
3. Under Services select User owned apps and services.
4. Uncheck Let users access the Office Store and Let users start trials on behalf of your organization.
5. Click Save.

## Default Value:

Let users access the Office Store **is** Checked

Let users start trials on behalf of your organization **is** Checked

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>4.8 <u>Uninstall or Disable Unnecessary Services on Enterprise Assets and Software</u></b> Uninstall or disable unnecessary services on enterprise assets and software, such as an unused file sharing service, web application module, or service function.			
v7	<b>5.1 <u>Establish Secure Configurations</u></b> Maintain documented, standard security configuration standards for all authorized operating systems and software.			

## 2.10 (L1) Ensure internal phishing protection for Forms is enabled (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

Microsoft Forms can be used for phishing attacks by asking personal or sensitive information and collecting the results. Microsoft 365 has built-in protection that will proactively scan for phishing attempt in forms such personal information request.

### Rationale:

Enabling internal phishing protection for Microsoft Forms will prevent attackers using forms for phishing attacks by asking personal or other sensitive information and URLs.

### Impact:

If potential phishing was detected, the form will be temporarily blocked and cannot be distributed and response collection will not happen until it is unblocked by the administrator or keywords were removed by the creator.

### Audit:

#### Ensure internal phishing protection for Forms is enabled:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings then select Org settings.
3. Under Services select Microsoft Forms.
4. Ensure the checkbox labeled Add internal phishing protection is checked under Phishing protection.

### Remediation:

#### To enable internal phishing protection for Forms:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings then select Org settings.
3. Under Services select Microsoft Forms.
4. Click the checkbox labeled Add internal phishing protection under Phishing protection.
5. Click Save.







### Default Value:

Internal Phishing Protection is enabled.

## References:

1. <https://learn.microsoft.com/en-US/microsoft-forms/administrator-settings-microsoft-forms>
2. <https://learn.microsoft.com/en-US/microsoft-forms/review-unblock-forms-users-detected-blocked-potential-phishing>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>10.1 Deploy and Maintain Anti-Malware Software</b> Deploy and maintain anti-malware software on all enterprise assets.			
v8	<b>14.2 Train Workforce Members to Recognize Social Engineering Attacks</b> Train workforce members to recognize social engineering attacks, such as phishing, pre-texting, and tailgating.			

## *2.11 (L1) Ensure that Sways cannot be shared with people outside of your organization (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Sway is a new app from Microsoft Office that allows users to create and share interactive reports, personal stories, presentations, and more.

This setting controls user Sway sharing capability, both within and outside of the organization. By default, Sway is enabled for everyone in the organization.

### **Rationale:**

Disable external sharing of Sway documents that can contain sensitive information to prevent accidental or arbitrary data leak.

### **Impact:**

Interactive reports, presentations, newsletters and other items created in Sway will not be shared outside the organization by users.

### **Audit:**

#### **Ensure that Sways cannot be shared with people outside of your organization:**

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings then select Org settings.
3. Under Services select Sway.
4. Confirm that under Sharing the following are not checked
  - Let people in your organization share their sways with people outside your organization.

## Remediation:

### To ensure Sways cannot be viewed outside of your organization:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings then select Org settings.
3. Under Services select Sway
  - Let people in your organization share their sways with people outside your organization.
4. Click Save.

## Default Value:

Let people in your organization share their sways with people outside your organization - Enabled

## References:

1. <https://support.microsoft.com/en-us/office/administrator-settings-for-sway-d298e79b-b6ab-44c6-9239-aa312f5784d4>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>4.8 Uninstall or Disable Unnecessary Services on Enterprise Assets and Software</b> Uninstall or disable unnecessary services on enterprise assets and software, such as an unused file sharing service, web application module, or service function.		●	●
v7	<b>13.1 Maintain an Inventory Sensitive Information</b> Maintain an inventory of all sensitive information stored, processed, or transmitted by the organization's technology systems, including those located onsite or at a remote service provider.	●	●	●

## 2.12 (L1) Ensure SharePoint and OneDrive integration with Azure AD B2B is enabled (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

Azure AD B2B provides authentication and management of guests. Authentication happens via one-time passcode when they don't already have a work or school account or a Microsoft account. Integration with SharePoint and OneDrive allows for more granular control of how guest user accounts are managed in the organization's AAD, unifying a similar guest experience already deployed in other Microsoft 365 services such as Teams.

### Rationale:

External users assigned guest accounts will be subject to Azure AD access policies, such as multi-factor authentication. This provides a way to manage guest identities and control access to SharePoint and OneDrive resources. Without this integration, files can be shared without account registration, making it more challenging to audit and manage who has access to the organization's data.

### Impact:

Azure B2B collaboration is used with other Azure services so should not be new or unusual. Microsoft also has made the experience seamless when turning on integration on SharePoint sites that already have active files shared with guest users. The referenced Microsoft article on the subject has more details on this.

### Audit:

#### To ensure Azure AD B2B integration is enabled using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService -Url https://tenant-admin.sharepoint.com`, replacing "tenant" with the appropriate value.
2. Run the following command:

```
Get-SPOTenant | ft EnableAzureADB2BIntegration
```

3. Ensure `EnableAzureADB2BIntegration` is `True`.

## Remediation:

### To enable Azure AD B2B integration using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService -Url https://tenant-admin.sharepoint.com`, replacing "tenant" with the appropriate value.
2. Run the following command:

```
Set-SPOtenant -EnableAzureADB2BIntegration $true
```

3. Run the audit steps to ensure the value is now `True`.

## References:

1. <https://learn.microsoft.com/en-us/sharepoint/sharepoint-azureb2b-integration#enabling-the-integration>
2. <https://learn.microsoft.com/en-us/azure/active-directory/external-identities/what-is-b2b>
3. <https://learn.microsoft.com/en-us/powershell/module/sharepoint-online/get-spotenant?view=sharepoint-ps>
4. <https://learn.microsoft.com/en-us/powershell/module/sharepoint-online/set-spotenant?view=sharepoint-ps>



## 3 Data Management

### 3.1 (L2) Ensure the customer lockbox feature is enabled (Automated)

#### Profile Applicability:

- E5 Level 2

#### Description:

Customer Lockbox is a security feature that provides an additional layer of control and transparency to customer data in Microsoft 365. It offers an approval process for Microsoft support personnel to access organization data and creates an audited trail to meet compliance requirements.

#### Rationale:

Enabling this feature protects organizational data against data spillage and exfiltration.

#### Impact:

Administrators will need to grant Microsoft access to the tenant environment prior to a Microsoft engineer accessing the environment for support or troubleshooting.

#### Audit:

##### Ensure the customer lockbox feature is enabled:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand Settings then select Org settings.
3. Select Security & privacy tab.
4. Click Customer lockbox.
5. Ensure the box labeled Require approval for all data access requests is checked.

##### To verify the Customer Lockbox feature is enabled using the SecureScore Portal:

1. Navigate to the Microsoft 365 SecureScore portal.  
<https://securescore.microsoft.com>
2. Search for Turn on customer lockbox feature under Improvement actions

##### To verify the Customer Lockbox feature is enabled using the REST API:

```
GET https://graph.microsoft.com/beta/security/secureScores
```

### To verify the Customer Lockbox feature is enabled using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-OrganizationConfig |Select-Object CustomerLockBoxEnabled
```

3. Verify the value is set to `True`

### Remediation:

#### To enable the Customer Lockbox feature:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>.
2. Click to expand `Settings` then select `Org settings`.
3. Select `Security & privacy` tab.
4. Click `Customer lockbox`.
5. Check the box `Require approval for all data access requests`.
6. Click `Save`.

### To set the Customer Lockbox feature to enabled using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Set-OrganizationConfig -CustomerLockBoxEnabled $true
```

### Default Value:

`Require approval for all data access requests - Unchecked`

`CustomerLockboxEnabled - False`

### References:

1. <https://learn.microsoft.com/en-us/azure/security/fundamentals/customer-lockbox-overview>

## 3.2 (L2) *Ensure SharePoint Online Information Protection policies are set up and used (Manual)*

### **Profile Applicability:**

- E3 Level 2

### **Description:**

SharePoint Online Data Classification Policies enables organizations to classify and label content in SharePoint Online based on its sensitivity and business impact. This setting helps organizations to manage and protect sensitive data by automatically applying labels to content, which can then be used to apply policy-based protection and governance controls.

### **Rationale:**

By categorizing and applying policy-based protection, SharePoint Online Data Classification Policies can help reduce the risk of data loss or exposure, and enable more effective incident response if a breach does occur.

### **Impact:**

The creation of data classification policies is unlikely to cause a significant impact on an organization. However, maintaining long-term adherence to policies may require ongoing training and compliance efforts across the organization. Therefore, organizations should include training and compliance planning as part of the data classification policy creation process.

### **Audit:**

#### **Ensure SharePoint Online Information Protection policies are set up and used:**

1. Navigate to Microsoft Purview compliance portal  
<https://compliance.microsoft.com>.
2. Under Solutions select Information protection.
3. Click on the Label policies tab.
4. Ensure that a Label policy exists and is published accordingly.

## Remediation:









### To set up SharePoint Online Information Protection:

1. Navigate to Microsoft Purview compliance portal <https://compliance.microsoft.com>.
2. Under Solutions select Information protection.
3. Click on the Label policies tab.
4. Click Create a label to create a label.
5. Select the label and click on the Publish label.
6. Fill out the forms to create the policy.

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/compliance/data-classification-overview?view=o365-worldwide#top-sensitivity-labels-applied-to-content>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.7 Establish and Maintain a Data Classification Scheme</b> Establish and maintain an overall data classification scheme for the enterprise. Enterprises may use labels, such as "Sensitive," "Confidential," and "Public," and classify their data according to those labels. Review and update the classification scheme annually, or when significant enterprise changes occur that could impact this Safeguard.			
v7	<b>13.1 Maintain an Inventory Sensitive Information</b> Maintain an inventory of all sensitive information stored, processed, or transmitted by the organization's technology systems, including those located onsite or at a remote service provider.			
v7	<b>14.6 Protect Information through Access Control Lists</b> Protect all information stored on systems with file system, network share, claims, application, or database specific access control lists. These controls will enforce the principle that only authorized individuals should have access to the information based on their need to access the information as a part of their responsibilities.			

### 3.3 (L2) *Ensure 'external access' is restricted in the Teams admin center (Manual)*

#### **Profile Applicability:**

- E3 Level 2

#### **Description:**

As of December 2021 the default for Teams external communication is set to 'People in my organization can communicate with Teams users whose accounts aren't managed by an organization.' This means that users can communicate with personal Microsoft accounts (e.g. Hotmail, Outlook etc.), which presents data loss / phishing / social engineering risks.

**NOTE:** Skype for business is deprecated as of July 31, 2021 although these settings may still be valid for a period of time. See the link in the reference for more information.

#### **Rationale:**

Allowing users to communicate with Skype or Teams users outside of an organization presents a potential security threat as external users can interact with organization users over Skype for Business or Teams. While legitimate, productivity-improving scenarios exist, they are outweighed by the risk of data loss, phishing, and social engineering attacks against organization users via Teams. Therefore, it is recommended to restrict external communications in order to minimize the risk of security incidents.

#### **Impact:**

The impact of disabling external access to Teams and Skype for an organization is highly dependent on current usage practices. If users infrequently communicate with external parties using these channels, the impact is likely to be minimal. However, if users regularly use Teams and Skype for client communication, the impact could be significant. Therefore, before disabling external access, users should be notified, and alternate communication mechanisms should be identified to ensure continuity of communication.

## Audit:

### Ensure external access is not allowed in Skype or Teams:

1. Navigate to Microsoft Teams admin center <https://admin.teams.microsoft.com/>.
2. Click to expand Users select External access.
3. Under Teams and Skype for Business users in external organizations ensure Block all external domains
  - o **Note:** If the organization's policy allows select Allow only specific external domains and add the allowed domains domains.
4. Under Teams accounts not managed by an organization ensure the slider is set to Off.
5. Under Skype users ensure the slider is set to Off.

### To audit teams external access using PowerShell:

1. Connect to Teams PowerShell using `Connect-MicrosoftTeams`
2. Run the following command:

```
Get-CsTenantFederationConfiguration | fl  
AllowTeamsConsumer,AllowPublicUsers,AllowFederatedUsers,AllowedDomains
```

- Ensure `AllowTeamsConsumer` is False
- `AllowPublicUsers` is False
- `AllowFederatedUsers` is False **OR**, if `AllowFederatedUsers` is True then ensure `AllowedDomains` contain domain names authorized for communication by the organization.

## Remediation:

### To prohibit user communication with external Teams organizations:

1. Navigate to Microsoft Teams admin center <https://admin.teams.microsoft.com/>.
2. Click to expand Users select External access.
3. Under Teams and Skype for Business users in external organizations Select Block all external domains
  - o **Note:** If the organization's policy allows select any allowed external domains.
4. Under Teams accounts not managed by an organization move the slider to Off.
5. Under Skype users move the slider is to Off.
6. Click Save.

## To configure teams external access restrictions using PowerShell:

- Connect to Teams PowerShell using `Connect-MicrosoftTeams`
- Run the following command:

```
Set-CsTenantFederationConfiguration -AllowTeamsConsumer False -  
AllowPublicUsers False -AllowFederatedUsers $false
```

- To allow only specific external domains run these commands replacing the example domains with approved domains:

```
Set-CsTenantFederationConfiguration -AllowTeamsConsumer $false -  
AllowPublicUsers $false -AllowFederatedUsers $true  
$list = New-Object Collections.Generic.List[String]  
$list.add("contoso.com")  
$list.add("fabrikam.com")  
Set-CsTenantFederationConfiguration -AllowedDomainsAsAList $list
```

## References:

1. <https://learn.microsoft.com/en-us/skypeforbusiness/set-up-skype-for-business-online/set-up-skype-for-business-online>
2. [https://learn.microsoft.com/en-US/microsoftteams/manage-external-access?WT.mc\\_id=TeamsAdminCenterCSH](https://learn.microsoft.com/en-US/microsoftteams/manage-external-access?WT.mc_id=TeamsAdminCenterCSH)



## Additional Information:

An additional audit method for this recommendation:

```
$passed = $true

$externalAccessConfig = Get-CsTenantFederationConfiguration
$externalAccessConfig | fl
AllowTeamsConsumer,AllowPublicUsers,AllowFederatedUsers

if ($externalAccessConfig.AllowTeamsConsumer) {
    $passed = $false
    Write-Host "*** Teams public users are allowed." -ForegroundColor Red
} else {
    Write-Host "*** Teams public users are forbidden."-ForegroundColor Green
}

if ($externalAccessConfig.AllowPublicUsers) {
    $passed = $false
    Write-Host "*** Skype public user are allowed." -ForegroundColor Red
} else {
    Write-Host "*** Skype public user are forbidden." -ForegroundColor Green
}

if ($externalAccessConfig.AllowFederatedUsers) {
    if ($externalAccessConfig.AllowedDomains.AllowedDomain.count -gt 0 ) {
        Write-Host ("*** External domains are allowed but limited ->
AllowedDomains = " +
        $($externalAccessConfig.AllowedDomains.AllowedDomain -join ("
"))) -ForegroundColor Green
    } elseif ($externalAccessConfig.BlockedDomains.count -gt 0 ) {
        Write-Host ("*** External domains are allowed but limited ->
BlockedDomains = " +
        $($externalAccessConfig.BlockedDomains.Domain -join ("
"))) -
ForegroundColor Green
    } else {
        $passed = $false
        Write-Host "*** External domains are allowed and NOT limited" -
ForegroundColor Red
    }
} else {
    Write-Host "*** External domains are forbidden" -ForegroundColor Green
}
```

### 3.4 (L1) Ensure DLP policies are enabled (Automated)

#### Profile Applicability:

- E3 Level 1

#### Description:

Data Loss Prevention (DLP) policies allows Exchange Online and SharePoint Online content to be scanned for specific types of data like social security numbers, credit card numbers, or passwords.

#### Rationale:

Enabling DLP policies alerts users and administrators that specific types of data should not be exposed, helping to protect the data from accidental exposure.

#### Impact:

Enabling a Teams DLP policy will allow sensitive data in Exchange Online and SharePoint Online to be detected or blocked. Always ensure to follow appropriate procedures in regards to testing and implementation of DLP policies based on organizational standards.

#### Audit:

##### Ensure DLP policies are enabled:

1. Navigate to Microsoft Purview <https://compliance.microsoft.com>.
2. Under Solutions **select** Data loss prevention **then** Policies.
3. Verify that policies exist and are enabled.

#### Remediation:





##### To enable DLP policies:

1. Navigate to Microsoft Purview <https://compliance.microsoft.com>.
2. Under Solutions **select** Data loss prevention **then** Policies.
3. Click Create policy.

#### References:

1. <https://learn.microsoft.com/en-us/microsoft-365/compliance/dlp-learn-about-dlp?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.1 <u>Establish and Maintain a Data Management Process</u></b> Establish and maintain a data management process. In the process, address data sensitivity, data owner, handling of data, data retention limits, and disposal requirements, based on sensitivity and retention standards for the enterprise. Review and update documentation annually, or when significant enterprise changes occur that could impact this Safeguard.			
v7	<b>13 <u>Data Protection</u></b> Data Protection			
v7	<b>14.7 <u>Enforce Access Control to Data through Automated Tools</u></b> Use an automated tool, such as host-based Data Loss Prevention, to enforce access controls to data even when data is copied off a system.			

### *3.5 (L1) Ensure DLP policies are enabled for Microsoft Teams (Manual)*

**Profile Applicability:**

- E5 Level 1

**Description:**

The default Teams Data Loss Prevention (DLP) policy rule in Microsoft 365 is a preconfigured rule that is automatically applied to all Teams conversations and channels. The default rule helps prevent accidental sharing of sensitive information by detecting and blocking certain types of content that are deemed sensitive or inappropriate by the organization.

By default, the rule includes sensitive information types, such as credit card numbers and social security numbers, and applies to all users in the organization.

**Rationale:**

Enabling the default Teams DLP policy rule in Microsoft 365 helps protect an organization's sensitive information by preventing accidental sharing or leakage of that information in Teams conversations and channels.

**Impact:**

End-users may be prevented from sharing certain types of content, which may require them to adjust their behavior or seek permission from administrators to share specific content. Administrators may receive requests from end-users for permission to share certain types of content or to modify the policy to better fit the needs of their teams.

## Audit:

### Ensure DLP policies are enabled for Microsoft Teams:

1. Navigate to Microsoft Purview compliance portal <https://compliance.microsoft.com>.
2. Under Solutions select Data loss prevention then Policies.
3. Click Policies tab.
4. Verify Default policy for Teams Status is On.

### To verify DLP for Microsoft Teams is enabled for all users, use the Exchange Online / Compliance PowerShell Module:

1. Connect using `Connect-ExchangeOnline`, then run the following

```
Import-Module ExchangeOnlineManagement
```

2. Then connect to the Security and Compliance Center via the following `Connect-IPPSession`
3. Run the following PowerShell command to see what DLP Policies are created:

```
Get-DlpCompliancePolicy
```

4. Next you will run the following to look at the policy details to ensure the required users are included `TeamsLocation` and that no undesired users are excluded `TeamsLocationException`

```
Get-DlpCompliancePolicy -Identity "POLICYNAME FROM ABOVE" | Select-Object TeamsLocation*
```

**NOTE:** `Connect-IPPSession` still requires Basic authentication to be enabled in WinRM on the local computer. Depending on your configuration this might be disabled. To turn on basic authentication see the supporting Microsoft document in the references section.

## Remediation:

### To enable DLP policies:

1. Navigate to Microsoft Purview compliance portal <https://compliance.microsoft.com>.
2. Under Solutions select Data loss prevention then Policies.
3. Click Policies tab.
4. Check Default policy for Teams then click Edit policy.
5. The edit policy window will appear click Next
6. At the Choose locations to apply the policy page, turn the status toggle to On for Teams chat and channel messages location and then click Next.
7. On Customized advanced DLP rules page, ensure the Default Teams DLP policy rule Status is On and click Next.
8. On the Policy mode page, select the radial for Turn it on right away and click Next.
9. Review all the settings for the created policy on the Review your policy and create it page, and then click submit.
10. Once the policy has been successfully submitted click Done.





### Default Value:

Enabled (On)

### References:

1. <https://learn.microsoft.com/en-us/powershell/exchange/connect-to-scc-powershell?view=exchange-ps>
2. <https://learn.microsoft.com/en-us/powershell/exchange/exchange-online-powershell-v2?view=exchange-ps#turn-on-basic-authentication-in-winrm>
3. <https://learn.microsoft.com/en-us/powershell/module/exchange/connect-ippssession?view=exchange-ps>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.1 <u>Establish and Maintain a Data Management Process</u></b> Establish and maintain a data management process. In the process, address data sensitivity, data owner, handling of data, data retention limits, and disposal requirements, based on sensitivity and retention standards for the enterprise. Review and update documentation annually, or when significant enterprise changes occur that could impact this Safeguard.			
v7	<b>13 <u>Data Protection</u></b> Data Protection			
v7	<b>14.7 <u>Enforce Access Control to Data through Automated Tools</u></b> Use an automated tool, such as host-based Data Loss Prevention, to enforce access controls to data even when data is copied off a system.			

### 3.6 (L2) *Ensure that SharePoint guest users cannot share items they don't own (Automated)*

#### **Profile Applicability:**

- E3 Level 2

#### **Description:**

SharePoint gives users the ability to share files, folder, and site collections. Internal users can share with external collaborators, who with the right permissions, could share those to another external party.

#### **Rationale:**

Sharing and collaboration are key; however, file, folder, or site collection owners should have the authority over what external users get shared with to prevent unauthorized disclosures of information.

#### **Impact:**

Impact associated with this change is highly dependent upon current practices. If users do not regularly share with external parties, then minimal impact is likely. However, if users do regularly share with guests/externally, minimum impacts could occur as those external users will be unable to 're-share' content.

#### **Audit:**

#### **Ensure that external users cannot share files, folders, and sites they do not own:**

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>
2. Click to expand Policies then select Sharing.
3. Expand More external sharing settings, verify that Allow guests to share items they don't own is unchecked.

#### **Audit using PowerShell:**

1. Connect to SharePoint Online service using `Connect-SPOService`.
2. Run the following SharePoint Online PowerShell command:

```
Get-SPOTenant | ft PreventExternalUsersFromResharing
```

3. Verify `PreventExternalUsersFromResharing` is set True



## Remediation:

### To set SharePoint sharing settings:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>
2. Click to expand Policies then select Sharing.
3. Expand More external sharing settings, uncheck Allow guests to share items they don't own.
4. Click Save.

### Remediate using PowerShell:

1. Connect to SharePoint Online service using Connect-SPOService.
2. Run the following SharePoint Online PowerShell command:

```
Set-SPOTenant -PreventExternalUsersFromResharing $True
```

### References:







1. <https://learn.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>
2. <https://learn.microsoft.com/en-us/sharepoint/external-sharing-overview>

### Additional Information:

Allow guests to share items they don't own - Checked

PreventExternalUsersFromResharing - False

### CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 <u>Configure Data Access Control Lists</u></b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>14.6 <u>Protect Information through Access Control Lists</u></b> Protect all information stored on systems with file system, network share, claims, application, or database specific access control lists. These controls will enforce the principle that only authorized individuals should have access to the information based on their need to access the information as a part of their responsibilities.			

### *3.7 (L2) Ensure external file sharing in Teams is enabled for only approved cloud storage services (Manual)*

#### **Profile Applicability:**

- E3 Level 2

#### **Description:**

Microsoft Teams enables collaboration via file sharing. This file sharing is conducted within Teams, using SharePoint Online, by default; however, third-party cloud services are allowed as well.

**NOTE:** Skype for business is deprecated as of July 31, 2021 although these settings may still be valid for a period of time. See the the link in the reference for more information.

#### **Rationale:**

Ensuring that only authorized cloud storage providers are accessible from Teams will help to dissuade the use of non-approved storage providers.

#### **Impact:**

Impact associated with this change is highly dependent upon current practices in the tenant. If users do not use other storage providers, then minimal impact is likely. However, if users do regularly utilize providers outside of the tenant this will affect their ability to continue to do so.

## Audit:

**Ensure external file sharing in Teams is enabled for only approved cloud storage services:**

1. Navigate to Microsoft Teams admin center <https://admin.teams.microsoft.com>.
2. Click to expand Teams select Teams settings.
3. Under Files verify that only authorized cloud storage options are set On.

## To verify cloud sharing options using PowerShell:

1. Connect to Teams PowerShell using `Connect-MicrosoftTeams`
2. Run the following command to verify which cloud storage providers are enabled for Teams

```
Get-CsTeamsClientConfiguration | select  
AllowDropbox, AllowBox, AllowGoogleDrive, AllowShareFile, AllowEgnyte
```

3. Verify that only allowed authorized providers are set to 'True'.

## Remediation:

### To set external file sharing in Teams:

1. Navigate to Microsoft Teams admin center <https://admin.teams.microsoft.com>.
2. Click to expand Teams select Teams settings.
3. Set any unauthorized providers to Off.

### To set cloud sharing options using PowerShell:

1. Connect to Teams PowerShell using `Connect-MicrosoftTeams`
2. Run the following command to verify which cloud storage providers are enabled for Teams

```
Get-CsTeamsClientConfiguration | select  
AllowDropbox, AllowBox, AllowGoogleDrive, AllowShareFile, AllowEgnyte
```

3. Run the following PowerShell command to disable external providers that are not authorized. (the example disables Citrix Files, DropBox, Box, Google Drive and Egnyte)

```
Set-CsTeamsClientConfiguration -AllowGoogleDrive $false -AllowShareFile  
$false -AllowBox $false -AllowDropBox $false -AllowEgnyte $false
```





### Default Value:

- AllowDropbox true
- AllowBox true
- AllowGoogleDrive true
- AllowShareFile true
- AllowEgnyte true

### References:

1. <https://learn.microsoft.com/en-us/microsoft-365/enterprise/manage-skype-for-business-online-with-microsoft-365-powershell?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 <u>Configure Data Access Control Lists</u></b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>14.7 <u>Enforce Access Control to Data through Automated Tools</u></b> Use an automated tool, such as host-based Data Loss Prevention, to enforce access controls to data even when data is copied off a system.			

## 4 Email Security / Exchange Online

## 4.1 (L1) Ensure the Common Attachment Types Filter is enabled (Automated)

### Profile Applicability:

- E3 Level 1

### Description:

The Common Attachment Types Filter lets a user block known and custom malicious file types from being attached to emails.

### Rationale:

Blocking known malicious file types can help prevent malware-infested files from infecting a host.

### Impact:

Blocking common malicious file types should not cause an impact in modern computing environments.

### Audit:

#### Ensure the Common Attachment Types Filter is enabled:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Policies & rules.
3. On the Policies & rules page select Threat policies.
4. Under policies select Anti-malware and click on the Default (Default) policy.
5. On the policy page that appears on the righthand pane, under Protection settings, verify that the Enable the common attachments filter has the value of On.

#### To verify the Common Attachment Types Filter is enabled using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
Get-MalwareFilterPolicy -Identity Default | Select-Object EnableFileFilter
```

3. Verify `EnableFileFilter` is set to `True`.

**NOTE:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant then ensure the setting is set as outlined in the highest priority policy listed.

## Remediation:

### To enable the Common Attachment Types Filter:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Policies & rules.
3. On the Policies & rules page select Threat policies.
4. Under polices select Anti-malware and click on the Default (Default) policy.
5. On the Policy page that appears on the right hand pane scroll to the bottom and click on Edit protection settings, check the Enable the common attachments filter.
6. Click Save.

### To enable the Common Attachment Types Filter using PowerShell:

1. Connect to Exchange Online using Connect-ExchangeOnline.
2. Run the following Exchange Online PowerShell command:

```
Set-MalwareFilterPolicy -Identity Default -EnableFileFilter $true
```

**NOTE:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant then ensure the setting is set as outlined in the highest priority policy listed.

### Default Value:







Always on

### References:

1. <https://learn.microsoft.com/en-us/powershell/module/exchange/get-malwarefilterpolicy?view=exchange-ps>
2. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/anti-malware-policies-configure?view=o365-worldwide>



**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.6 <u>Block Unnecessary File Types</u></b> Block unnecessary file types attempting to enter the enterprise's email gateway.			
v7	<b>7.9 <u>Block Unnecessary File Types</u></b> Block all e-mail attachments entering the organization's e-mail gateway if the file types are unnecessary for the organization's business.			
v7	<b>8.1 <u>Utilize Centrally Managed Anti-malware Software</u></b> Utilize centrally managed anti-malware software to continuously monitor and defend each of the organization's workstations and servers.			

## 4.2 (L1) Ensure Exchange Online Spam Policies are set to notify administrators (Automated)

### Profile Applicability:

- E3 Level 1

### Description:

In Microsoft 365 organizations with mailboxes in Exchange Online or standalone Exchange Online Protection (EOP) organizations without Exchange Online mailboxes, email messages are automatically protected against spam (junk email) by EOP.

Configure Exchange Online Spam Policies to copy emails and notify someone when a sender in the organization has been blocked for sending spam emails.

### Rationale:

A blocked account is a good indication that the account in question has been breached and an attacker is using it to send spam emails to other people.

### Impact:

Notification of users that have been blocked should not cause an impact to the user.

### Audit:

#### Ensure Exchange Online Spam Policies are set to notify administrators:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Policies & rules.
3. On the Policies & rules page, under Policies select Anti-spam.
4. Click on the Anti-spam outbound policy (default).
5. Verify that Send a copy of outbound messages that exceed these limits to these users and groups is set to On, ensure the email address is correct.

#### To verify the Exchange Online Spam Policies are set correctly using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-HostedOutboundSpamFilterPolicy | Select-Object Bcc*, Notify*
```

3. Verify both `BccSuspiciousOutboundMail` and `NotifyOutboundSpam` are set to `True` and the email addresses to be notified are correct.

**Note:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant, then ensure the setting is set as outlined in the highest priority policy listed.

## Remediation:

### To set the Exchange Online Spam Policies:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Policies & rules.
3. On the Policies & rules page, under Polices select Anti-spam.
4. Click on the Anti-spam outbound policy (default).
5. Select Edit protection settings then under Notifications
6. Check Send a copy of outbound messages that exceed these limits to these users and groups then enter the desired email addresses.
7. Check Notify these users and groups if a sender is blocked due to sending outbound spam then enter the desired email addresses.
8. Click Save.

### To set the Exchange Online Spam Policies correctly using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
$BccEmailAddress = @("<INSERT-EMAIL>")  
  
$NotifyEmailAddress = @("<INSERT-EMAIL>")  
  
Set-HostedOutboundSpamFilterPolicy -Identity Default -  
BccSuspiciousOutboundAdditionalRecipients $BccEmailAddress -  
BccSuspiciousOutboundMail $true -NotifyOutboundSpam $true -  
NotifyOutboundSpamRecipients $NotifyEmailAddress
```

**Note:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant, then ensure the setting is set as outlined in the highest priority policy listed.

## Default Value:

Always on

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>17.5 Assign Key Roles and Responsibilities</u></b> Assign key roles and responsibilities for incident response, including staff from legal, IT, information security, facilities, public relations, human resources, incident responders, and analysts, as applicable. Review annually, or when significant enterprise changes occur that could impact this Safeguard.		●	●
v7	<b><u>7.9 Block Unnecessary File Types</u></b> Block all e-mail attachments entering the organization's e-mail gateway if the file types are unnecessary for the organization's business.		●	●
v7	<b><u>7.10 Sandbox All Email Attachments</u></b> Use sandboxing to analyze and block inbound email attachments with malicious behavior.			●

### 4.3 (L1) *Ensure all forms of mail forwarding are blocked and/or disabled (Automated)*

#### **Profile Applicability:**

- E3 Level 1

#### **Description:**

Exchange Online offers several methods of managing the flow of email messages. These are Remote domain, Transport Rules, and Anti-spam outbound policies. These methods work together to provide comprehensive coverage for potential automatic forwarding channels:

- Outlook forwarding using inbox rules
- Outlook forwarding configured using OOF rule
- OWA forwarding setting (ForwardingSmtpAddress)
- Forwarding set by the admin using EAC (ForwardingAddress)
- Forwarding using Power Automate / Flow

Ensure a `Transport rule` and `Anti-spam outbound policy` are used to block mail forwarding.

**NOTE:** Any exclusions should be implemented based on organizational policy.

#### **Rationale:**

Attackers often create these rules to exfiltrate data from your tenancy, this could be accomplished via access to an end-user account or otherwise. An insider could also use one of these methods as a secondary channel to exfiltrate sensitive data.

#### **Impact:**

Care should be taken before implementation to ensure there is no business need for case-by-case auto-forwarding. Disabling auto-forwarding to remote domains will affect all users and in an organization. Any exclusions should be implemented based on organizational policy.

## Audit:

**NOTE:** *Audit is a two step procedure as follows:*

### STEP 1: Transport rules

To verify the mail transport rules do not forward email to external domains, use the Microsoft 365 Admin Center:

1. Select `Exchange` to open the Exchange admin center.
2. Select `Mail Flow` then `Rules`.
3. Review the rules and verify that none of them are forwards or redirects e-mail to external domains.

To verify that no rules are forwarding the email to external domains, you can also use the Exchange Online PowerShell module:

1. Connect to Exchange online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command to review the Transport Rules that are redirecting email:

```
Get-TransportRule | Where-Object {$_.RedirectMessageTo -ne $null} | ft  
Name,RedirectMessageTo
```

3. Verify that none of the addresses listed belong to external domains outside of the organization. If nothing returns then there are no transport rules set to redirect messages.

### STEP 2: Anti-spam outbound policy

Ensure an anti-spam outbound policy is properly configured:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Expand `E-mail & collaboration` then select `Policies & rules`.
3. Select `Threat policies > Anti-spam`.
4. Inspect `Anti-spam outbound policy (default)` and ensure `Automatic forwarding` is set to `Off - Forwarding is disabled`
5. Inspect any additional custom outbound policies and ensure `Automatic forwarding` is set to `Off - Forwarding is disabled`, in accordance with the organization's exclusion policies.

**NOTE:** According to Microsoft if a recipient is defined in multiple policies of the same type (anti-spam, anti-phishing, etc.), only the policy with the highest priority is applied to the recipient. Any remaining policies of that type are not evaluated for the recipient (including the default policy). However it is our recommendation to audit the default policy as well in the case a higher priority custom policy is removed. This will keep the organization's security posture strong.

## Remediation:

**NOTE:** Remediation is a two step procedure as follows:

### STEP 1: Transport rules

To alter the mail transport rules so they do not forward email to external domains, use the Microsoft 365 Admin Center:

1. Select `Exchange` to open the Exchange admin center.
2. Select `Mail Flow` then `Rules`.
3. For each rule that redirects email to external domains, select the rule and click the 'Delete' icon.

To perform remediation you may also use the Exchange Online PowerShell Module:

1. Connect to Exchange Online user `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Remove-TransportRule {RuleName}
```

3. To verify this worked you may re-run the audit command as follows:

```
Get-TransportRule | Where-Object {$_.RedirectMessageTo -ne $null} | ft  
Name,RedirectMessageTo
```

### STEP 2: Anti-spam outbound policy

Configure an anti-spam outbound policy:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Expand `E-mail & collaboration` then select `Policies & rules`.
3. Select `Threat policies > Anti-spam`.
4. Select `Anti-spam outbound policy (default)`
5. Click `Edit protection settings`
6. Set `Automatic forwarding rules` dropdown to `Off - Forwarding is disabled` and click `Save`
7. Repeat steps 4-6 for any additional higher priority, custom policies.

## References:

1. <https://learn.microsoft.com/en-us/exchange/policy-and-compliance/mail-flow-rules/mail-flow-rule-procedures?view=exchserver-2019>
2. [https://techcommunity.microsoft.com/t5/exchange-team-blog/all-you-need-to-know-about-automatic-email-forwarding-in/ba-p/2074888#:~:text=%20%20%20Automatic%20forwarding%20option%20%20,%](https://techcommunity.microsoft.com/t5/exchange-team-blog/all-you-need-to-know-about-automatic-email-forwarding-in/ba-p/2074888#:~:text=%20%20%20Automatic%20forwarding%20option%20%20,%p/2074888#:~:text=%20%20%20Automatic%20forwarding%20option%20%20,%)
3. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/outbound-spam-policies-external-email-forwarding?view=o365-worldwide>



## 4.4 (L1) Ensure mail transport rules do not whitelist specific domains (Automated)

### Profile Applicability:

- E3 Level 1

### Description:

Mail flow rules (transport rules) in Exchange Online are used to identify and take action on messages that flow through the organization.

### Rationale:

Whitelisting domains in transport rules bypasses regular malware and phishing scanning, which can enable an attacker to launch attacks against your users from a safe haven domain.

### Impact:

Care should be taken before implementation to ensure there is no business need for case-by-case whitelisting. Removing all whitelisted domains could affect incoming mail flow to an organization although modern systems sending legitimate mail should have no issue with this.

### Audit:

#### Ensure mail transport rules do not whitelist specific domains:

1. Navigate to Exchange admin center <https://admin.exchange.microsoft.com>..
2. Click to expand Mail Flow and then select Rules.
3. Review the rules and verify that none of them whitelist any specific domains.

#### To verify that mail transport rules do not whitelist any domains using PowerShell:

1. Connect to Exchange online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-TransportRule | Where-Object {($_.setscl -eq -1 -and $_.SenderDomainIs -ne $null)} | ft Name,SenderDomainIs
```

## Remediation:

### To alter the mail transport rules so they do not whitelist any specific domains:

1. Navigate to Exchange admin center <https://admin.exchange.microsoft.com>..
2. Click to expand Mail Flow and then select Rules.
3. For each rule that whitelists specific domains, select the rule and click the 'Delete' icon.

### To remove mail transport rules using PowerShell:

1. Connect to Exchange online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Remove-TransportRule {RuleName}
```

3. Verify the rules no longer exists.

```
Get-TransportRule | Where-Object {($_.setscl -eq -1 -and $_.SenderDomainIs -ne $null)} | ft Name,SenderDomainIs
```

## References:

1. <https://learn.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/configuration-best-practices>
2. <https://learn.microsoft.com/en-us/exchange/security-and-compliance/mail-flow-rules/mail-flow-rules>

## 4.5 (L2) Ensure Safe Attachments policy is enabled (Automated)

### Profile Applicability:

- E5 Level 2

### Description:

The Safe Attachments policy helps protect users from malware in email attachments by scanning attachments for viruses, malware, and other malicious content. When an email attachment is received by a user, Safe Attachments will scan the attachment in a secure environment and provide a verdict on whether the attachment is safe or not.

### Rationale:

Enabling Safe Attachments policy helps protect against malware threats in email attachments by analyzing suspicious attachments in a secure, cloud-based environment before they are delivered to the user's inbox. This provides an additional layer of security and can prevent new or unseen types of malware from infiltrating the organization's network.

### Impact:

Delivery of email with attachments may be delayed while scanning is occurring.

### Audit:

#### Ensure Safe Attachments policy is enabled:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand E-mail & Collaboration select Policies & rules.
3. On the Policies & rules page select Threat policies.
4. Under Policies select Safe Attachments.
5. Inspect the highest priority policy.
6. Ensure Users and domains and Included recipient domains are in scope for the organization.
7. Ensure Safe Attachments detection response: is set to Block - Block current and future messages and attachments with detected malware.
8. Ensure the Quarantine Policy is set to AdminOnlyAccessPolicy.
9. Ensure the policy is not disabled.

## To verify the Safe Attachments policy is enabled using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-SafeAttachmentPolicy | where-object {$_.Enable -eq "True"}
```

## Remediation:

### To enable the Safe Attachments policy:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand E-mail & Collaboration select Policies & rules.
3. On the Policies & rules page select Threat policies.
4. Under Policies select Safe Attachments.
5. Click + Create.
6. Create a Policy Name and Description, and then click Next.
7. Select all valid domains and click Next.
8. Select Block.
9. Quarantine policy is AdminOnlyAccessPolicy.
10. Leave Enable redirect unchecked.
11. Click Next and finally Submit.

## Default Value:

disabled

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.7 Deploy and Maintain Email Server Anti-Malware Protections</b> Deploy and maintain email server anti-malware protections, such as attachment scanning and/or sandboxing.			●
v7	<b>7.10 Sandbox All Email Attachments</b> Use sandboxing to analyze and block inbound email attachments with malicious behavior.			●
v7	<b>8.1 Utilize Centrally Managed Anti-malware Software</b> Utilize centrally managed anti-malware software to continuously monitor and defend each of the organization's workstations and servers.		●	●

## *4.6 (L1) Ensure that an anti-phishing policy has been created (Automated)*

### **Profile Applicability:**

- E5 Level 1

### **Description:**

By default, Office 365 includes built-in features that help protect users from phishing attacks. Set up anti-phishing policies to increase this protection, for example by refining settings to better detect and prevent impersonation and spoofing attacks. The default policy applies to all users within the organization, and is a single view to fine-tune anti-phishing protection. Custom policies can be created and configured for specific users, groups or domains within the organization and will take precedence over the default policy for the scoped users.

### **Rationale:**

Protects users from phishing attacks (like impersonation and spoofing), and uses safety tips to warn users about potentially harmful messages.

### **Impact:**

Turning on Anti-Phishing should not cause an impact, messages will be displayed when applicable.

## Audit:

**Note:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant then ensure the setting is set as outlined in the highest priority policy listed.

## Ensure that an anti-phishing policy has been created:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Policies & rules
3. Select Threat policies.
4. Under Policies select Anti-phishing.
5. Verify the Office365 AntiPhish Default (Default) policy exists and is Always on.
6. Verify that Phishing email threshold is set to at least 2 - Aggressive
7. Verify the following features are enabled: Mailbox intelligence - Mailbox intelligence for impersonations and Spoof intelligence.

## To verify the anti-phishing policy using PowerShell:

1. Connect to Exchange Online service using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
Get-AntiPhishPolicy | ft  
name,enabled,PhishThresholdLevel,EnableMailboxIntelligenceProtection,EnableMa  
ilboxIntelligence,EnableSpoofIntelligence
```

3. Verify values for Office365 AntiPhish Default and custom policies are:

- Enabled - True
- PhishThresholdLevel - at least 2
- EnableMailboxIntelligenceProtection - True
- EnableMailboxIntelligence - True
- EnableSpoofIntelligence - True

## Remediation:

**Note:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant then ensure the setting is set as outlined in the highest priority policy listed.

### To set the anti-phishing policy

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Policies & rules
3. Select Threat policies.
4. Under Policies select Anti-phishing.
5. Select the Office365 AntiPhish Default (Default) policy and click Edit protection settings.
6. Set the Phishing email threshold to at least 2 - Aggressive.

### Under Impersonation

- Check Enable mailbox intelligence (Recommended)
- Check Enable Intelligence for impersonation protection (Recommended).

### Under Spoof

- Check Enable spoof intelligence (Recommended).
7. Click Save.

### To create an anti-phishing policy using PowerShell:

1. Connect to Exchange Online service using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
New-AntiPhishPolicy -Name "Office365 AntiPhish Policy"
```

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<u>9.7 Deploy and Maintain Email Server Anti-Malware Protections</u> Deploy and maintain email server anti-malware protections, such as attachment scanning and/or sandboxing.			●
v7	<u>7 Email and Web Browser Protections</u> Email and Web Browser Protections			



## *4.7 (L1) Ensure that DKIM is enabled for all Exchange Online Domains (Automated)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

DKIM is one of the trio of Authentication methods (SPF, DKIM and DMARC) that help prevent attackers from sending messages that look like they come from your domain.

DKIM lets an organization add a digital signature to outbound email messages in the message header. When DKIM is configured, the organization authorizes its domain to associate, or sign, its name to an email message using cryptographic authentication. Email systems that get email from this domain can use a digital signature to help verify whether incoming email is legitimate.

Use of DKIM in addition to SPF and DMARC to help prevent malicious actors using spoofing techniques from sending messages that look like they are coming from your domain.

### **Rationale:**

By enabling DKIM with Office 365, messages that are sent from Exchange Online will be cryptographically signed. This will allow the receiving email system to validate that the messages were generated by a server that the organization authorized and not being spoofed.

### **Impact:**

There should be no impact of setting up DKIM however, organizations should ensure appropriate setup to ensure continuous mail-flow.

## Audit:

### To ensure DKIM is enabled:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Expand Email & collaboration > Policies & rules > Threat policies.
3. Under Rules section click Email authentication settings.
4. Select DKIM
5. Click on each domain and confirm that Sign messages for this domain with DKIM signatures is Enabled.
6. A status of Not signing DKIM signatures for this domain is an audit fail.

### To verify DKIM is enabled, use the Exchange Online PowerShell Module:

1. Connect to Exchange Online service using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
Get-DkimSigningConfig
```

3. Verify Enabled is set to True

## Remediation:

To setup DKIM records, first add the following records to your DNS system, for each domain in Exchange Online that you plan to use to send email with:

1. For each accepted domain in Exchange Online, two DNS entries are required.

```
Host name: selector1._domainkey
Points to address or value: selector1-
<domainGUID>._domainkey.<initialDomain>
TTL: 3600
Host name: selector2._domainkey
Points to address or value: selector2-
<domainGUID>._domainkey.<initialDomain>
TTL: 3600
```

For Office 365, the selectors will always be `selector1` or `selector2`.  
domainGUID is the same as the domainGUID in the customized MX record for your custom domain that appears before `mail.protection.outlook.com`. For example, in the following MX record for the domain `contoso.com`, the domainGUID is `contoso-com`:

```
contoso.com. 3600 IN MX 5 contoso-com.mail.protection.outlook.com
```

The initial domain is the domain that you used when you signed up for Office 365. Initial domains always end in `onmicrosoft.com`.

1. After the DNS records are created, enable DKIM signing in Defender.
2. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
3. Expand `Email & collaboration > Policies & rules > Threat policies`.
4. Under `Rules` section click `Email authentication settings`.
5. Select `DKIM`
6. Click on each domain and click `Enable` next to `Sign messages for this domain with DKIM signature`.

## To set DKIM is enabled, use the Exchange Online PowerShell Module:





1. Connect to Exchange Online service using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
Set-DkimSigningConfig -Identity < domainName > -Enabled $True
```

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/email-authentication-dkim-configure?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.5 <u>Implement DMARC</u></b> To lower the chance of spoofed or modified emails from valid domains, implement DMARC policy and verification, starting with implementing the Sender Policy Framework (SPF) and the DomainKeys Identified Mail (DKIM) standards.			
v7	<b>7.8 <u>Implement DMARC and Enable Receiver-Side Verification</u></b> To lower the chance of spoofed or modified emails from valid domains, implement Domain-based Message Authentication, Reporting and Conformance (DMARC) policy and verification, starting by implementing the Sender Policy Framework (SPF) and the DomainKeys Identified Mail(DKIM) standards.			

## 4.8 (L1) Ensure that SPF records are published for all Exchange Domains (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

For each domain that is configured in Exchange, a corresponding Sender Policy Framework (SPF) record should be created.

### Rationale:

SPF records allow Exchange Online Protection and other mail systems know where messages from domains are allowed to originate. This information can be used by that system to determine how to treat the message based on if it is being spoofed or is valid.

### Impact:

There should be minimal impact of setting up SPF records however, organizations should ensure proper SPF record setup as email could be flagged as spam if SPF is not setup appropriately.

### Audit:

#### Ensure that SPF records are published for all Exchange Domains:

1. Open a command prompt.
2. Type the following command:

```
nslookup -type=txt domain1.com
```

3. Ensure that a value exists and that it includes `include:spf.protection.outlook.com`. This designates Exchange Online as a designated sender.

#### To verify the SPF records are published, use the REST API for each domain:

```
https://graph.microsoft.com/v1.0/domains/[DOMAIN.COM]/serviceConfigurationRecords
```

1. Ensure that a value exists that includes `include:spf.protection.outlook.com`. This designates Exchange Online as a designated sender.

## Remediation:

To setup SPF records for Exchange Online accepted domains, perform the following steps:

1. If all email in your domain is sent from and received by Exchange Online, add the following TXT record for each Accepted Domain:





```
v=spf1 include:spf.protection.outlook.com -all
```

2. If there are other systems that send email in the environment, refer to this article for the proper SPF configuration: <https://docs.microsoft.com/en-us/office365/SecurityCompliance/set-up-spf-in-office-365-to-help-prevent-spoofing>.

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/email-authentication-spf-configure?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.5 Implement DMARC</b> To lower the chance of spoofed or modified emails from valid domains, implement DMARC policy and verification, starting with implementing the Sender Policy Framework (SPF) and the DomainKeys Identified Mail (DKIM) standards.			
v7	<b>7.8 Implement DMARC and Enable Receiver-Side Verification</b> To lower the chance of spoofed or modified emails from valid domains, implement Domain-based Message Authentication, Reporting and Conformance (DMARC) policy and verification, starting by implementing the Sender Policy Framework (SPF) and the DomainKeys Identified Mail(DKIM) standards.			

## 4.9 (L1) Ensure DMARC Records for all Exchange Online domains are published (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

Publish Domain-Based Message Authentication, Reporting and Conformance (DMARC) records for each Exchange Online Accepted Domain.

### Rationale:

Domain-based Message Authentication, Reporting and Conformance (DMARC) work with Sender Policy Framework (SPF) and DomainKeys Identified Mail (DKIM) to authenticate mail senders and ensure that destination email systems trust messages sent from your domain.

### Impact:

There should be no impact of setting up DMARC however, organizations should ensure appropriate setup to ensure continuous mail-flow.

### Audit:

#### Ensure DMARC Records for all Exchange Online domains are published:

1. Open a command prompt.
2. For each of the Accepted Domains in Exchange Online type the following command:

```
nslookup -type=txt _dmarc.domain1.com
```

3. Ensure that a policy exists that starts with `v=DMARC1;`.

## Remediation:

### To add DMARC records, use the following steps:

1. For each Exchange Online Accepted Domain, add the following record to DNS:





```
Record: _dmarc.domain1.com  
Type: TXT  
Value: v=DMARC1; p=none;
```

2. This will create a basic DMARC policy that audits compliance

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/email-authentication-dmarc-configure?view=o365-worldwide>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.5 Implement DMARC</b> To lower the chance of spoofed or modified emails from valid domains, implement DMARC policy and verification, starting with implementing the Sender Policy Framework (SPF) and the DomainKeys Identified Mail (DKIM) standards.			
v7	<b>7.8 Implement DMARC and Enable Receiver-Side Verification</b> To lower the chance of spoofed or modified emails from valid domains, implement Domain-based Message Authentication, Reporting and Conformance (DMARC) policy and verification, starting by implementing the Sender Policy Framework (SPF) and the DomainKeys Identified Mail(DKIM) standards.			



## *4.10 (L1) Ensure notifications for internal users sending malware is Enabled (Automated)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Exchange Online Protection (EOP) is the cloud-based filtering service that protects organizations against spam, malware, and other email threats. EOP is included in all Microsoft 365 organizations with Exchange Online mailboxes.

EOP uses flexible anti-malware policies for malware protection settings. These policies can be set to notify Admins of malicious activity.

### **Rationale:**

This setting alerts administrators that an internal user sent a message that contained malware. This may indicate an account or machine compromise, that would need to be investigated.

### **Impact:**

Notification of account with potential issues should not cause an impact to the user.

### **Audit:**

#### **Ensure notifications for internal users sending malware is Enabled:**

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand E-mail & Collaboration select Policies & rules.
3. On the Policies & rules page select Threat policies.
4. Under Policies select Anti-malware.
5. Click on the Default (Default) policy.
6. Ensure the setting Notify an admin about undelivered messages from internal senders is set to On and that there is at least one email address under Administrator email address.

## To audit using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following command:

```
Get-MalwareFilterPolicy | fl Identity,  
EnableInternalSenderAdminNotifications, InternalSenderAdminAddress
```

**NOTE:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant then ensure the setting is set as outlined in the highest priority policy listed.

## Remediation:

### To enable notifications for internal users sending malware:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand E-mail & Collaboration **select** Policies & rules.
3. On the Policies & rules page **select** Threat policies.
4. Under Policies **select** Anti-malware.
5. Click on the Default (Default) policy.
6. Click on Edit protection settings and change the settings for Notify an admin about undelivered messages from internal senders to On and enter the email address of the administrator who should be notified under Administrator email address.
7. Click Save.

### To remediate using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following command:

```
set-MalwareFilterPolicy -Identity '{Identity Name}' -  
EnableInternalSenderAdminNotifications $True -InternalSenderAdminAddress  
{admin@domain1.com}
```

**NOTE:** Audit and Remediation guidance may focus on the **Default policy** however, if a Custom Policy exists in the organization's tenant then ensure the setting is set as outlined in the highest priority policy listed.

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>17.5 Assign Key Roles and Responsibilities</u></b> Assign key roles and responsibilities for incident response, including staff from legal, IT, information security, facilities, public relations, human resources, incident responders, and analysts, as applicable. Review annually, or when significant enterprise changes occur that could impact this Safeguard.		●	●
v7	<b><u>7.1 Ensure Use of Only Fully Supported Browsers and Email Clients</u></b> Ensure that only fully supported web browsers and email clients are allowed to execute in the organization, ideally only using the latest version of the browsers and email clients provided by the vendor.	●	●	●
v7	<b><u>8.1 Utilize Centrally Managed Anti-malware Software</u></b> Utilize centrally managed anti-malware software to continuously monitor and defend each of the organization's workstations and servers.		●	●

## 4.11 (L2) Ensure MailTips are enabled for end users (Automated)

### Profile Applicability:

- E3 Level 2

### Description:

MailTips are informative messages displayed to users while they're composing a message. While a new message is open and being composed, Exchange analyzes the message (including recipients). If a potential problem is detected, the user is notified with a MailTip prior to sending the message. Using the information in the MailTip, the user can adjust the message to avoid undesirable situations or non-delivery reports (also known as NDRs or bounce messages).

### Rationale:

Setting up MailTips gives a visual aid to users when they send emails to large groups of recipients or send emails to recipients not within the tenant.

### Audit:

#### Ensure MailTips are enabled for end user using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-OrganizationConfig |Select-Object MailTipsAllTipsEnabled,  
MailTipsExternalRecipientsTipsEnabled, MailTipsGroupMetricsEnabled,  
MailTipsLargeAudienceThreshold
```

4. Verify the values for `MailTipsAllTipsEnabled`, `MailTipsExternalRecipientsTipsEnabled`, and `MailTipsGroupMetricsEnabled` are set to `True` and `MailTipsLargeAudienceThreshold` is set to an acceptable value; 25 is the default value.

## Remediation:

### To enable MailTips using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Set-OrganizationConfig -MailTipsAllTipsEnabled $true -  
MailTipsExternalRecipientsTipsEnabled $true -MailTipsGroupMetricsEnabled  
$true -MailTipsLargeAudienceThreshold '25'
```

### Default Value:

MailTipsAllTipsEnabled: True MailTipsExternalRecipientsTipsEnabled: False  
MailTipsGroupMetricsEnabled: True MailTipsLargeAudienceThreshold: 25

### References:

1. <https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/mailtips/mailtips>
2. <https://learn.microsoft.com/en-us/powershell/module/exchange/set-organizationconfig?view=exchange-ps>

## 4.12 (L1) *Ensure Priority account protection is enabled and configured (Manual)*

### **Profile Applicability:**

- E5 Level 1

### **Description:**

Identify *priority accounts* to utilize Microsoft 365's advanced custom security features. This is an essential tool to bolster protection for users who are frequently targeted due to their critical positions, such as executives, leaders, managers, or others who have access to sensitive, confidential, financial, or high-priority information.

Once these accounts are identified, several services and features can be enabled, including threat policies, enhanced sign-in protection through conditional access policies, and alert policies, enabling faster response times for incident response teams.

### **Rationale:**

Enabling priority account protection for users in Microsoft 365 is necessary to enhance security for accounts with access to sensitive data and high privileges, such as CEOs, CISOs, CFOs, and IT admins. These priority accounts are often targeted by spear phishing or whaling attacks and require stronger protection to prevent account compromise.

To address this, Microsoft 365 and Microsoft Defender for Office 365 offer several key features that provide extra security, including the identification of incidents and alerts involving priority accounts and the use of built-in custom protections designed specifically for them.

## **Audit:**

*Audit with a 3-step process*

### **Step 1: Verify Priority account protection is enabled:**

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Select Settings > E-mail & Collaboration > Priority account protection
3. Ensure Priority account protection is set to On

### **Step 2: Verify that priority accounts are identified and tagged accordingly:**

4. Select User tags
5. Select the PRIORITY ACCOUNT tag and click Edit
6. Verify the assigned members match the organization's defined priority accounts or groups.
7. Repeat the previous 2 steps for any additional tags identified, such as Finance or HR.

### **Step 3: Ensure alerts are configured:**

8. Expand E-mail & Collaboration on the left column.
9. Select Policies & rules > Alert policy
10. Ensure alert policies are configured for priority accounts, enabled and have a valid recipient. The tags column can be used to identify policies using a specific tag.

## Remediation:

*Remediate with a 3-step process*

### Step 1: Enable Priority account protection in Microsoft 365 Defender:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Select Settings > E-mail & Collaboration > Priority account protection
3. Ensure Priority account protection is set to On

### Step 2: Tag priority accounts:

4. Select User tags
5. Select the PRIORITY ACCOUNT tag and click Edit
6. Select Add members to add users, or groups. **Groups are recommended.**
7. Repeat the previous 2 steps for any additional tags needed, such as Finance or HR.
8. Next and Submit.

### Step 3: Configure E-mail alerts for Priority Accounts:

9. Expand E-mail & Collaboration on the left column.
10. Select New Alert Policy
11. Enter a valid policy Name & Description. Set Severity to High and Category to Threat management.
12. Set Activity is to Detected malware in an e-mail message
13. Mail direction is Inbound
14. Select Add Condition and User: recipient tags are
15. In the Selection option field add chosen priority tags such as Priority account.
16. Select Every time an activity matches the rule.
17. Next and Verify valid recipient(s) are selected.
18. Next and select Yes, turn it on right away. Click Submit to save the alert.
19. Repeat steps 10 - 18 for the Activity field Activity is: Phishing email detected at time of delivery

**NOTE:** Any additional activity types may be added as needed. Above are the minimum recommended.

### Default Value:


By default, no priority account is defined.

### References:

1. <https://learn.microsoft.com/en-us/microsoft-365/admin/setup/priority-accounts>
2. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/security-recommendations-for-priority-accounts>



**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>9.7 <u>Deploy and Maintain Email Server Anti-Malware Protections</u></b> Deploy and maintain email server anti-malware protections, such as attachment scanning and/or sandboxing.			

## 4.13 (L1) Ensure Priority accounts have 'Strict protection' presets applied (Manual)

### Profile Applicability:

- E5 Level 1

### Description:

Preset security policies have been established by Microsoft, utilizing observations and experiences within datacenters to strike a balance between the exclusion of malicious content from users and limiting unwarranted disruptions. These policies can apply to all, or select users and encompass recommendations for addressing spam, malware, and phishing threats. The policy parameters are pre-determined and non-adjustable.

`Strict protection` has the most aggressive protection of the 3 presets.

- EOP: Anti-spam, Anti-malware and Anti-phishing
- Defender: Spoof protection, Impersonation protection and Advanced phishing
- Defender: Safe Links and Safe Attachments

**NOTE: The preset security policies cannot target Priority account TAGS currently, groups should be used instead.**

### Rationale:

Enabling priority account protection for users in Microsoft 365 is necessary to enhance security for accounts with access to sensitive data and high privileges, such as CEOs, CISOs, CFOs, and IT admins. These priority accounts are often targeted by spear phishing or whaling attacks and require stronger protection to prevent account compromise.

The implementation of stringent, pre-defined policies may result in instances of false positive, however, the benefit of requiring the end-user to preview junk email before accessing their inbox outweighs the potential risk of mistakenly perceiving a malicious email as safe due to its placement in the inbox.

### Impact:

Strict policies are more likely to cause false positives in anti-spam, phishing, impersonation, spoofing and intelligence responses.

## Audit:

### Verify strict preset security policies have been applied to Priority accounts:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Select to expand E-mail & collaboration.
3. Select Policies & rules > Threat policies.
4. From here visit each section in turn: Anti-phishing Anti-spam Anti-malware Safe Attachments Safe Links
5. Ensure in each there is a policy named Strict Preset Security Policy which includes the organization's priority Accounts/Groups.

## Remediation:

### Enable strict preset security policies for Priority accounts:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com/>
2. Select to expand E-mail & collaboration.
3. Select Policies & rules > Threat policies > Preset security policies.
4. Click to Manage protection settings for Strict protection preset.
5. For Apply Exchange Online Protection select at minimum Specific recipients and include the Accounts/Groups identified as Priority Accounts.
6. For Apply Defender for Office 365 Protection select at minimum Specific recipients and include the Accounts/Groups identified as Priority Accounts.
7. For Impersonation protection click Next and add valid e-mails or priority accounts both internal and external that may be subject to impersonation.
8. For Protected custom domains add the organization's domain name, along side other key partners.
9. Click Next and finally Confirm




## Default Value:

By default presets are not applied to any users or groups.

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/preset-security-policies?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/security-recommendations-for-priority-accounts>
3. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/recommended-settings-for-eop-and-office365?view=o365-worldwide#impersonation-settings-in-anti-phishing-policies-in-microsoft-defender-for-office-365>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b><u>9.7 Deploy and Maintain Email Server Anti-Malware Protections</u></b> Deploy and maintain email server anti-malware protections, such as attachment scanning and/or sandboxing.			
v8	<b><u>10.7 Use Behavior-Based Anti-Malware Software</u></b> Use behavior-based anti-malware software.			

## 5 Auditing

### 5.1 Access Reviews

Access Reviews are a powerful way to automate risk reduction. Requirements are an E5 license.

<https://learn.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

### 5.1.1 (L1) *Ensure 'Access reviews' for Guest Users are configured (Manual)*

#### **Profile Applicability:**

- E5 Level 1

#### **Description:**

Access reviews enable administrators to establish an efficient automated process for reviewing group memberships, access to enterprise applications, and role assignments. These reviews can be scheduled to recur regularly, with flexible options for delegating the task of reviewing membership to different members of the organization.

Ensure `Access reviews` for Guest Users are configured to be performed no less frequently than `monthly`.

#### **Rationale:**

Access to groups and applications for guests can change over time. If a guest user's access to a particular folder goes unnoticed, they may unintentionally gain access to sensitive data if a member adds new files or data to the folder or application. Access reviews can help reduce the risks associated with outdated assignments by requiring a member of the organization to conduct the reviews. Furthermore, these reviews can enable a fail-closed mechanism to remove access to the subject if the reviewer does not respond to the review.

#### **Impact:**

Access reviews that are ignored may cause guest users to lose access to resources temporarily.

## Audit:

### Verify an access review for Guest Users is in place:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Identity Governance and select Access reviews
3. Inspect the access reviews, and ensure an access review is created with the following criteria:
  - Overview: Scope is set to Guest users only and status is Active
  - Reviewers: Ensure appropriate reviewer(s) are designated.
  - Settings > General: Mail notifications and Reminders are set to Enable
  - Reviewers: Require reason on approval is set to Enable
  - Scheduling: Frequency is Monthly or more frequent.
  - When completed: Auto apply results to resource is set to Enable
  - When completed: If reviewers don't respond is set to Remove access

## Remediation:

### Create an access review for Guest Users:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Identity Governance and select Access reviews.
3. Click New access review.
4. Select what to review choose Teams + Groups.
5. Review Scope set to All Microsoft 365 groups with guest users, do not exclude groups.
6. Scope set to Guest users only then click Next: Reviews.
7. Select reviewers an appropriate user that is NOT the guest user themselves.
8. Duration (in days) at most 3.
9. Review recurrence is Monthly or more frequent.
10. End is set to Never, then click Next: Settings.
11. Check Auto apply results to resource.
12. Set If reviewers don't respond to Remove access.
13. Check the following: Justification required, E-mail notifications, Reminders.
14. Click Next: Review + Create and finally click Create.







## Default Value:

By default access reviews are not configured.

## References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/governance/create-access-review>
2. <https://learn.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.1 Establish and Maintain an Inventory of Accounts</b> Establish and maintain an inventory of all accounts managed in the enterprise. The inventory must include both user and administrator accounts. The inventory, at a minimum, should contain the person's name, username, start/stop dates, and department. Validate that all active accounts are authorized, on a recurring schedule at a minimum quarterly, or more frequently.			
v8	<b>5.3 Disable Dormant Accounts</b> Delete or disable any dormant accounts after a period of 45 days of inactivity, where supported.			



### *5.1.2 (L1) Ensure 'Access reviews' for high privileged Azure AD roles are configured (Manual)*

#### **Profile Applicability:**

- E5 Level 1

#### **Description:**

Access reviews enable administrators to establish an efficient automated process for reviewing group memberships, access to enterprise applications, and role assignments. These reviews can be scheduled to recur regularly, with flexible options for delegating the task of reviewing membership to different members of the organization.

Ensure `Access reviews` for high privileged Azure AD roles are done no less frequently than `weekly`. These reviews should include **at a minimum** the roles listed below:

- Global Administrator
- Exchange Administrator
- SharePoint Administrator
- Teams Administrator
- Security Administrator

**NOTE:** An access review is created for each role selected after completing the process.

#### **Rationale:**

Regular review of critical high privileged roles in Azure AD will help identify role drift, or potential malicious activity. This will enable the practice and application of "separation of duties" where even non-privileged users like security auditors can be assigned to review assigned roles in an organization. Furthermore, if configured these reviews can enable a fail-closed mechanism to remove access to the subject if the reviewer does not respond to the review.

## Audit:

### Verify access reviews for high privileged roles is in place:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Identity Governance and select Privileged Identity Management
3. Select Azure AD Roles under Manage
4. Select Access reviews
5. Ensure there are access reviews configured for each high privileged roles and each meets the criteria laid out below:
  - Scope - Everyone
  - Status - Active
  - Reviewers - Role reviewers should be designated personnel. Preferably not a self-review.
  - Mail notifications - Enable
  - Reminders - Enable
  - Require reason on approval - Enable
  - Frequency - Monthly or more frequent
  - Duration (in days) - 4 at most
  - Auto apply results to resource - Enable
  - If reviewers don't respond - No change

Any remaining settings are discretionary.

**NOTE:** Reviewers will have the ability to revoke roles should be trusted individuals who understand the impact of the access reviews. The principal of separation of duties should be considered so that no one administrator is reviewing their own access levels.

**NOTE2:** The setting If reviewers don't respond is recommended to be set to Remove access due to the potential of all Global Administrators being unassigned if the review is not addressed.

## Remediation:

### Create an access review for high privileged roles:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>
2. Expand Azure Active Directory > Identity Governance and select Privileged Identity Management
3. Select Azure AD Roles under Manage
4. Select Access reviews and click New access review.
5. Provide a name and description.
6. Frequency set to Weekly or more frequent.
7. Duration (in days) is set to at most 3.
8. End set to Never.
9. Role select these roles: Global Administrator,Exchange Administrator,SharePoint Administrator,Teams Administrator,Security Administrator
10. Assignment type set to All active and eligible assignments.
11. Reviewers set to Selected user(s) or group(s)
12. Select reviewers are member(s) responsible for this type of review.
13. Auto apply results to resource set to Enable
14. If reviewers don't respond is set to No change
15. Show recommendations set to Enable
16. Require reason or approval set to Enable
17. Mail notifications set to Enable
18. Reminders set to Enable
19. Click Start to save the review.

**NOTE:** Reviewers will have the ability to revoke roles should be trusted individuals who understand the impact of the access reviews. The principal of separation of duties should be considered so that no one administrator is reviewing their own access levels.







### Default Value:

By default access reviews are not configured.

### References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-create-azure-ad-roles-and-resource-roles-review>
2. <https://learn.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.1 <u>Establish and Maintain an Inventory of Accounts</u></b> Establish and maintain an inventory of all accounts managed in the enterprise. The inventory must include both user and administrator accounts. The inventory, at a minimum, should contain the person's name, username, start/stop dates, and department. Validate that all active accounts are authorized, on a recurring schedule at a minimum quarterly, or more frequently.			
v8	<b>5.3 <u>Disable Dormant Accounts</u></b> Delete or disable any dormant accounts after a period of 45 days of inactivity, where supported.			

## 5.2 (L1) Ensure Microsoft 365 audit log search is Enabled (Automated)

### Profile Applicability:

- E3 Level 1

### Description:

When audit log search is enabled in the Microsoft Purview compliance portal, user and admin activity within the organization is recorded in the audit log and retained for 90 days. However, some organizations may prefer to use a third-party security information and event management (SIEM) application to access their auditing data. In this scenario, a global admin can choose to turn off audit log search in Microsoft 365.

### Rationale:

Enabling audit log search in the Microsoft Purview compliance portal can help organizations improve their security posture, meet regulatory compliance requirements, respond to security incidents, and gain valuable operational insights.

### Audit:

#### Ensure Microsoft 365 audit log search is Enabled:

1. Navigate to Microsoft Purview <https://compliance.microsoft.com>.
2. Select `Audit` to open the audit search.
3. Choose a date and time frame in the past 30 days.
4. Verify search capabilities (e.g. try searching for Activities as `Accessed file` and results should be displayed).

#### To verify audit log search is enabled using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-AdminAuditLogConfig | FL UnifiedAuditLogIngestionEnabled
```

3. Verify the resulting value is `UnifiedAuditLogIngestionEnabled : True`.

## Remediation:

### To enable Microsoft 365 audit log search:

1. Navigate to Microsoft Purview <https://compliance.microsoft.com>.
2. Select **Audit** to open the audit search.
3. Click **Start recording user and admin activity** next to the information warning at the top.
4. Click **Yes** on the dialog box to confirm.

### To enable Microsoft 365 audit log search using PowerShell:







1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Set-AdminAuditLogConfig -UnifiedAuditLogIngestionEnabled $true
```

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/compliance/audit-log-enable-disable?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/powershell/module/exchange/set-adminauditlogconfig?view=exchange-ps>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.2 <u>Collect Audit Logs</u></b> Collect audit logs. Ensure that logging, per the enterprise's audit log management process, has been enabled across enterprise assets.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

### 5.3 (L1) Ensure mailbox auditing for all users is Enabled (Automated)

#### Profile Applicability:

- E3 Level 1

#### Description:

By turning on mailbox auditing, Microsoft 365 back office teams can track logons to a mailbox as well as what actions are taken while the user is logged on. After you turn on mailbox audit logging for a mailbox, you can search the audit log for mailbox activity. Additionally, when mailbox audit logging is turned on, some actions performed by administrators, delegates, and owners are logged by default.

#### Rationale:

Starting in January 2019, Microsoft is turning on mailbox audit logging by default for all organizations. This means that certain actions performed by mailbox owners, delegates, and admins are automatically logged, and the corresponding mailbox audit records will be available when you search for them in the mailbox audit log. When mailbox auditing on by default is turned on for the organization, the AuditEnabled property for affected mailboxes won't be changed from False to True. In other words, mailbox auditing on by default ignores the AuditEnabled property on mailboxes. However, only certain mailbox types support default auditing On

- User Mailboxes
- Shared Mailboxes
- Microsoft 365 Group Mailboxes

The remaining mailbox types require auditing be turned on at the mailbox level:

- Resource Mailboxes
- Public Folder Mailboxes
- DiscoverySearch Mailbox

Whether it is for regulatory compliance or for tracking unauthorized configuration changes in Microsoft 365, enabling mailbox auditing allows for Microsoft 365 back office teams to run security operations, forensics or general investigations on mailbox activities.

**NOTE:** Without advanced auditing (E5 function) the logs are limited to 90 days.

## Audit:

### To verify mailbox auditing is enabled by default using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-OrganizationConfig | Format-List AuditDisabled
```

3. Verify `AuditDisabled` is set to `False`.

### To verify mailbox auditing is enabled for all mailboxes that don't support default auditing using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-Mailbox -ResultSize Unlimited | Where-Object {$_.AuditEnabled -ne $true -  
and ($_.RecipientTypeDetails -ne "UserMailbox" -or $_.RecipientTypeDetails -  
ne "SharedMailbox") }
```

Alternatively you may run the following command:

```
Get-mailbox | Where AuditEnabled -Match 'False' | select UserPrincipalName,  
auditenabled
```

3. Verify `AuditEnabled` is set to `True` for all mailboxes that are not a user, shared, or group mailbox.



## Remediation:

### To enable mailbox auditing for all users using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell commands:

```
$AuditAdmin = @("Copy", "Create", "FolderBind",  
"HardDelete", "MessageBind", "Move", "MoveToDeletedItems", "SendAs",  
"SendOnBehalf", "SoftDelete", "Update", "UpdateCalendarDelegation",  
"UpdateFolderPermissions", "UpdateInboxRules")  
  
$AuditDelegate =  
@("Create", "FolderBind", "HardDelete", "Move", "MoveToDeletedItems", "SendAs",  
"SendOnBehalf", "SoftDelete", "Update", "UpdateFolderPermissions", "Update  
InboxRules")  
  
$AdminOwner =  
@("Create", "HardDelete", "MailboxLogin", "Move", "MoveToDeletedItems", "Soft  
Delete", "Update", "UpdateCalendarDelegation",  
"UpdateFolderPermissions", "UpdateInboxRules")  
  
Get-Mailbox -ResultSize Unlimited | Set-Mailbox -AuditEnabled $true -  
AuditLogAgeLimit 180 -AuditAdmin $AuditAdmin -AuditDelegate $AuditDelegate -  
AuditOwner $AuditOwner
```

## Default Value:

Only certain mailbox types support default auditing `On`:

- User Mailboxes
- Shared Mailboxes
- Microsoft 365 Group Mailboxes







The remaining mailbox types require auditing be turned on at the mailbox level:

- Resource Mailboxes
- Public Folder Mailboxes
- DiscoverySearch Mailbox

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/compliance/audit-mailboxes?view=o365-worldwide>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.2 <u>Collect Audit Logs</u></b> Collect audit logs. Ensure that logging, per the enterprise's audit log management process, has been enabled across enterprise assets.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

## *5.4 (L1) Ensure the Azure AD 'Risky sign-ins' report is reviewed at least weekly (Manual)*

### **Profile Applicability:**

- E5 Level 1

### **Description:**

This report contains records of accounts that have had activity that could indicate they are compromised, such as accounts that have:

- successfully signed in after multiple failures, which is an indication that the accounts have cracked passwords
- signed in to tenant from a client IP address that has been recognized by Microsoft as an anonymous proxy IP address (such as a TOR network)
- successful sign-ins from users where two sign-ins appeared to originate from different regions and the time between sign-ins makes it impossible for the user to have traveled between those regions

### **Rationale:**

Reviewing this report on a regular basis allows for identification and remediation of compromised accounts.

### **Audit:**

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### **Remediation:**






#### **To review the Azure AD 'Risky sign-ins' report:**

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand **Protect & secure** select **Risky** activities.
3. Under **Report** click on **Risky sign-ins**.
4. Review by **Risk level** (aggregate).

### **References:**

1. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/overview-identity-protection>
2. <https://learn.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-unblock>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 <u>Conduct Audit Log Reviews</u></b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

## 5.5 (L1) Ensure the Application Usage report is reviewed at least weekly (Manual)

### Profile Applicability:

- E3 Level 2

### Description:

The Application Usage report includes a usage summary for all Software as a Service (SaaS) applications that are integrated with the organization's directory.

### Rationale:

Review the list of app registrations on a regular basis to look for risky apps that users have enabled that could cause data spillage or accidental elevation of privilege. Attackers can often get access to data illicitly through third-party SaaS applications.

### Audit:

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### Remediation:

#### To review the Application Usage report:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Applications select Enterprise applications.
3. Under Activity select Usage & insights.
4. Review the information.

### CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 Conduct Audit Log Reviews</b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.		●	●
v7	<b>6.2 Activate audit logging</b> Ensure that local logging has been enabled on all systems and networking devices.	●	●	●

## 5.6 (L1) Ensure the self-service password reset activity report is reviewed at least weekly (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

The Microsoft 365 platform allows users to reset their password in the event they forget it. The self-service password reset activity report logs each time a user successfully resets their password this way. The self-service password reset activity report should be review at least weekly.

### Rationale:

An attacker will commonly compromise an account, then change the password to something they control and can manage.

### Audit:

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### Remediation:






#### To review the self-service password reset activity report:

1. Navigate to Microsoft Entra admin center <https://entra.microsoft.com/>.
2. Click to expand Azure Active Directory > Users select User settings.
3. Under Manage select Password reset.
4. Under Activity select Audit logs.
5. Review the list of users who have reset their passwords by setting the Date to Last 7 days and Service to Self-service Password Management

### References:

1. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-reporting>
2. <https://learn.microsoft.com/en-us/azure/active-directory/authentication/troubleshoot-sspr>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 <u>Conduct Audit Log Reviews</u></b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

## *5.7 (L1) Ensure user role group changes are reviewed at least weekly (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Role-Based Access Control allows for permissions to be assigned to users based on their roles within an organization. It is more manageable form of access control that is less prone to errors. These user roles can be audited inside of Microsoft Purview to provide a security auditor insight into user privilege change.

### **Rationale:**

Weekly reviews provide an opportunity to identify rights changes in an organization and is a large part of maintaining Least Privilege and preventing Privilege creep. Insider Threats, either intentional or unintentional can occur when a user has higher than needed privileges. Maintaining accountability of role membership will keep insiders and malicious actors limited in the scope of potential damaging activities.

### **Impact:**

By performing regular reviews the Administrators assigning rights to users will need to inevitably provide justification for those changes to security auditors. Documentation that includes detailed policies, procedures, and change requests will need to be considered in order to keep a secure organization functioning within it's planned operational level.

### **Audit:**

To verify user role group changes are being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.



## Remediation:

### To review user role group changes:

1. Navigate to Microsoft Purview <https://compliance.microsoft.com/>.
2. Under Solutions click on Audit then select New Search.
3. In Activities find Added member to Role under the **Role administration activities** section and select it.
4. Set a valid Start Date and End Date within the last week.
5. Click Search.
6. Review once the search is completed.

### To review user role group changes using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`
2. Run the following Exchange Online PowerShell command:

```
$startDate = ((Get-date).AddDays(-7)).ToShortDateString()  
$endDate = (Get-date).ToShortDateString()  
  
Search-UnifiedAuditLog -StartDate $startDate -EndDate $endDate -RecordType  
AzureActiveDirectory -Operations "Add member to role."
```

3. Review the output

## References:

1. <https://learn.microsoft.com/en-us/powershell/module/exchange/search-unifiedauditlog?view=exchange-ps>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 Conduct Audit Log Reviews</b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.		●	●
v7	<b>6.2 Activate audit logging</b> Ensure that local logging has been enabled on all systems and networking devices.	●	●	●

## 5.8 (L1) Ensure mail forwarding rules are reviewed at least weekly (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

The Exchange Online environment can be configured in a way that allows for automatic forwarding of e-mail. This can be done using Transport Rules in the Admin Center, Auto Forwarding per mailbox, and client-based rules in Outlook. Administrators and users both are given several methods to automatically and quickly send e-mails outside of your organization.

### Rationale:

Reviewing mail forwarding rules will provide the Messaging Administrator insight into possible attempts to exfiltrate data from the organization. Weekly review helps create a recognition of baseline, legitimate activity of users. This will aide in helping identify the more malicious activity of bad actors when/if they choose to use this side-channel.

### Impact:

There is no impacting to reviewing these reports.

### Audit:

To verify mail forwarding rules are being reviewed at least weekly, confirm that the necessary procedures are in place and being followed by the assigned employee.

### Remediation:

#### To review mail forwarding rules:

1. Navigate to Exchange admin center <https://admin.exchange.microsoft.com>.
2. Expand Reports then select Mail flow.
3. Click on Auto forwarded messages report.
4. Review.

**Note:** Mail flow reports cannot be viewed from the Classic Exchange Admin Center

## To review mail forwarding rules using PowerShell:

### 1. Connect to Exchange Online PowerShell using `Connect-ExchangeOnline`

```
# Uses the administrator user credential to export Mail forwarding rules,
User Delegates
# and SMTP Forwarding policies to multiple csv files.

$allUsers = Get-User -ResultSize Unlimited -Filter {RecipientTypeDetails -eq
"UserMailbox" } |
    Where-Object {$_.AccountDisabled -like "False"}






$UserInboxRules = @()
$UserDelegates = @()

foreach ($User in $allUsers) {
    Write-Host "Checking inbox rules and delegates for user: "
    $User.UserPrincipalName
    $UserInboxRules += Get-InboxRule -Mailbox $User.UserPrincipalName |
        Select-Object Name, Description, Enabled, Priority, ForwardTo,
ForwardAsAttachmentTo, RedirectTo, DeleteMessage |
        Where-Object { ($_.ForwardTo -ne $null) -or ($_.ForwardAsAttachmentTo -ne
$null) -or ($_.RedirectsTo -ne $null) }
    $UserDelegates += Get-MailboxPermission -Identity $User.UserPrincipalName |
        Where-Object { ($_.IsInherited -ne "True") -and ($_.User -notlike
"*SELF*") }
}

$SMTPForwarding = Get-Mailbox -ResultSize Unlimited |
    Select-Object DisplayName, ForwardingAddress, ForwardingSMTPAddress,
DeliverToMailboxandForward |
    Where-Object {$_.ForwardingSMTPAddress -ne $null}

# Export list of inbox rules, delegates, and SMTP forwards
$UserInboxRules | Export-Csv MailForwardingRulesToExternalDomains.csv -
NoTypeInformation
$UserDelegates | Export-Csv MailboxDelegatePermissions.csv -NoTypeInformation
$SMTPForwarding | Export-Csv Mailboxsmtpforwarding.csv -NoTypeInformation
```

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 <u>Conduct Audit Log Reviews</u></b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

## *5.9 (L1) Ensure all security threats in the Threat protection status report are reviewed at least weekly (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

The Threat protection status report shows specific instances of Microsoft blocking a malware attachment from reaching users, phishing being blocked, impersonation attempts, etc. The Threat protection status report should be reviewed at least weekly.

### **Rationale:**

While this report isn't strictly actionable, reviewing it will give a sense of the overall volume of various security threats targeting users, which may prompt adoption of more aggressive threat mitigations.

### **Audit:**

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### **Remediation:**

#### **To review the Threat protection status report:**

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click to expand Email & collaboration select Review.
3. Select Malware trends.
4. On the Threat Explorer page, select All email and review statistics.

### **References:**

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/reports-email-security?view=o365-worldwide>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 <u>Conduct Audit Log Reviews</u></b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.		●	●
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.	●	●	●

## *5.10 (L1) Ensure the Account Provisioning Activity report is reviewed at least weekly (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

The Account Provisioning Activity report details any account provisioning that was attempted by an external application.

### **Rationale:**

If the organization doesn't usually use a third party provider to manage accounts, any entry on the list is likely illicit. However, if the organization uses a third party provider, it is recommended to monitor transaction volumes and look for new or unusual third party applications that may be managing users. If anything unusual is observed, the provider should be contacted to determine the legitimacy of the action.

### **Audit:**

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### **Remediation:**

#### **To review the Account Provisioning Activity report:**

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click on Audit.
3. Set Activities to Added user for User administration activities.
4. Set Start Date and End Date.
5. Click Search.
6. Review.






## To review Account Provisioning Activity report using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following Exchange Online PowerShell command:

```
$startDate = ((Get-date).AddDays(-7)).ToShortDateString()  
$endDate = (Get-date).ToShortDateString()  
  
Search-UnifiedAuditLog -StartDate $startDate -EndDate $endDate | Where-Object  
{ $_.Operations -eq "add user." }
```

3. Review the output

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 <u>Conduct Audit Log Reviews</u></b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

## 5.11 (L1) Ensure non-global administrator role group assignments are reviewed at least weekly (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

Non-global administrator role group assignments should be reviewed at least every week.

### Rationale:

While these roles are less powerful than a global admin, they do grant special privileges that can be used illicitly. If unusual activity is detected, contact the user to confirm it is a legitimate need.

### Audit:

To verify non-global administrator role group assignments are being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### Remediation:

#### To review non-global administrator role group assignments:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Click on Audit.
3. Set Added member to Role and Removed a user from a directory role for Activities.
4. Set Start Date and End Date.
5. Click Search.
6. Review.

### CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 Conduct Audit Log Reviews</b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.		●	●
v7	<b>6.2 Activate audit logging</b> Ensure that local logging has been enabled on all systems and networking devices.	●	●	●



## 5.12 (L1) Ensure the spoofed domains report is reviewed weekly (Automated)

### Profile Applicability:

- E5 Level 1

### Description:

Use spoof intelligence in the Security Center on the Anti-spam settings page to review all senders who are spoofing either domains that are part of the organization, or spoofing external domains. Spoof intelligence is available as part of Office 365 Enterprise E5 or separately as part of Defender for Office 365 and as of October, 2018 Exchange Online Protection (EOP).

### Rationale:

Bad actors spoof domains to trick users into conducting actions they normally would not or should not via phishing emails. Running this report will inform the message administrators of current activities, and the phishing techniques used by bad actors. This information can be used to inform end users and plan against future campaigns.

### Audit:

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### Remediation:

#### To review the spoofed domains report:

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Under Email & collaboration click on Policies & rules then select Threat policies.
3. Under Rules click on Tenant Allow / Block Lists then select Spoofed senders.
4. Review.

#### To view spoofed senders that were allowed or blocked by spoof intelligence in the last 7 days:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:






```
Get-SpoofIntelligenceInsight
```

3. Review.

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/anti-spoofing-spoof-intelligence?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/powershell/module/exchange/get-spoofintelligenceinsight?view=exchange-ps>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 <u>Conduct Audit Log Reviews</u></b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			

## 5.13 (L2) Ensure Microsoft Defender for Cloud Apps is enabled and configured (Manual)

### Profile Applicability:

- E5 Level 2

### Description:

Microsoft Defender for Cloud Apps is a Cloud Access Security Broker (CASB). It provides visibility into suspicious activity in Microsoft 365, enabling investigation into potential security issues and facilitating the implementation of remediation measures if necessary.

Some risk detection methods provided by Azure AD Identity Protection also require Microsoft Defender for Cloud Apps:

- Suspicious manipulation of inbox rules
- Suspicious inbox forwarding
- New country detection
- Impossible travel detection
- Activity from anonymous IP addresses
- Mass access to sensitive files.

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

### Rationale:

Security teams can receive notifications of triggered alerts for atypical or suspicious activities, see how the organization's data in Microsoft 365 is accessed and used, suspend user accounts exhibiting suspicious activity, and require users to log back in to Microsoft 365 apps after an alert has been triggered.

## **Audit:**

### **Ensure Microsoft Defender for Cloud Apps is enabled and configured:**

1. Navigate to Microsoft Defender for Cloud Apps <https://portal.cloudappsecurity.com/>.
2. Select Investigate > Connected Apps.
3. Select App connectors and ensure that *Office 365* and *Microsoft Azure* both show Connected.
4. Select Security configuration apps and ensure that *Microsoft Azure* shows Connected.

### **Ensure Microsoft Defender for Cloud Apps is connected to other tools:**

1. Go to the Settings gear located in the top right near the question mark.
2. Go to Threat Protection > Azure AD Identity Protection and check if the integration is enabled.
3. Go to Threat Protection > Microsoft Defender for Identity and check if the integration is enabled.
4. Go to Cloud Discovery > Microsoft Defender for Endpoint and check if the integration is enabled.
5. Go to Information Protection > Files and check if the file monitoring is enabled.

**NOTE:** Microsoft has begun integrating Microsoft Defender for Cloud Apps into Microsoft 365 Defender, however it is still in preview and many settings are still controlled from the "legacy" portal.

## Remediation:

### To connect *Office 365* and *Azure*:

1. Navigate to Microsoft Defender for Cloud Apps  
<https://portal.cloudappsecurity.com/>.
2. Select Investigate > Connected Apps.
3. In App connectors ensure *Office 365* and *Microsoft Azure* are connected by selecting Connected an app and following the wizard.
4. In Security configuration apps ensure *Microsoft Azure* is connected by selecting Connected an app and following the wizard.
5. Connect any additional apps the organization might use.

### To connect Microsoft Defender for Cloud Apps to other Microsoft tools:

1. Go to the Settings gear located in the top right near the question mark.
2. Go to Threat Protection > Azure AD Identity Protection and enable the integration.
3. Go to Threat Protection > Microsoft Defender for Identity and enable the integration.
4. Go to Cloud Discovery > Microsoft Defender for Endpoint and enable the integration.
5. Go to Information Protection > Files and enable file monitoring.

**NOTE:** Creating an instance of Microsoft Defender for Identity may result in an error regarding existing security groups. To resolve Microsoft recommends deleting groups from Azure Active Directory, after verifying they are empty. These groups are below:

- Azure ATP {Unique} Administrators
- Azure ATP {Unique} Users
- Azure ATP {Unique} Viewers

## Default Value:

Disabled

## References:

1. <https://learn.microsoft.com/en-us/defender-cloud-apps/connect-office-365>
2. <https://learn.microsoft.com/en-us/defender-cloud-apps/connect-azure>
3. <https://learn.microsoft.com/en-us/defender-cloud-apps/best-practices>
4. <https://learn.microsoft.com/en-us/defender-cloud-apps/get-started>









## Additional Information:

Additional Microsoft 365 Defender features include:

- The option to use Defender for cloud apps as a reverse proxy, allowing for the application of access or session controls through the definition of a conditional access policy.
- The purchase and implementation of the "App Governance" add-on, which provides more precise control over OAuth app permissions and includes additional built-in policies.

A list of Defender for Cloud Apps built-in policies for Office 365 can be found at <https://learn.microsoft.com/en-us/defender-cloud-apps/protect-office-365>.

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>10.1 <u>Deploy and Maintain Anti-Malware Software</u></b> Deploy and maintain anti-malware software on all enterprise assets.			
v8	<b>10.5 <u>Enable Anti-Exploitation Features</u></b> Enable anti-exploitation features on enterprise assets and software, where possible, such as Microsoft® Data Execution Prevention (DEP), Windows® Defender Exploit Guard (WDEG), or Apple® System Integrity Protection (SIP) and Gatekeeper™.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			
v7	<b>16 <u>Account Monitoring and Control</u></b> Account Monitoring and Control			

## 5.14 (L1) *Ensure the 'Restricted entities' report is reviewed weekly (Manual)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

Microsoft 365 Defender reviews of Restricted Entities will provide a list of user accounts restricted from sending e-mail. If a user exceeds one of the outbound sending limits as specified in the service limits or in outbound spam policies, the user is restricted from sending email, but they can still receive email.

### **Rationale:**

Users who are found on the restricted users list have a high probability of having been compromised. Review of this list will allow an organization to remediate these user accounts, and then unblock them.

### **Audit:**

To verify the report is being reviewed at least weekly, confirm that the necessary procedures are in place and being followed.

### **Remediation:**

**To review the report of users who have had their email privileges restricted due to spamming:**

1. Navigate to Microsoft 365 Defender <https://security.microsoft.com>.
2. Under Email & collaboration navigate to Review.
3. Click Restricted Entities.
4. Review alerts and take appropriate action (unblocking) after account has been remediated.

### **Review a list of users blocked from sending messages using PowerShell:**

1. Connect to Exchange Online using `Connect-ExchangeOnline`
2. Run the following PowerShell command:






```
Get-BlockedSenderAddress
```

3. Review.

## References:

1. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/responding-to-a-compromised-email-account?view=o365-worldwide>
2. <https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/removing-user-from-restricted-users-portal-after-spam?view=o365-worldwide>
3. <https://learn.microsoft.com/en-us/powershell/module/exchange/get-blockedsenderaddress?view=exchange-ps>

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>8.11 Conduct Audit Log Reviews</b> Conduct reviews of audit logs to detect anomalies or abnormal events that could indicate a potential threat. Conduct reviews on a weekly, or more frequent, basis.			
v7	<b>6.2 Activate audit logging</b> Ensure that local logging has been enabled on all systems and networking devices.			



## 5.15 (L1) Ensure Guest Users are reviewed at least biweekly (Manual)

### Profile Applicability:

- E3 Level 1

### Description:

Guest users can be set up for those users not in the organization to still be granted access to resources. It is important to maintain visibility for what guest users are established in the tenant.

Ensure Guest Users are reviewed no less frequently than biweekly

**NOTE:** With the E5 license an access review can be configured to review guest accounts automatically on a reoccurring basis. This is the preferred method if the licensing is available.

### Rationale:

Periodic review of guest users ensures proper access to resources.

### Audit:

To verify the report is being reviewed at least biweekly, confirm that the necessary procedures are in place and being followed.

### Remediation:

#### To review guest users in the UI:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com/>.
2. Click to expand Users and select Guest Users.
3. Review the list of users.












#### To verify Microsoft 365 audit log search is enabled using Microsoft Graph PowerShell:

1. Connect using `Connect-MgGraph -Scopes "User.Read.All"`
2. Run the following PowerShell command:

```
Get-MgUser -All -Property UserType,UserPrincipalName |  
Where {$_.UserType -ne "Member"} |  
Format-Table UserPrincipalName, UserType
```

3. Review the list of users. If nothing is returned then there are no guest users.

## CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>5.1 <u>Establish and Maintain an Inventory of Accounts</u></b> Establish and maintain an inventory of all accounts managed in the enterprise. The inventory must include both user and administrator accounts. The inventory, at a minimum, should contain the person's name, username, start/stop dates, and department. Validate that all active accounts are authorized, on a recurring schedule at a minimum quarterly, or more frequently.			
v8	<b>5.3 <u>Disable Dormant Accounts</u></b> Delete or disable any dormant accounts after a period of 45 days of inactivity, where supported.			
v7	<b>6.2 <u>Activate audit logging</u></b> Ensure that local logging has been enabled on all systems and networking devices.			
v7	<b>16.6 <u>Maintain an Inventory of Accounts</u></b> Maintain an inventory of all accounts organized by authentication system.			

## 6 Storage

## 6.1 (L2) Ensure SharePoint external sharing is managed through domain whitelist/blacklists (Automated)

### Profile Applicability:

- E3 Level 2

### Description:

Control sharing of documents to external domains by either blocking domains or only allowing sharing with specific named domains.

### Rationale:

Attackers will often attempt to expose sensitive information to external entities through sharing, and restricting the domains that users can share documents with will reduce that surface area.

### Impact:

Enabling this feature will prevent users from sharing documents with domains outside of the organization unless allowed.

### Audit:

#### Ensure document sharing is being controlled by domains with whitelist or blacklist:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>
2. Expand Policies then click Sharing.
3. Expand More external sharing settings and confirm that Limit external sharing by domain is checked.
4. Verify that an accurate list of allowed domains is listed.

#### To verify document sharing setting using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService`.
2. Run the following PowerShell command:

```
Get-SPOTenant | fl SharingDomainRestrictionMode,SharingAllowedDomainList
```

## Remediation:

### To configure document sharing restrictions:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>.
2. Expand Policies then click Sharing.
3. Expand More external sharing settings and check Limit external sharing by domain.
4. Select Add domains to add a list of approved domains.
5. Click Save at the bottom of the page.

### To configure document sharing restrictions using PowerShell:









1. Connect to SharePoint Online using Connect-SPOService.
2. Run the following PowerShell command:

```
Set-SPOTenant -SharingDomainRestrictionMode AllowList -  
SharingAllowedDomainList "domain1.com domain2.com"
```

### Default Value:

Limit external sharing by domain is not checked

### CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 <u>Configure Data Access Control Lists</u></b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>13.4 <u>Only Allow Access to Authorized Cloud Storage or Email Providers</u></b> Only allow access to authorized cloud storage or email providers.			
v7	<b>14.6 <u>Protect Information through Access Control Lists</u></b> Protect all information stored on systems with file system, network share, claims, application, or database specific access control lists. These controls will enforce the principle that only authorized individuals should have access to the information based on their need to access the information as a part of their responsibilities.			

## 6.2 (L2) Block OneDrive for Business sync from unmanaged devices (Automated)

### Profile Applicability:

- E3 Level 2

### Description:

Microsoft OneDrive allows users to sign in their cloud tenant account, and begin syncing select folders or the entire contents of OneDrive to a local computer. By default this includes any computer with OneDrive already installed, whether or not it is Azure Domain Joined or Active Directory Domain joined.

### Rationale:

Unmanaged devices pose a risk, since their security cannot be verified through existing security policies, brokers or endpoint protection. Allowing users to sync data to these devices takes that data out of the control of the organization. This increases the risk of the data either being intentionally or accidentally leaked.

**Note:** This setting is only applicable to **Active Directory domains** when operating in a hybrid configuration. It does not apply to Azure AD domains. If there are devices which are only Azure AD joined, consider using a Conditional Access Policy instead.

### Impact:

Enabling this feature will prevent users from using the OneDrive for Business Sync client on devices that are not joined to the domains that were defined.

## Audit:

### To ensure sync settings on unmanaged devices:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>
  2. Click Settings followed by OneDrive - Sync
  3. Verify that Allow syncing only on computers joined to specific domains is checked
  4. Verify that the Active Directory domain GUIDS are listed in the box.
- Use the `Get-ADDomain` PowerShell command to obtain the GUID for each on-premises domain

### To ensure sync setting configuration using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService`
2. Run the following PowerShell command:

```
Get-SPOTenantSyncClientRestriction | fl  
TenantRestrictionEnabled,AllowedDomainList
```

3. Verify `TenantRestrictionEnabled` is set to `True` and `AllowedDomainList` is populated and valid.

## Remediation:

### Ensure OneDrive for Business sync is blocked from unmanaged devices

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>
2. Click Settings then select OneDrive - Sync.
3. Check the Allow syncing only on computers joined to specific domains.
4. Use the `Get-ADDomain` PowerShell command to obtain the GUID from each domain then add them to the box.
5. Click Save.

### To block the sync client on unmanaged devices using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService`
2. Run the following PowerShell command and provide the DomainGuids from the `Get-ADDomain` command:

```
Set-SPOTenantSyncClientRestriction -Enable -DomainGuids "786548DD-877B-4760-A749-6B1EFBC1190A; 877564FF-877B-4760-A749-6B1EFBC1190A"
```

**NOTE:** Utilize the `-BlockMacSync:$true` parameter if you are not using conditional access to ensure Macs cannot sync.

**Default Value:**

By default there is no domain restriction applied to the syncing of OneDrive.

**References:**

1. [https://learn.microsoft.com/en-US/sharepoint/allow-syncing-only-on-specific-domains?WT.mc\\_id=365AdminCSH\\_spo](https://learn.microsoft.com/en-US/sharepoint/allow-syncing-only-on-specific-domains?WT.mc_id=365AdminCSH_spo)
2. <https://learn.microsoft.com/en-us/powershell/module/sharepoint-online/set-spotenantsyncclientrestriction?view=sharepoint-ps>



## 6.3 (L1) *Ensure expiration time for external sharing links is set (Automated)*

### **Profile Applicability:**

- E3 Level 1

### **Description:**

The external sharing features of Microsoft SharePoint let users in the organization share content with people outside the organization (such as partners, vendors, clients, or customers). External sharing in SharePoint is part of secure collaboration with Microsoft 365.

### **Rationale:**

An attacker can compromise a user account for a short period of time, send anonymous sharing links to an external account, then take their time accessing the data. They can also compromise external accounts and steal the anonymous sharing links sent to those external entities well after the data has been shared. Restricting how long the links are valid can reduce the window of opportunity for attackers.

### **Impact:**

Enabling this feature will ensure that link expire within the defined number of days. This will have an effect on links that were previously not set with an expiration.

## Audit:

### Ensure expiration time for external sharing links is set:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>
2. Click to expand **Polices** then select **Sharing**.
3. Under **Choose expiration and permissions options for Anyone links** check **These links must expire within this many days**.
4. Confirm the number of days is set to the desired value, such as 30.

**NOTE:** The UI settings will not appear if the External sharing slider for SharePoint is set to **New and existing guests** or anything less permissive.

### To verify anonymous links are correctly set to expire using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService`
2. Run the following PowerShell command:

```
Get-SPOtenant | fl RequireAnonymousLinksExpireInDays
```

3. Verify that the returned value is at most 30 days but is not set to -1

## Remediation:

### To set expiration time for external sharing links:

1. Navigate to SharePoint admin center <https://admin.microsoft.com/sharepoint>.
2. Click to expand **Polices** then select **Sharing**.
3. Under **Choose expiration and permissions options for Anyone links** check **These links must expire within this many days**.
4. Set to the desired number of days, such as 30.
5. Click **Save**.

**NOTE:** The UI settings will not appear if the External sharing slider for SharePoint is set to **New and existing guests** or anything less permissive.

### To set expiration for anonymous access links using PowerShell:

1. Connect to SharePoint Online using `Connect-SPOService`
2. Run the following PowerShell command:

```
set-SPOtenant -RequireAnonymousLinksExpireInDays 30
```

## Default Value:

Anonymous Sharing - On

Sharing Links Expiration - Off

**References:**

1. <https://learn.microsoft.com/en-us/sharepoint/turn-external-sharing-on-or-off>

**Additional Information:**

Setting links to expire in X number of days only applies in the most permissive sharing mode which is the default setting. Organizations should decide on an organizational level whether to allow external sharing and to what level.

## 6.4 (L2) Ensure 'third-party storage services' are restricted in 'Microsoft 365 on the web' (Automated)

### Profile Applicability:

- E3 Level 2

### Description:

Third-party storage can be enabled for users in Microsoft 365, allowing them to store and share documents using services such as Dropbox, alongside OneDrive and team sites.

Ensure `Microsoft 365 on the web` third-party storage services are restricted.

### Rationale:

By using external storage services an organization may increase the risk of data breaches and unauthorized access to confidential information. Additionally, third-party services may not adhere to the same security standards as the organization, making it difficult to maintain data privacy and security.

### Impact:

Impact associated with this change is highly dependent upon current practices in the tenant. If users do not use other storage providers, then minimal impact is likely. However, if users do regularly utilize providers outside of the tenant this will affect their ability to continue to do so.

### Audit:

#### Ensure Microsoft 365 on the web is restricted:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>
2. Go to Settings > Org Settings > Services > Microsoft 365 on the web
3. Ensure Let users open files stored in third-party storage services in Microsoft 365 on the web is not checked.

### Remediation:

#### To restrict Microsoft 365 on the web:

1. Navigate to Microsoft 365 admin center <https://admin.microsoft.com>
2. Go to Settings > Org Settings > Services > Microsoft 365 on the web
3. Uncheck Let users open files stored in third-party storage services in Microsoft 365 on the web









**Default Value:**

Enabled - Users are able to open files stored in third-party storage services

**References:**

1. <https://learn.microsoft.com/en-us/microsoft-365/admin/setup/set-up-file-storage-and-sharing?view=o365-worldwide#enable-or-disable-third-party-storage-services>

**CIS Controls:**

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 <u>Configure Data Access Control Lists</u></b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>13.1 <u>Maintain an Inventory Sensitive Information</u></b> Maintain an inventory of all sensitive information stored, processed, or transmitted by the organization's technology systems, including those located onsite or at a remote service provider.			
v7	<b>13.4 <u>Only Allow Access to Authorized Cloud Storage or Email Providers</u></b> Only allow access to authorized cloud storage or email providers.			

## 6.5 (L2) Ensure additional storage providers are restricted in Outlook on the web (Automated)

### Profile Applicability:

- E3 Level 2

### Description:

This setting allows users to open certain external files while working in Outlook on the web. If allowed, keep in mind that Microsoft doesn't control the use terms or privacy policies of those third-party services.

Ensure `AdditionalStorageProvidersAvailable` are restricted.

### Rationale:

By default additional storage providers are allowed in Office on the Web (such as Box, Dropbox, Facebook, Google Drive, OneDrive Personal, etc.). This could lead to information leakage and additional risk of infection from organizational non-trusted storage providers. Restricting this will inherently reduce risk as it will narrow opportunities for infection and data leakage.

### Impact:

Impact associated with this change is highly dependent upon current practices in the tenant. If users do not use other storage providers, then minimal impact is likely. However, if users do regularly utilize providers outside of the tenant this will affect their ability to continue to do so.

### Audit:

#### Ensure additional storage providers are restricted using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Get-OwaMailboxPolicy | Format-Table Name, AdditionalStorageProvidersAvailable
```

3. Verify that the value returned is `False`.

## Remediation:

### Restrict additional storage providers are restricted using PowerShell:

1. Connect to Exchange Online using `Connect-ExchangeOnline`.
2. Run the following PowerShell command:

```
Set-OwaMailboxPolicy -Identity OwaMailboxPolicy-Default -  
AdditionalStorageProvidersAvailable $false
```

3. Run the following Powershell command to verify that the value is now `False`:

```
Get-OwaMailboxPolicy | Format-Table Name, AdditionalStorageProvidersAvailable
```









### Default Value:

Additional Storage Providers - True

### References:

1. <https://learn.microsoft.com/en-us/powershell/module/exchange/set-owamailboxpolicy?view=exchange-ps>
2. <https://support.microsoft.com/en-us/topic/3rd-party-cloud-storage-services-supported-by-office-apps-fce12782-eccc-4cf5-8f4b-d1ebec513f72>

### CIS Controls:

Controls Version	Control	IG 1	IG 2	IG 3
v8	<b>3.3 Configure Data Access Control Lists</b> Configure data access control lists based on a user's need to know. Apply data access control lists, also known as access permissions, to local and remote file systems, databases, and applications.			
v7	<b>13.1 Maintain an Inventory Sensitive Information</b> Maintain an inventory of all sensitive information stored, processed, or transmitted by the organization's technology systems, including those located onsite or at a remote service provider.			
v7	<b>13.4 Only Allow Access to Authorized Cloud Storage or Email Providers</b> Only allow access to authorized cloud storage or email providers.			

# Appendix: Summary Table

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
<b>1</b>	<b>Account / Authentication</b>		
<b>1.1</b>	<b>Azure Active Directory</b>		
1.1.1	(L1) Ensure Security Defaults is disabled on Azure Active Directory (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.2	(L1) Ensure multifactor authentication is enabled for all users in administrative roles (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.3	(L1) Ensure Sign-in frequency is enabled and browser sessions are not persistent for Administrative users (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.4	(L1) Ensure multifactor authentication is enabled for all users (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.5	(L1) Ensure Microsoft Authenticator is configured to protect against MFA fatigue (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.6	(L2) Ensure 'Phishing-resistant MFA strength' is required for Administrators (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.7	(L1) Ensure that between two and four global admins are designated (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.8	(L1) Ensure 'Self service password reset enabled' is set to 'All' (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.9	(L1) Ensure custom banned passwords lists are used (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.10	(L1) Ensure password protection is enabled for on-prem Active Directory (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.11	(L1) Enable Conditional Access policies to block legacy authentication (Automated)	<input type="checkbox"/>	<input type="checkbox"/>



CIS Benchmark Recommendation		Set Correctly	
		Yes	No
1.1.12	(L1) Ensure that password hash sync is enabled for hybrid deployments (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.13	(L2) Enable Azure AD Identity Protection sign-in risk policies (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.14	(L2) Enable Azure AD Identity Protection user risk policies (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.15	(L2) Ensure 'Privileged Identity Management' is used to manage roles (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.16	(L2) Ensure that only organizationally managed/approved public groups exist (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.17	(L2) Ensure that collaboration invitations are sent to allowed domains only (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.18	(L2) Ensure 'LinkedIn account connections' is disabled (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.19	(L2) Ensure the option to remain signed in is hidden (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.20	(L1) Ensure 'Restrict access to the Azure AD administration portal' is set to 'Yes' (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.21	(L1) Ensure 'Microsoft Azure Management' is limited to administrative roles (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.1.22	(L1) Ensure 'Restrict non-admin users from creating tenants' is set to 'Yes' (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.2	(L1) Ensure modern authentication for Exchange Online is enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
1.3	(L1) Ensure modern authentication for SharePoint applications is required (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
1.4	(L1) Ensure the 'Password expiration policy' is set to 'Set passwords to never expire (recommended)' (Automated)	<input type="checkbox"/>	<input type="checkbox"/>

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
1.5	(L1) Ensure Administrative accounts are separate and cloud-only (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.6	(L1) Ensure two emergency access accounts have been defined (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
1.7	(L1) Ensure 'Idle session timeout' is set to '1 hour (or less)' for unmanaged devices (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
<b>2</b>	<b>Application Permissions</b>		
2.1	(L1) Ensure the admin consent workflow is enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.2	(L2) Ensure third party integrated applications are not allowed (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
2.3	(L2) Ensure 'External sharing' of calendars is not available (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.4	(L2) Ensure Safe Links for Office Applications is Enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.5	(L2) Ensure Safe Attachments for SharePoint, OneDrive, and Microsoft Teams is Enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.6	(L2) Ensure Office 365 SharePoint infected files are disallowed for download (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.7	(L2) Ensure user consent to apps accessing company data on their behalf is not allowed (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.8	(L2) Ensure users installing Outlook add-ins is not allowed (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
2.9	(L1) Ensure 'User owned apps and services' is restricted (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
2.10	(L1) Ensure internal phishing protection for Forms is enabled (Manual)	<input type="checkbox"/>	<input type="checkbox"/>

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
2.11	(L1) Ensure that Sways cannot be shared with people outside of your organization (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
2.12	(L1) Ensure SharePoint and OneDrive integration with Azure AD B2B is enabled (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
<b>3</b>	<b>Data Management</b>		
3.1	(L2) Ensure the customer lockbox feature is enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
3.2	(L2) Ensure SharePoint Online Information Protection policies are set up and used (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
3.3	(L2) Ensure 'external access' is restricted in the Teams admin center (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
3.4	(L1) Ensure DLP policies are enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
3.5	(L1) Ensure DLP policies are enabled for Microsoft Teams (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
3.6	(L2) Ensure that SharePoint guest users cannot share items they don't own (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
3.7	(L2) Ensure external file sharing in Teams is enabled for only approved cloud storage services (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
<b>4</b>	<b>Email Security / Exchange Online</b>		
4.1	(L1) Ensure the Common Attachment Types Filter is enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.2	(L1) Ensure Exchange Online Spam Policies are set to notify administrators (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.3	(L1) Ensure all forms of mail forwarding are blocked and/or disabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.4	(L1) Ensure mail transport rules do not whitelist specific domains (Automated)	<input type="checkbox"/>	<input type="checkbox"/>

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
4.5	(L2) Ensure Safe Attachments policy is enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.6	(L1) Ensure that an anti-phishing policy has been created (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.7	(L1) Ensure that DKIM is enabled for all Exchange Online Domains (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.8	(L1) Ensure that SPF records are published for all Exchange Domains (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
4.9	(L1) Ensure DMARC Records for all Exchange Online domains are published (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
4.10	(L1) Ensure notifications for internal users sending malware is Enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.11	(L2) Ensure MailTips are enabled for end users (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
4.12	(L1) Ensure Priority account protection is enabled and configured (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
4.13	(L1) Ensure Priority accounts have 'Strict protection' presets applied (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
<b>5</b>	<b>Auditing</b>		
<b>5.1</b>	<b>Access Reviews</b>		
5.1.1	(L1) Ensure 'Access reviews' for Guest Users are configured (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.1.2	(L1) Ensure 'Access reviews' for high privileged Azure AD roles are configured (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.2	(L1) Ensure Microsoft 365 audit log search is Enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
5.3	(L1) Ensure mailbox auditing for all users is Enabled (Automated)	<input type="checkbox"/>	<input type="checkbox"/>

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
5.4	(L1) Ensure the Azure AD 'Risky sign-ins' report is reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.5	(L1) Ensure the Application Usage report is reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.6	(L1) Ensure the self-service password reset activity report is reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.7	(L1) Ensure user role group changes are reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.8	(L1) Ensure mail forwarding rules are reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.9	(L1) Ensure all security threats in the Threat protection status report are reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.10	(L1) Ensure the Account Provisioning Activity report is reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.11	(L1) Ensure non-global administrator role group assignments are reviewed at least weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.12	(L1) Ensure the spoofed domains report is reviewed weekly (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
5.13	(L2) Ensure Microsoft Defender for Cloud Apps is enabled and configured (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.14	(L1) Ensure the 'Restricted entities' report is reviewed weekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
5.15	(L1) Ensure Guest Users are reviewed at least biweekly (Manual)	<input type="checkbox"/>	<input type="checkbox"/>
<b>6</b>	<b>Storage</b>		
6.1	(L2) Ensure SharePoint external sharing is managed through domain whitelist/blacklists (Automated)	<input type="checkbox"/>	<input type="checkbox"/>

CIS Benchmark Recommendation		Set Correctly	
		Yes	No
6.2	(L2) Block OneDrive for Business sync from unmanaged devices (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
6.3	(L1) Ensure expiration time for external sharing links is set (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
6.4	(L2) Ensure 'third-party storage services' are restricted in 'Microsoft 365 on the web' (Automated)	<input type="checkbox"/>	<input type="checkbox"/>
6.5	(L2) Ensure additional storage providers are restricted in Outlook on the web (Automated)	<input type="checkbox"/>	<input type="checkbox"/>

# Appendix: Change History

Date	Version	Changes for this version
3/15/2022	1.5.0	UPDATE - Cannot audit LinkedIn Contact sync programmatically - Make Manual Ticket #15139
3/22/2022	1.5.0	UPDATE - API is available to assess Password Protection Ticket #14800
3/24/2022	1.5.0	UPDATE - Audit Procedure Wording for skype/teams Ticket #15103
3/24/2022	1.5.0	MOVED - Ensure Safe Links for Office Applications is Enabled moved under section 2 - ensure safe links for office apps. Ticket #15026
3/24/2022	1.5.0	MOVED - What is difference between the checks 4.5 and 2.3 ? (Safe Links for Exchange and Office Apps) Ticket #14991
5/17/2022	1.5.0	UPDATE - Safe Links Policy cmdlet: the parameter 'IsEnabled' is no longer supported. Ticket #15493
5/17/2022	1.5.0	UPDATE - Remove AdminAuditLogEnabled - ON-PREM only command Ticket #15109
5/20/2022	1.5.0	UPDATE - Audit DLP for Teams via PowerShell Ticket #14990
6/27/2022	1.5.0	UPDATE - Parameter AllowClickThrough is deprecated for SafeLinksPolicy Ticket #14992

Date	Version	Changes for this version
7/25/2022	1.5.0	UPDATE - PowerShell cmdlet for assessing password hash sync Ticket #15022
7/28/2022	1.5.0	UPDATE - Only works in the new Exchange Admin center, Fixed PS remediation Ticket #15972
8/2/2022	1.5.0	UPDATE - Clarify breadth of report Ticket #16097
8/4/2022	1.5.0	UPDATE - PowerShell guidance, Role Name to Role Object ID Ticket #16125
8/4/2022	1.5.0	UPDATE - Missing a step Ticket #15967
8/4/2022	1.5.0	REMOVE - Ensure modern authentication for Skype for Business Online is enabled Ticket #15719
8/5/2022	1.5.0	UPDATE - Improve PowerShell Audit Procedure guidance Ticket #15970
8/5/2022	1.5.0	UPDATE - Block OneDrive, clarify scope and accuracy of recommendation Ticket #16147
8/5/2022	1.5.0	UPDATE - PS cmdlet correction Ticket #16140
8/8/2022	1.5.0	UPDATE - DLP settings found in SecureScore Portal/API Ticket #13747
8/8/2022	1.5.0	UPDATE - 'Ensure the option to stay signed in' Audit and Remediation steps Ticket #16016



Date	Version	Changes for this version
8/12/2022	1.5.0	UPDATE - Provide more detailed path for audit Ticket #15968
8/12/2022	1.5.0	UPDATE - Safe Links Audit+Remediation Ticket #16025
8/12/2022	1.5.0	UPDATE - Connect-EXOPSSession V1 cmdlet replaced with V2 Connect-ExchangeOnline Ticket #15942
8/12/2022	1.5.0	UPDATE - Ensure the spoofed domains report is reviewed weekly Ticket #15317
8/12/2022	1.5.0	UPDATE - Microsoft Compliance became Microsoft Purview Ticket #15432
8/12/2022	1.5.0	UPDATE - Fix rationale Ticket #16107
8/15/2022	1.5.0	UPDATE - Role group changes procedures Ticket #16037
8/15/2022	1.5.0	UPDATE - Password hash sync audit procedure Ticket #16184
8/15/2022	1.5.0	UPDATE - change 'unlicensed' to 'un-assigned' to clarify the point that 'apps' are not assigned. Ticket #15015
8/15/2022	1.5.0	UPDATE - Implement Spam Filter Policy w/transport rule to simplify Ticket #14642
8/15/2022	1.5.0	UPDATE - Modern Authentication Clients option no longer listed Ticket #15318
8/15/2022	1.5.0	REMOVE - Non-Owners Report is deprecated Ticket #16195

Date	Version	Changes for this version
8/16/2022	1.5.0	UPDATE - Ensure notifications for internal users sending malware is Enabled should be check for Default Policy or for all polices Ticket #15725
8/18/2022	1.5.0	UPDATE - Ensure Safe Links for Office Applications is Enabled Ticket #15482
10/17/2022	2.0.0	UPDATE - 'Azure AD Risky sign-ins report' moved to E5 profile Ticket #16420
11/14/2022	2.0.0	UPDATE - 'Multifactor authentication is enabled for all users' move to L1 Ticket #16974
1/10/2023	2.0.0	UPDATE - 'SSPR' to include more information on Combined Registration Ticket #16421
1/20/2023	2.0.0	UPDATE - 'Passwords Are Not Set to Expire' to MgGraph Ticket #17399
1/20/2023	2.0.0	UPDATE - 'Security defaults' Included MgGraph method Ticket #16469
1/20/2023	2.0.0	UPDATE- 'Security Defaults' Order and remediation info Ticket #16331
1/24/2023	2.0.0	UPDATE - 'External file sharing in Teams' Remove skype references, update remediation Ticket #17470
1/24/2023	2.0.0	UPDATE - 'Password hash sync' to use MgGraph Ticket #16455
1/30/2023	2.0.0	UPDATE - 'Guest Users are reviewed at least biweekly' For MgGraph Ticket #17522

Date	Version	Changes for this version
2/7/2023	2.0.0	UPDATE - 'Ensure between two and four global admins' Update MSOL Ticket #16456
2/9/2023	2.0.0	ADD - New recommendation for users tagged as priority accounts Ticket #16472
2/9/2023	2.0.0	ADD - 'Strict protection preset for Priority accounts' Ticket #17646
2/9/2023	2.0.0	UPDATE - 'Microsoft Defender for Cloud Apps' Ticket #16479
2/10/2023	2.0.0	ADD - 'Restrict access to the Azure AD administration portal' is set to 'Yes' Ticket #17153
2/10/2023	2.0.0	ADD - `Microsoft Azure Management restrictions' Ticket #17659
2/10/2023	2.0.0	UPDATE - 'MFA for all admins' Define list of directory roles Ticket #16275
2/14/2023	2.0.0	ADD - ' Microsoft Authenticator is configured to protect against MFA fatigue' Ticket #16976
2/14/2023	2.0.0	ADD - 'Ensure 'Phishing-resistant MFA strength' is required for Administrators` Ticket #16975
2/14/2023	2.0.0	ADD - 'Idle session timeout' Ticket #16470
2/15/2023	2.0.0	ADD - 'Ensure custom banned passwords lists are used' Ticket #17699

Date	Version	Changes for this version
2/15/2023	2.0.0	UPDATE - 'Block legacy authentication' to include more on Impact Ticket #16422
2/16/2023	2.0.0	UPDATE - 'DKIM for Exchange Online' = Audit/Remediation procedure Ticket #17311
2/16/2023	2.0.0	UPDATE - 'Mail forwarding rules review..' remove MSOL dependency Ticket #17520
2/16/2023	2.0.0	UPDATE - 'option to remain signed in is hidden' Moved to Entra. Ticket #17252
2/16/2023	2.0.0	UPDATE - 'Safe links policy' define all settings, and fix PowerShell remediation Ticket #16460
2/17/2023	2.0.0	ADD - 'Restrict non-admin users from creating tenants' Ticket #17033
2/17/2023	2.0.0	UPDATE - 'Admin consent workflow' Change to L1 Ticket #17720
2/17/2023	2.0.0	UPDATE - 'Disallow download of infected files in SharePoint' Added note about roles Ticket #16488
2/17/2023	2.0.0	UPDATE - 'User installs of Outlook add-ins' PowerShell remediation Ticket #17708
2/22/2023	2.0.0	UPDATE - 'DLP policies are enabled for Teams' Included note about Connect-IPPSSession Ticket #17711

Date	Version	Changes for this version
2/22/2023	2.0.0	UPDATE - 'SharePoint guest restrictions' to include defaults Ticket #17736
2/28/2023	2.0.0	UPDATE - 'Role group change reviews' Fixed PowerShell method Ticket #17786
3/2/2023	2.0.0	ADD - 'Microsoft 365 on the web restrictions' Ticket #17803
3/2/2023	2.0.0	UPDATE - 'External storage provides' Ticket #16487
3/2/2023	2.0.0	UPDATE - 'Review the restricted entities report' added PS method Ticket #17801
3/6/2023	2.0.0	ADD - 'Access reviews for Guests E5' Ticket #14853
3/6/2023	2.0.0	UPDATE - 'Teams external access restrictions' Add PowerShell methods Ticket #16486
3/6/2023	2.0.0	UPDATE - 'User consent to apps' removed MSOL methods Ticket #17469
3/7/2023	2.0.0	UPDATE - 'Ensure all forms of mail forwarding are blocked' Changed to two steps for equal coverage Ticket #16459
3/7/2023	2.0.0	UPDATE - 'anti-phishing policy' determine baseline settings in audit section Ticket #17719
3/8/2023	2.0.0	REMOVE - 'Removed Endpoint Manager recommendations' Ticket #17834

Date	Version	Changes for this version
3/8/2023	2.0.0	UPDATE - 'External sharing of calendars' additional script to check for published calendars Ticket #17820
3/8/2023	2.0.0	UPDATE - 'Mobile device requirements' compliance policy Ticket #16970
3/9/2023	2.0.0	ADD - 'SharePoint and OneDrive integration with Azure AD B2B' Ticket #17034
3/12/2023	2.0.0	UPDATE - 'Risky sign-ins report' removed bad request in Graph Explorer Ticket #16404
3/13/2023	2.0.0	UPDATE - 'collaboration invitations' to include notes about sharing Ticket #16854
3/14/2023	2.0.0	ADD - 'Ensure two Emergency Access accounts have been defined' Ticket #16891
3/15/2023	2.0.0	ADD - 'Access reviews for high privileged Azure AD roles' Ticket #17863
3/15/2023	2.0.0	UPDATE - 'Application usage report' To include step for "Usage & insights" Ticket #17784
3/15/2023	2.0.0	UPDATE - 'Just in time privileged access' Title change to Privileged Identity Management Ticket #17875
3/15/2023	2.0.0	UPDATE - 'Sign-in frequency and persistence' Ticket #17613

Date	Version	Changes for this version
3/15/2023	2.0.0	UPDATE - URLS in references sections to adjust for redirections, and length  Ticket #17930